
stryker

Product guide 2018

See more. Do more.



stryker

Visualization
Plastic and Reconstructive Surgery
Arthroscopy
Urology
Gynecology
Laparoscopy
Services

U.S. Product Guide 2018

Visualization

12 Camera systems and minimally invasive surgery

19 Open visualization

20 Video enhancement

21 Light source

24 Data management

27 Printers

28 Flat panel surgical display

30 Wireless technology

31 Video carts

Plastic and Reconstructive Surgery

34 SPY-PHI Fluorescence Imaging System

35 SPY Elite Fluorescence Imaging System

36 DermACELL Acellular Dermal Matrix (ADM)

Arthroscopy

40 Arthroscopes

44 Arthroscope hardware

50 Powered instruments

53 Cutters & burs

59 Arthroscopy pumps

61 Single portal arthroscopy

63 Hip arthroscopy

69 Small-joint arthroscopy

71 Manual instruments

74 Disposable cannulas

75 Micro cart

Urology

78 Rigid cystoscopes

80 Resection

82 Laser cystoscope

83 Urethrotome

84 Ureteroscopes

85 Urology accessories

Gynecology

88 Rigid hysteroscopes

90 Resection

93 Gynecologic laparoscopy instruments

93 Fluid management

Laparoscopy

96 Laparoscopes

99 Manual instruments

106 Electrosurgical instruments

107 Suction Irrigation

110 Insufflators

112 ICG and infrared technology

113 Laparoscopic training system

113 Pneumatic scope holder

Services

116 OnSite Services

117 ProCare Services

118 Replacement parts

120 Repair process

121 Loaner and replacement policy

Index

122 Index

We are Stryker

Together with our customers, we are driven to make healthcare better.



This mission is at the heart of what we do and believe. We collaborate with our customers to develop innovative products and services that ultimately improve the lives of patients. We understand that in today's challenging healthcare environment, our customers need solutions that improve quality and efficiency in the operating room and, ultimately, the patient experience. These challenges are creating opportunities for us to make healthcare better, for our customers and the patients they serve.

Stryker is one of the world's leading medical technology companies, and, together with our customers, we are driven to make healthcare better. The Company offers a diverse array of innovative products and services in Orthopaedics, Medical and Surgical, and Neurotechnology and Spine that help improve patient and hospital outcomes. Stryker is active in over 100 countries around the world. Please contact us for more information at www.stryker.com.

Stryker Endoscopy is proud to comply with the AdvaMed Code of Ethics that govern interactions with Health Care Professionals in order to foster an ethical and innovative environment within the healthcare industry.

Stryker is ISO 13485 Certified

Technical Support

For technical assistance, call our Technical Support hotline at 1-877-4STRYKER (1.877.478.7953) or email us at endots@stryker.com.


Our hours of operation are 5 am–5 pm PST.
Our Technical Representatives can assist you with the following:

- Equipment function, operation and set-up
- Biomedical Department support
- Product solutions during surgical procedures

Customer Service

Stryker Endoscopy
5900 Optical Court, San Jose, CA 95138
Tel 1.800.624.4422, Fax 1.800.729.2917

Customer Service Email:
endocustomersupport@stryker.com



Stryker Corporation

Orthopaedics

This segment includes hips, knees, robotic-arm assisted technology, trauma & extremities, foot & ankle, bone cement and performance solutions.

Medical & Surgical

This segment includes power tools and surgical equipment, computer assisted surgery, minimally invasive surgical solutions, sports medicine, infrastructure and integration, patient care, patient handling & EMS equipment and reprocessing & remanufacturing.

Neurotechnology & Spine

This segment includes craniomaxillofacial, interventional spine, neuro powered instruments, neurovascular and spinal products.

Ordering Information

How to order & contract management

To order, call our toll-free number 1.800.624.4422. Our hours of operation are 5AM-5PM Pacific Standard Time. A customer service representative will be available to answer any questions or place your order. You can also email endocustomersupport@stryker.com.

Remittance

All payment should be remitted within 30 days of the date of invoice, to: Stryker Sales Corporation, P.O. Box 93276, Chicago, IL 60673-3276

Shipping

Shipments are F.O.B. Point of Origin. Unless otherwise specified, orders will be shipped via the most economical method.

Lead times

Standard lead time for disposable items is 24 hours after order receipt and the standard lead time for capital equipment is 3 days after order receipt. If you would like to request an order to ship sooner than its regular lead time, please call Customer Service directly at 1.800.624.4422 and we will make every effort to accommodate your request.

Exceptions

Order shipment requests outside of the standard lead time are handled as exceptions. Orders must be entered before 3:30pm PST to be considered for same day shipment and will be approved if product and resources are available. If you would like to request an order to ship outside standard lead times, please call Customer Service directly at 1.800.624.4422 and we will make every effort to accommodate your request.

Distribution policy at Stryker Endoscopy

Distribution Channel Costs: A 3% charge may be added to any orders routed through a Distributor. This charge covers the cost of processing sales tracking and other processes associated with Distributors that are not incurred with direct sales.

Claims

Claims for short quantity of products must be made within 30 days of receipt. Claims for damaged merchandise must be made with the carrier within 10 days of receipt. Do not accept damaged shipments unless such damage is noted on the Bill of Lading at the time of receipt. The recipient has a responsibility to make the damage claim through the carrier and submit the damage claim and a survey report to Stryker Endoscopy for presentation to our insurance company or the delivering carrier. Stryker Endoscopy will not issue credit for shipping damage unless the above procedure is followed.

Contract management

Stryker Endoscopy participates with various group purchasing organization contracts. For information contact: National Accounts Department, Stryker Endoscopy, 5900 Optical Court, San Jose, CA 95138

Or email: Local Contracts: localcontracts@stryker.com or
Healthcare Services: hcsrequests@stryker.com

Note: No credit will be given for contract pricing discrepancies after 3 months of the original invoice date.

Terms

All purchases are subject to Stryker's terms and conditions as reflected in Stryker's proposal and invoice sales documentation (e.g., proposal, purchase order, invoice and/or its terms of sale or sales contract, depending on which is provided to the customer).Prices, specifications, and terms are subject to change without notice.

Flex Financial

Flex Financial is designed for today's business success

In recent years operating room technology has made tremendous leaps forward. Stryker's Endoscopy division has been pioneering advances that create more efficient operating rooms where higher quality procedures occur. Stryker also recognized that, in order for facilities to take advantage of these advances, it needed to make it easier for facilities to acquire Stryker products and services.

Flex Financial, a division of Stryker, offers trusted financial professionals and an extensive array of financing programs to allow for immediate acquisition of the latest technology without an up-front capital investment. In today's environment, it has become increasingly difficult to access cash to drive profitable business decisions. Flex Financial can provide access to capital to invest in your business.

We offer numerous payment structures that can be customized to meet budgetary needs and help to build long-term financial stability.

Fee per disposable or implants
Get the capital you need, and pay for it with premiums added to disposables, implants or reprocessed consumables.

Deferred payment programs
Get the equipment you need today and pay for it when budgets allow.

Traditional capital and operating leases
Whether you want to own the equipment or pay for the use of the equipment, we have a solution.

Customized programs
If an "off the shelf" program doesn't fit your needs, we can customize a program that will work with your individual financial situation

Flex Financial understands the issues healthcare providers face and has structured cost effective programs for hundreds of hospitals and surgery centers of all sizes across the nation. Whether your goal is to increase liquidity, fix costs, or manage budget constraints, our talented group of regional finance managers can structure a plan to meet your needs while keeping state-of-the-art equipment in the hands of the physicians. Contact Flex Financial today: 1.888.308.3146

Product Warranty

Stryker warrants all products except Dermacell, subject to the exceptions provided herein, to be free from defects in design, materials and workmanship and to substantially conform to the product specifications contained in the documentation provided by Stryker with the products for a period of one year from the date of purchase (the "Warranty Period"). This warranty shall apply only to the original end-user purchaser of products directly from Stryker or a Stryker authorized distributor. This warranty may not be transferred or assigned without the express written consent of Stryker. Dermacell products are subject to the warranty set forth on page 37 of this Product Guide.

If a valid warranty claim is received within the Warranty Period, Stryker will, in its sole discretion: (1) repair the product at no charge, (2) replace the product at no charge with a product that is at least functionally equivalent to the original product, or (3) refund the purchase price of the product. In any event, Stryker's liability for breach of warranty shall be limited to the replacement value of the defective or non-conforming part or component.

This warranty does not apply to: (1) products that have been misused, neglected, modified, altered, adjusted, tampered with, improperly installed or refurbished; (2) products that have been repaired by any person other than Stryker personnel without the prior written consent of Stryker; (3) products that have been subjected to unusual stress or have not been maintained in accordance with the instructions in the user manual or as demonstrated by a Stryker representative; (4) products on which any original serial numbers or other identification marks have been removed or destroyed; or (5) products that have been repaired with any unauthorized or non-Stryker components, including replacement lamps or (6) Dermacell products.

If Stryker determines in its reasonable discretion that the claimed defect or non-conformance in the product is excluded from warranty coverage as described hereunder, it will notify the customer of such determination and will provide an estimate of the cost of repair of the product. In such an event, any repair would be performed at Stryker's standard rates.

Products and product components repaired or replaced under this warranty continue to be warranted as described herein during the initial Warranty Period or, if the initial Warranty Period has expired by the time the product is repaired or replaced, for ninety (90) days after delivery of the repaired or replaced product. When a product or component is replaced, the item provided in replacement will be the customer's property and the replaced item will be Stryker's property. If a refund is provided by Stryker, the product for which the refund is provided must be returned to Stryker and will become Stryker's property.

The inspection, testing, acceptance or use of the products and services furnished hereunder shall not affect En Stryker's obligation under this warranty and such warranty shall survive inspection, test, acceptance and use. Notwithstanding the above, the following products are warranted for a period of ninety (90) days from the date of purchase: scopes, associated scope hardware, fiber optic cables, laparoscopic instruments, and monitors; replacement light bulbs are warranted for a period of sixty (60) days from the date of purchase; printers are warranted for a period of 3 years from the date of purchase.

To the fullest extent permitted by law, the express warranty set forth herein is the only warranty applicable to the products and is expressly in lieu of any other warranty by Stryker, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose. Stryker shall not have any tort liability to customer with respect to the products and shall not be liable for indirect, special, incidental, punitive or consequential damages resulting from any breach of warranty or under any other legal theory.

Return Policy

Buyer may return purchased products to Stryker within 90 days of purchase. ICG purchases are final sale and cannot be returned to Stryker. Dermacell products are subject to the return policy set forth on page 37 of this Product Guide. Products that fail after the first 90 days may be covered by and are subject to the terms of applicable product warranty. Sterile products may not be returned for credit or refund unless they are in their original, unopened packaging or unless they are in breach of the applicable warranty.

Restocking fees

Unless the product is defective or the return is the direct result of a Stryker Endoscopy error, a restocking fee of 10% may be charged on all returned products.

Return process

A Returned Merchandise Authorization (RMA) number must be obtained from Stryker Endoscopy before returning product. To obtain an RMA number, please contact Stryker Endoscopy Customer Service at 1.800.624.4422. For Dermacell returns, please see the return policy on page 37.

Please mail returns the addresses below:

For scopes:
Except green eye piece AIM scopes

Stryker Endoscopy
Attn: Returns
135 Schofield Ave
Dudley, MA 01571

For any other product:
Including green eye piece AIM scopes

Stryker Endoscopy
Attn: Returns
5900 Optical Court
San Jose, CA 95138

With the return, please include the following:

- RMA number (Please also write the number on the box)
- Purchase order number
- Name, address, and account number (of the organization returning the product)
- Itemized list of the items being returned
- Reason for the return
- Product Experience Report/Complaint number, if applicable

Please carefully package the product being returned. Credit will not be given for items that are damaged in return shipment due to inadequate packaging. Stryker does not accept any COD returns. Return shipping costs are borne by Buyer unless Stryker specifically agrees otherwise. Please clean and sterilize all potentially contaminated products prior to returning them to Stryker. It is unlawful to transport bio-contaminated products through interstate commerce, unless they are properly packaged and labeled as such. Stryker reserves the right to destroy contaminated product at the customer's expense and charge the customer for a replacement unit. If a return does not comply with these terms, Stryker reserves the right to destroy the product at the Buyer's expense. Any replacement would be at Buyer's expense.

Please remove any "Protected Health Information" as defined in the Health Insurance Portability and Accountability Act of 1996 from products prior to returning them to Stryker Endoscopy.



A. 4K surgical display

B. My SDC3 Surgeon iPad Application

C. SDC3
Information management system

D. PneumoClear
Insufflator

E. Clarity
Video enhancement system

F. 1588 AIM
Camera control unit

G. L10 LED Light Source

H. VPI
Video Processor/Illuminator

I. SDP 1000 Printer

Visualization

Camera systems and minimally invasive surgery

13 1588 AIM Camera System
14 1488 HD 3-Chip Camera System
15 PINPOINT Camera System
16 Precision AC 3-Chip Camera System
17 Camera accessories
17 Video accessories
18 Sterilization trays

Open visualization

19 SPY-PHI Portable Fluorescence Imaging System
19 SPY Elite Fluorescence Imaging System

Video enhancement

20 Clarity video enhancement system

Light source

21 L10 AIM Light Source
22 Light source accessories

Data management

24 SDC3 HD Information Management System
25 My SDC3 Surgeon iPad Application
26 Data management accessories

Printers

27 Printers

Flat panel surgical display

28 4K 32" Surgical Display
29 VisionPro LED Display

Wireless technology

30 SYNK Wireless Platform

Video carts

31 Video carts

Camera systems



1588 AIM Camera Head and AIM Coupler Kit
1588-210-122



Consoles (top to bottom)
220-220-300, 1588-010-000, 240-260-000

1588 AIM Complete Kit
1588-878-096P



1588 AIM Camera Head and AIM Coupler
1588-210-122



1588 AIM Integrated Camera Head
1588-610-122



1588 AIM Inline Camera Head and AIM Coupler
1588-710-122



1588 Pendulum Camera Head
1588-310-130

1588 AIM Camera System

Camera control unit	**1588-010-000**	1588 AIM Camera Control Unit (CCU)
Camera heads	**1588-210-122**	1588 AIM Camera Head and AIM Coupler Kit Ⓚ
	1588-210-105	1588 AIM Camera Head, C-Mount
	1588-610-122	1588 AIM Integrated Camera Head (JWL)
	1588-710-122	1588 AIM Inline Camera Head and AIM Coupler Kit Ⓚ
	1588-710-105	1588 AIM Inline Camera Head
	1588-310-130	1588 Pendulum Camera Head
Kits	**1588-878-096P**	1588 AIM Complete Kit Ⓚ Includes: 1588 Camera Control Unit (CCU), L10 AIM Light Source and Clarity Console
	1588-668-257P	1588 AIM Lite Kit Ⓚ Includes: 1588 Camera Control Unit (CCU) and L10 AIM Light Source
Accessories	**P30883**	AIM USB A-A Cable, 6.6 ft
	1588-000-080	Extension Cable
	PP9036	SPY-MIS ICG Pack (6 Kits per)



1488 HD 3-Chip Camera Head and 18 mm Coupler Kit
1488-210-122



1488 HD 3-Chip Camera Control Unit (CCU)
1488-010-000

1488 HD 3-Chip Camera System

Camera control unit	**1488-010-000**	1488 HD 3-Chip Camera Control Unit (CCU)
	1488-010-001	1488 HD 3-Chip Camera Control Unit (CCU) with DVI Fiber Output



1488 Camera Head with 18 mm Coupler
1488-210-122



1488 Camera Head with Integrated Coupler
1488-610-122



1488 Inline Camera Head with 18 mm Coupler
1488-710-122



1488 Pendulum Camera Head
1488-310-130

Camera heads	**1488-210-122**	1488 HD 3-Chip Camera Head and 18 mm Coupler Kit K
	1488-210-105	1488 HD 3-Chip Camera Head, C-Mount
	1488-610-122	1488 HD 3-Chip Integrated Camera Head
	1488-710-122	1488 HD 3-Chip Inline Camera Head and 18 mm Coupler Kit K
	1488-710-105	1488 HD 3-Chip Inline Camera Head, C-Mount
	1488-310-130	1488 HD 3-Chip Pendulum Camera Head with Integrated Coupler
Accessories	**P17542**	1488 Soaker Cap
	P24765	1488 Soaker Cap Lanyard
	1488-000-020	Extension cable



PINPOINT Camera head
PC9002

PINPOINT Camera System

Camera control unit	**PC9001**	Video Processor/Illuminator (VPI)
Camera head	**PC9002**	PINPOINT Camera Head
PINPOINT Laparoscope	**SC9104**	10mm, Standard, 0 with Wolf and Storz adaptor
	SC9134	10mm, Standard, 30 with Wolf and Storz adaptor
	SC9144	10mm, Standard, 45 with Wolf and Storz adaptor
	SC9504	5mm, Standard, 0 with Wolf and Storz adaptor
	SC9534	5mm, Standard, 30 with Wolf and Storz adaptor
	SC9544	5mm, Standard, 45 with Wolf and Storz adaptor
Accessories	**PC9028**	PINPOINT Camera Head Holder, Premium Cart
	PC9017	No-Wrap Reprocessing Tray for two (2) Laparoscopes and one (1) Light Guide Cable
	PC9018	No-Wrap Reprocessing Tray for one (1) Camera Head
	PC9021	PINPOINT Light Guide Adaptor, Endoscope End (Output, Storz)
	PC9022	PINPOINT Light Guide Adaptor, VPI End (Input, Olympus)
	PC9023	PINPOINT Scope Adaptor, Endoscope, Storz
	PC9024	PINPOINT Scope Adaptor, Endoscope, Wolf
	PC9004	PINPOINT Light Cable
	PC9015	PINPOINT HD-SDI Cable (25')



Precision AC 3-Chip Autoclavable Camera Head and 20 mm Coupler
700-410-122



Precision AC 3-Chip Camera Control Unit (CCU)
700-010-000

Precision AC 3-Chip Camera System

Camera control unit	**700-010-000**	Precision AC 3-Chip Camera Control Unit (CCU)
	700-010-001	Precision AC 3-Chip Camera Control Unit (CCU) with DVI Fiber Output
Camera heads	**700-410-122**	Precision AC 3-Chip Autoclavable Camera Head and 20 mm Coupler
	700-410-105	Precision AC 3-Chip Autoclavable Camera Head, C-Mount
Accessories	**P17542**	Precision Soaker Cap
	P26805	Precision Soaker Cap Lanyard

Camera accessories

Couplers

1588-020-122	1588 AIM 18 mm Coupler, C-Mount
1488-020-122	1488 HD 18 mm Coupler, C-Mount
1488-020-125	Ideal Eyes 16 mm–28 mm Zoom Coupler, C-Mount
700-020-122	Precision 20 mm Autoclavable Coupler, C-Mount
1188-020-122	1188 HD 24 mm Coupler



Adapter

882-210-110	Zeiss/Leica C-Mount Microscope Adapter

Soaker caps

P17542	Soaker Cap* Compatible with 1588, 1488 and Precision Camera Head
P24765	Soaker Cap Lanyard* Compatible with 1588 and 1488 Camera Head
P26805	Precision Soaker Cap Lanyard*

*Soaker Cap and Lanyard must be ordered in tandem

Video accessories

Cables

240-099-071	DVI-I Cable, 3 ft
240-050-845	DVI-I Cable, 6.5 ft
240-060-845	DVI-D Cable, 30 ft
105-150-908	S-Video Cable, 12 ft
105-160-911	S-Video Cable, 30 ft
105-184-963	S-Video Cable, 50 ft
103-166-002	BNC Cable, 10 ft
105-190-647	Hospital Power Cord, 2 ft (110 V)
105-033-001	Hospital Power Cord, 6 ft (110 V)
105-205-295	Hospital Power Cord, 20 ft (110 V)
105-206-758	2.5 mm–3.5 mm Remote Screw-On Cable, 6 ft
105-206-813	2.5 mm–2 x 3.5 mm Remote Screw-On Y-Cable, 6 ft
P10352	3.5mm to 2x 2.5mm Y Cable

Adapter

280-121-000	Spacer Ring Coupler washer to use with manufactured scopes



AIM Sterilization Tray
233-032-301



Camera Sterilization Tray
233-410-002



Endoscope and Camera Sterilization Tray
233-032-302

Sterilization trays

Trays

233-032-301	AIM Sterilization Tray L = 20.65" | W = 9.93" | H = 2.91"
233-410-002	Camera Sterilization Tray L = 15.05" | W = 9.93" | H = 2.91"
233-032-302	Endoscope and Camera Sterilization Tray L = 20.65" | W = 9.93" | H = 2.91"
233-410-000	Autoclavable Camera Tray L = 14.95" | W = 9.87" | H = 2.00"
233-032-114	Articulating Laparoscope Sterilization Tray (5 mm/10 mm) L = 23.28" | W = 11.50" | H = 2.51"
233-032-115	Bariatric Articulating Laparoscope Sterilization Tray L = 23.55" | W = 14.96" | H = 2.20"

Kits

1588-878-096P	1588 AIM Complete Kit Ⓚ Includes: 1588 Camera Control Unit (CCU), L10 AIM Light Source and Clarity Console
1588-668-257P	1588 AIM Lite Kit Ⓚ Includes: 1588 Camera Control Unit (CCU) and L10 AIM Light Source

Open visualization



SPY-PHI
HH9030

SPY Elite
LC3000



SPY-PHI | Fluorescence Imaging System

Camera control unit	**PC9001**	Video Processor/Illuminator (VPI)
SPY-PHI camera head	**HH9030**	SPY Portable Handheld Imager (SPY-PHI)
Accessories	**HH1001**	SPY-PHI Articulating Arm, Main Arm
	HH1002	SPY-PHI Articulating Arm, Table Clamp
	HH1003	SPY-PHI Articulating Arm, Imaging Head Holder
	PC9098	SPY-PHI Imaging Head Holder Kit for the Premium Cart
	PC9099	SPY-PHI Imaging Head Holder Installation Tool Kit for the Premium Cart
	PC9114	VPI-SDC Capture Cable

SPY Elite | Fluorescence Imaging System

SPY Elite tower	**LC3000**	SPY Elite Fluorescence Imaging System

Drug and drape kits

Kits	**HH9006**	SPY-PHI Drug Drape Pack (6 Kits Per)
	LC3006	SPY Elite Drug Drape Pack (6 Kits Per)
	SK6000-6	SPY2000 Drug and Drape Pack (6 Kits Per)
	LU3006	LUNA Drug Drape Pack (6 Kits Per)

Video enhancement



Clarity Console
240-260-000

Clarity | Video enhancement system

Console	**240-260-000**	Clarity Console
Kit	**240-260-001**	Clarity with SDC3 Base Kit K
	240-260-002	Clarity with SDC3 Base and SDP1000 Printer Kit K
	240-260-003	Clarity with SDC3 Base and Device Control Kit K
	240-260-004	Clarity with SDC3 Base, Device Control and SDP1000 Printer Kit K
	240-260-005	Clarity with SDC3 Base, Device and Voice Control and SDP1000 Printer Kit K
	240-260-006	Clarity with SDC3 Base and Device and Voice Control Kit K
	1588-878-096P	1588 AIM Complete Kit K Includes: 1588 Camera Control Unit (CCU), L10 AIM Light Source and Clarity Console

Light source



L10 LED Light Source with AIM
220-220-300

L10 AIM Light Source

Light source	**220-220-300**	L10 LED Light Source with AIM
Kit	**1588-878-096P**	1588 AIM Complete Kit Ⓚ Includes: 1588 Camera Control Unit (CCU), L10 AIM Light Source and Clarity Console
Accessories	**P30883**	AIM USB A-A Cable, 6.6 ft
	220-180-518	IRIS Ureteral Kit

Light source accessories

Accessories

6000-001-020 2 m Firewire Cable
Not included with L9000, but needed for light source control from the 1288 camera head

105-187-988 USB Cable
LS/1488 Precision Device Control

Safelight fiberoptic light cables and adapters



233-050-300

233-050-300 5.0 mm x 10 ft AIM Safelight Fiberoptic Cable

233-050-199 Safelight Kit Ⓚ
Includes: Safelight Cable and Safelight Scope Adapter

233-050-100 5.0 mm x 10 ft Clear-Case Safelight Fiberoptic Light Cable

233-050-200 5.0 mm x 10 ft Opaque-Case Safelight Fiberoptic Light Cable

233-050-087 Safelight AIM/Henke/Dyonics/Storz Scope Adapter

233-050-088 Safelight Wolf Scope Adapter

233-050-086 Safelight Olympus Scope Adapter

233-050-192 Safelight ACMI/Circon Scope Adapter



233-065-010



233-050-090



233-050-064



233-050-065



233-050-069



233-050-067



233-050-084

Fiberoptic light cables

233-065-010 6.5 mm x 10 ft Fiberoptic Light Cable
Wolf Scope & Stryker Light Source Fittings

233-050-090 5.0 mm x 10 ft Fiberoptic Light Cable
Universal Scope and Stryker Light Source Fittings

233-050-064 5.0 mm x 10 ft Clear Case Fiberoptic Light Cable
Storz Scope & Stryker Light Source Fittings, Screw-On

233-050-065 5.0 mm x 10 ft Fiberoptic Light Cable
Stryker Scope & Stryker Light Source Fittings

233-050-069 5.0 mm x 10 ft Clear Case Fiberoptic Light Cable
Wolf Scope & Stryker Light Source Fittings, Snap-On

233-050-067 2.0 mm x 7.5 ft Clear Case Fiberoptic Light Cable
Stryker/ACMI Scope & Stryker Light Source Fittings

233-050-084 5.0 mm x 10 ft Fiberoptic Light Cable
Storz Scope and Stryker Light Source Fittings, Screw-On

Light source adapters

- Connects to light source
- For use with universal Fiberoptic Light Cable, 233-050-090

233-050-071 Stryker/ACMI/Zimmer Light Source Adapter

233-050-072 Olympus Light Source Adapter

233-050-073 Storz Light Source Adapter

233-050-074 Wolf/Dyonics Light Source Adapter


331-000-100


331-000-200


331-000-300


331-000-400

Scope adapters for autoclavable scopes

- » Connects to endoscope
- » Blue, red, green and purple eyepiece

331-000-100 Stryker Adapter
331-000-200 Wolf/Dyonics Adapter
331-000-300 Storz Adapter
331-000-400 Right Angle Adapter


233-050-076


233-050-077


233-060-000

Endoscope adapters

- » Connects to endoscope
- » For use with universal Fiberoptic Light Cable, 233-050-090

233-050-076 Wolf/Dyonics Scope Adapter
233-050-077 Storz/Olympus Scope Adapter
233-060-000 ACMI Universal Scope Adapter


233-080-000


233-082-000

Endoscope adapters for non-autoclavable scopes

- » Connects to endoscope
- » Reference page 35 for arthroscopes

233-080-000 Stryker Adapter
233-082-000 Storz Adapter

Data management



SDC3 HD Information Management System
240-060-100

SDC3 Replacement IR Remote Control
240-060-127

Connected OR Spoke
240-060-150

Jabra Wireless Headset and Base Station
240-060-112

***iPad not sold by Stryker**

SDC3 HD Information Management System

SDC3	**240-060-100**	SDC3 HD Information Management System
	240-060-101	SDC3 Voice Control Package
	240-060-102	SDC3 Device Control Package
	240-060-103	SDC3 DICOM Software
	240-060-150	Connected OR Spoke*
	240-060-558	SDC3 EMR Connectivity Package

*At the time of this publication, this device is not currently available for sale in the United States. Contact your local Sales Representative for updated information.

SDC3 kits

Without printer

240-060-900 SDC3 Base with Voice Control Kit Ⓚ
240-060-901 SDC3 Base with Device Control Kit Ⓚ
240-060-907 SDC3 Base with DICOM Kit Ⓚ
240-060-903 SDC3 Base with Voice Control and Device Control Kit Ⓚ
240-060-928 SDC3 Base with Device Control and EMR Connectivity Kit Ⓚ
240-060-929 SDC3 Base with Device Control, Voice Control and EMR Connectivity Kit Ⓚ
240-060-932 SDC3 Base with Voice Control and EMR Connectivity Kit Ⓚ
240-060-904 SDC3 Base with Voice Control and DICOM Kit Ⓚ
240-060-905 SDC3 Base with Device Control and DICOM Kit Ⓚ
240-060-906 SDC3 Base with Voice Control, Device Control and DICOM Kit Ⓚ
240-061-101 Voice and Device Control with EMR Connectivity Kit Ⓚ
240-061-102 Voice and Device Control with DICOM Kit Ⓚ
240-061-103 Voice and Device Control Kit Ⓚ
240-061-104 Voice Control and EMR Connectivity Kit Ⓚ
240-061-105 Voice Control with DICOM Kit Ⓚ
240-061-106 Device Control and EMR Connectivity Kit Ⓚ
240-061-107 Device Control with DICOM Kit Ⓚ
240-061-558 SDC3 Base with EMR Connectivity Kit Ⓚ

With SDP1000 printer

240-060-917 SDC3 Base with SDP1000 Printer Kit Ⓚ
240-060-918 SDC3 Base with Voice Control and SDP1000 Printer Kit Ⓚ
240-060-919 SDC3 Base with Device Control and SDP1000 Printer Kit Ⓚ
240-060-921 SDC3 Base with DICOM and SDP1000 Printer Kit Ⓚ
240-060-922 SDC3 Base with Voice Control, Device Control and SDP1000 Printer Kit Ⓚ
240-060-923 SDC3 Base with Voice Control, DICOM and SDP1000 Printer Kit Ⓚ
240-060-924 SDC3 Base with Device Control, DICOM and SDP1000 Printer Kit Ⓚ
240-060-925 SDC3 Base with Voice Control, Device Control, DICOM and SDP1000 Printer Kit Ⓚ
240-060-930 SDC3 Base with Device Control, SDP1000 Printer and EMR Connectivity Kit Ⓚ
240-060-931 SDC3 Base with Device Control, Voice Control, SDP1000 Printer and EMR Connectivity Kit Ⓚ

My SDC Surgeon iPad application

Stryker's Patient Engagement System

Contact your Stryker representative for additional information

My SDC3 app

To download the My SDC3 app, search for "My SDC3" in the Apple App Store

My SDC3 + PowerShare

A secure storage and sharing solution

To order a PowerShare License, please reference part number: 240-060-557



Data management accessories

SDC3 Device Control and Voice Control accessories	**240-060-112**	Jabra® Wireless Headset and Base Station
	240-060-113	Mounting Bracket for Jabra® Base Station
	240-060-127	SDC3 Replacement IR Remote Control
	240-031-021	VisionPro Display EDAM
	240-031-006	SYNK Wireless System Device Control Cable Package
	240-060-147	Video Editing and Telestration License Must have the Connected OR operating system
Media	**240-050-811**	Verbatim DVD+RW (10/box)
	240-050-704	Verbatim CD-R (10/box)
SDC accessories	**240-050-845**	DVI Cable, 6 ft
	105-187-988	USB A-B Cable, 6 ft
	240-050-875	DICOM Upgrade for SDC HD
	240-050-995	DICOM Upgrade for SDC Ultra

Printers



SDP1000 Digital Color Printer
240-080-230

Printers

Printers	**240-080-230**	SDP1000 Digital Color Printer
Digital printer accessories	**For SDP1000 Digital Color Printer**	
	240-080-231	Letter size print media for SDP1000 (100 sheets)
	240-080-232	A4 size print media for SDP1000 (100 sheets)
	P12811	Pink paper holder for SDP1000
	P12812	Blue paper holder for SDP1000
Inkjet printer accessories	**For Kodak ESP 7250 Printer**	
	240-080-226	Color ink cartridge
	240-080-227	Black ink cartridge
	Paper	
	240-050-717	HP Advanced glossy photo paper (50 sheets)

Flat panel surgical display



4K 32" Surgical Display
240-031-050

4K 32" Surgical Display

Monitors	**240-031-050**	4K 32" Surgical Display
Kits	**240-031-057**	4K 32" Display with Video Cart Upgrade Kit Ⓚ Includes 4K Display and Flat Panel Mounting Arm Maximum load 14.9 kg/33.0 lbs
	240-031-052	4K 32" Display with S-Video Converter Box Kit Ⓚ
	240-031-053	4K 32" Display VGA Converter Box Kit Ⓚ
	240-031-054	4K 32" Display DVI Converter Box Kit Ⓚ
	240-031-055	4K 32" Display 3G-SDI Converter Box Kit Ⓚ
Accessories	**240-030-951**	15 ft (5-Pin) DC Extension Cable for all Stryker Displays
	240-030-952	75 ft (5-Pin) DC Extension Cable for all Stryker Displays
	240-031-004	Display Medical Power Supply For all Stryker displays
	240-031-051	4K 32" Display Cover
	240-030-922	Flat Panel Monitor Stand For all Stryker displays
	240-095-200	Flat Panel Mounting Arm for all Stryker Displays Maximum load 11.9 kg/26.3 lbs
	240-099-250	S-Video Converter Box
	240-099-255	VGA Converter Box
	240-099-260	3G-SDI Coverter Box
	240-099-265	DVI Converter Box



VisionPro 26" LED Display
240-031-020

VisionPro LED Display

Monitors	**240-031-020**	VisionPro 26" LED Display
Accessories	**240-031-004**	Display Medical Power Supply For all Stryker Displays
	240-095-200	Flat Panel Mounting Arm For all Stryker Displays Maximum load 14.9 kg/33.0 lbs
	240-030-922	Flat Panel Monitor Stand For all Stryker Displays
	240-031-002	VisionPro 26" LED Monitor Cover
	240-030-952	75 ft (5-Pin) DC Extension Cable For all Stryker Displays
	240-030-951	15 ft (5-Pin) DC Extension Cable For all Stryker Displays
	240-031-021	VisionPro Display EDAM

Wireless technology



VisionPro SYNK 26" Wireless LED Display
240-031-000



SYNK Wireless Transmitter
240-031-010

Wireless platforms

SYNK	**240-031-000**	VisionPro SYNK 26" Wireless LED Display
	240-031-010	SYNK Wireless Transmitter
	240-030-974	SYNK and WiSe Token Key (3/pkg)
	240-030-977	SYNK and WiSe Permanent Link Token (Red)
	240-031-006	SYNK Wireless System Device Control Cable Package

Video carts



Auxiliary Video Cart Kit
240-099-001K



Flat-Panel Roll Stand Kit
240-099-110K



Standard Video Cart Kit
240-099-011K

Video carts

Video carts

240-099-001K Auxiliary Video Cart Kit Ⓚ
Includes: Auxiliary Video Cart, Shelves (4), Flat-Panel Mounting Arm

240-099-011K Standard Video Cart Kit
Includes: Standard Video Cart, CO2 Tank Bracket, Shelves (4), Flat-Panel Mounting Arm, Drawer (1)

240-099-110K Flat-Panel Roll Stand Kit Ⓚ
Includes: Pole, Base, 20 ft Power Cord, Mounting Plate, Roll Stand Handle

Accessories

For Stryker video carts

105-206-869 Tilt Bracket for Flat-Panel Mounting Arm

240-031-057 4K Display with Video Cart Upgrade Kit Ⓚ
Includes: 4K Display and Flat-Panel Mounting Arm
Maximum load 14.9 kg/33.0 lbs

240-095-200 Flat-Panel Mounting Arm
For all Stryker Displays
Maximum load 14.9 kg/33.0 lbs

240-099-050 Isolation Transformer

240-099-052 CO_2 Tank Bracket

240-099-054 LCD Side Mount Monitor Velcro Strap

240-099-059 Additional Shelf (for Auxiliary and Standard Cart)

240-099-069 Power Cord Replacement for Video Carts

240-099-074 Auxiliary Video Connector

240-099-075 Shelf with PIN Rails (for Auxiliary and Standard Cart)

240-099-076 Pull-Out Shelf with PIN Rails (for Auxiliary and Standard Cart)

For flat-panel roll stand

105-205-295 Hospital Power Cord, 20 ft (110 v)

105-205-854 Flat-Panel Roll Stand Mounting Plate

240-099-109 Flat-Panel Roll Stand Base

240-099-110 Flat-Panel Roll Stand Pole

240-060-845 DVI-D Cable, 30 ft

Plastic and Reconstructive Surgery

SPY-PHI

34 SPY-PHI Fluorescence Imaging System
34 Camera control unit


SPY Elite

35 SPY Elite Fluorescence Imaging System
35 Drug and Drape kits

DermACELL Acellular Dermal Matrix (ADM)

36 0.75 - 1.50 mm
36 0.6 - 1.05 mm
36 0.6 - 1.05 mm Microperforated
36 1.25 - 2.00 mm

SPY-PHI



SPY Portable Handheld Imager (SPY-PHI)
HH9030

SPY Portable Handheld Imager, Fluorescence System

Camera control unit	**PC9001**	Video Processor/Illuminator (VPI)
Camera head	**HH9030**	SPY Portable Handheld Imager (SPY-PHI)
Accessories	**HH1001**	SPY-PHI Articulating Arm, Main Arm
	HH1002	SPY-PHI Articulating Arm, Table Clamp
	HH1003	SPY-PHI Articulating Arm, Imaging Head Holder
	PC9098	SPY-PHI Imaging Head Holder Kit for the Premium Cart
	PC9099	SPY-PHI Imaging Head Holder Installation Tool Kit for the Premium Cart
	PC9114	VPI-SDC Capture Cable

SPY-Elite



SPY Elite
LC3000

SPY Elite | Fluorescence Imaging System

SPY Elite tower	**LC3000**	SPY Elite Fluorescence Imaging System

Drug and drape kits

Kits	**HH9006**	SPY-PHI Drug Drape Pack (6 Kits Per)
	LC3006	SPY Elite Drug Drape Pack (6 Kits Per)
	SK6000-6	SPY2000 Drug and Drape Pack (6 Kits Per)
	LU3006	LUNA Drug Drape Pack (6 Kits Per)

DermACELL

DermACELL Acellular Dermal Matrix (ADM)

Thickness 0.75 - 1.50 mm	**DCELL200**	4 x 12 cm
	DCELL201	6 x 12 cm
	DCELL202	4 x 16 cm
	DCELL203	5 x 16 cm
	DCELL204	6 x 16 cm
	DCELL205	8 x 16 cm
	DCELL206	8 x 20 cm
	DCELL207	16 x 20 cm
	DCELL208	20 x 20 cm
Thickness 0.6 - 1.05 mm	**DCELL214**	6 x 16 cm
	DCELL215	8 x 16 cm
	DCELL216	8 x 20 cm
Thickness 0.6 - 1.05 mm microperforated	**DCELL214M**	6 x 16 cm
	DCELL215M	8 x 16 cm
	DCELL216M	8 x 20 cm
	DCELL217M	16 x 20 cm
Thickness 1.25 - 2.00 mm	**DCELL250**	4 x 12 cm
	DCELL251	6 x 12 cm
	DCELL252	4 x 16 cm
	DCELL253	5 x 16 cm
	DCELL254	6 x 16 cm
	DCELL255	8 x 16 cm
	DCELL256	8 x 20 cm
	DCELL257	16 x 20 cm
	DCELL258	20 x 20 cm

DermACELL

Warranty

LifeNet Health, the processor of Dermacell, warrants that Dermacell Products have been collected, processed, stored, and distributed according to the Standards for Tissue Banking set forth by the American Association of Tissue Banks and Title 21, Code of Federal Regulations (CFR) part 1270, Human Tissue Intended for Transplantation and Part 1271, Establishment Registration and Listing. No representations are made nor warranties given concerning the Biologic Properties or Biomechanical Properties of Product. "Biologic Properties" means the genetic properties of a part or function of a living body, and "Biomechanical Properties" means the mechanical properties of a part or function of a living body, which properties depend upon the inherent properties of the part or function's constituents and upon how the constituents are arranged relative to each other.

If a valid Warranty claim is received, Stryker will, in its sole discretion: (a) replace the Product at no charge with a Product that is at least functionally equivalent to the original Product, or (b) refund the purchase price of the Product. In any event, Stryker's liability for breach of warranty shall be limited to the replacement value of the non-conforming Dermacell product. This warranty does not apply to: (a) Products that have been misused, neglected, modified, altered, adjusted or tampered with by non-Stryker personnel; or (b) Dermacell products that have not been maintained in accordance with the instructions in the product labels, technical specifics or other product use manuals or as demonstrated by a Stryker representative. If Stryker determines in its reasonable discretion that the claimed non-conformance in the Dermacell product is excluded from warranty coverage as described hereunder, it will notify the customer of such determination and, upon reasonable discussion with the customer, will provide a cost proposal for the price of replacing the Dermacell product.

To the fullest extent permitted by law, the express warranty set forth herein is the only warranty applicable to the Dermacell products and is expressly in lieu of any other warranty by Stryker, expressed or implied, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose. Stryker shall not have any tort liability to customer with respect to the products and shall not be liable for indirect, special, incidental, punitive or consequential damages resulting from any breach of warranty or under any other legal theory.

Dermacell Return Policy

Stryker may allow the return of Dermacell products subject to a fifteen percent (15%) restocking fee if some specific conditions are met. Stryker reserves the right to refuse credit if the conditions and specifications of this policy are not met or the returned Dermacell product is received damaged or thawed as determined at Stryker's sole discretion. The general criteria for returning Dermacell products are as follows: (1) customer must submit a signed Certification for Proper Storage Return of Allograft form to LifeNet Health (Product Processor), (2) a return material authorization number (RMA#) must be obtained from the Product Processor and any non-authorized returns may not be considered for credit, (3) Dermacell product must be in its original, unaltered, unopened, unexpired package with original intact labeling and instructions for use/packaging insert and show no signs of tampering, (4) credit will be issued only for unopened, unaltered Dermacell product that has been properly stored and is not within 30 days of the expiration date stated on the product label, (5) any return made after 30 days since the date the order was received will not be allowed nor credited, (6) product returns are allowed if returned in original shipper with insulation (a total of 4 "Kool-it" block panels), (7) return credit will be considered if temperature dot color has an acceptable color range and no credit will be issued for a Product returned improperly packaged and the temperature sensitive dot is pink or red, (8) DermACELL must be stored between 15 to 30°C with excursions (from 10 to 37°C degrees) allowed, (9) an additional fee may be applied for additional insulation block requests, (9) an additional fee will be incurred for any dry ice requests, (10) any non-authorized returns may not be considered for credit, and (11) an additional 20% restocking fee will be deducted from return credit if the returned tissue requires relabeling or repacking.

All other Dermacell products deemed acceptable for use, but not accepted for credit, will be available for return to the customer at customer's cost upon written request within 48 hours of customer's receipt of notice of rejection under this paragraph. Dermacell products that are not accepted for credit and not returned to the customer will become the property of the Product Processor.

Dermacell Products must have been stored according to the requirements below.

Freeze Dried & Preservon Treated
Ambient temperature: 10˚C – 37˚C or 50˚F – 98˚F
Room Temperature Ambient temperature 15° - 30°C with excursions (from 10 to 37°C degrees) allowed

In order to process a return of Dermacell, please contact Stryker at 1-800-624-4422 Option 4, or by email at EndoNovadaqCS@stryker.com

Arthroscopy

Arthroscopes

41 Precision Ideal Eyes HD Autoclavable C-Mount Arthroscopes
42 Ideal Eyes HD Autoclavable Eyepiece Arthroscopes
43 Autoclavable C-Mount Arthroscopes
43 Non-Autoclavable C-Mount Arthroscopes

Arthroscope hardware

44 Arthroscopy hardware
48 Sterilization trays
49 Instrument trays

Powered instruments

50 CrossFire 2 Integrated Resection and Energy System
51 Core Powered Instrument Driver
52 Shaver handpieces

Cutters & burs

53 CrossBlade Series Cutters
54 Formula Series Cutters
55 Formula Series Burs
56 Cutter cannulas
57 Cutter cannula accessories
58 SERFAS Energy Probes

Arthroscopy pumps

59 CrossFlow
60 FloSteady Select
60 Pump accessories

Single portal arthroscopy

61 ParallelPortal system

Hip arthroscopy

63 Visualization
64 Access
65 Instrumentation
67 CrossBlade XL Diamond Burs
67 Formula Series XL Cutters and Burs
68 RF ablation
68 Long 90 mm Dri-Lok Hip Cannulas

Small-joint arthroscopy

69 Formula Series Small-Joint Cutters and Burs
70 TPS Small-Joint Series Cutters and Burs

Manual instruments

71 Punches
72 Scissors
72 Graspers
72 Probes
72 Sterilization trays
73 Small-joint instruments

Disposable cannulas

74 Dri-Lok Cannula
74 Accessories

Micro cart

75 Micro cart

Arthroscopes

Precision Ideal Eyes HD Autoclavable C-Mount



Ideal Eyes HD Autoclavable Eyepiece



Autoclavable C-Mount



Non-Autoclavable C-Mount





Precision Ideal Eyes HD Autoclavable C-Mount Arthroscopes

Part number	Outer diameter	View direction	Field of view	Working length	Light post direction	Locking mechanism
502-904-010	4.0 mm	0°	105°	140 mm	Standard	Speed-Lock
502-904-030	4.0 mm	30°	105°	140 mm	Standard	Speed-Lock
502-904-070	4.0 mm	70°	105°	140 mm	Standard	Speed-Lock
502-904-130	4.0 mm	30°	105°	140 mm	Reverse cant	Speed-Lock
502-304-030	4.0 mm	30°	105°	165 mm	Standard	Speed-Lock
502-304-070	4.0 mm	70°	105°	165 mm	Standard	Speed-Lock
502-304-130	4.0 mm	30°	105°	165 mm	Reverse cant	Speed-Lock
502-927-010*	2.7 mm	0°	80°	120 mm	Standard	Speed-Lock
502-927-030	2.7 mm	30°	80°	120 mm	Standard	Speed-Lock
502-927-070*	2.7 mm	70°	80°	120 mm	Standard	Speed-Lock
502-827-010*	2.7 mm	0°	80°	75 mm	Standard	J-lock
502-827-030	2.7 mm	30°	80°	75 mm	Standard	J-lock
502-827-070*	2.7 mm	70°	80°	75 mm	Standard	J-lock
502-827-130	2.7 mm	30°	80°	75 mm	Reverse cant	J-lock
502-826-030	2.7 mm	30°	80°	75 mm	Standard	Speed-Lock
502-826-070	2.7 mm	70°	80°	75 mm	Standard	Speed-Lock
502-823-010	2.3 mm	0°	80°	72 mm	Standard	J-lock
502-823-030	2.3 mm	30°	80°	72 mm	Standard	J-lock
502-823-070	2.3 mm	70°	80°	72 mm	Standard	J-lock
502-823-130*	2.3 mm	30°	80°	72 mm	Reverse cant	J-lock
502-822-030	2.3 mm	30°	80°	72 mm	Standard	Speed-Lock
502-819-010	1.9 mm	0°	65°	58 mm	Standard	J-lock
502-819-030	1.9 mm	30°	65°	58 mm	Standard	J-lock
502-820-030	1.9 mm	30°	65°	58 mm	Standard	Speed-Lock

* Made to order



Ideal Eyes HD Autoclavable Eyepiece Arthroscopes

Part number	Outer diameter	View direction	Field of view	Working length	Light post direction	Locking mechanism
502-104-010	4.0 mm	0°	105°	140 mm	Standard	Speed-Lock
502-104-030	4.0 mm	30°	105°	140 mm	Standard	Speed-Lock
502-104-045	4.0 mm	45°	105°	140 mm	Standard	Speed-Lock
502-104-070	4.0 mm	70°	105°	140 mm	Standard	Speed-Lock
502-104-130	4.0 mm	30°	105°	140 mm	Reverse cant	Speed-Lock
502-204-010	4.0 mm	0°	105°	165 mm	Standard	Speed-Lock
502-204-030	4.0 mm	30°	105°	165 mm	Standard	Speed-Lock
502-204-070	4.0 mm	70°	105°	165 mm	Standard	Speed-Lock
502-127-010	2.7 mm	0°	105°	120 mm	Standard	Speed-Lock
502-127-030	2.7 mm	30°	105°	120 mm	Standard	Speed-Lock
502-127-070	2.7 mm	70°	105°	120 mm	Standard	Speed-Lock
502-027-010	2.7 mm	0°	80°	75 mm	Standard	J-lock
502-027-030	2.7 mm	30°	80°	75 mm	Standard	J-lock
502-027-070	2.7 mm	70°	80°	75 mm	Standard	J-lock
502-123-010	2.3 mm	0°	80°	72 mm	Standard	J-lock
502-123-030	2.3 mm	30°	80°	72 mm	Standard	J-lock
502-123-070	2.3 mm	70°	80°	72 mm	Standard	J-lock
502-123-130	2.3 mm	30°	80°	72 mm	Reverse cant	J-lock
502-119-010	1.9 mm	0°	65°	58 mm	Standard	J-lock
502-119-030	1.9 mm	30°	65°	58 mm	Standard	J-lock



Autoclavable C-Mount Arthroscopes

Part number	Outer diameter	View direction	Field of view	Working length	Light post direction	Locking mechanism
502-527-030	4.0 mm	30°	105°	140 mm	Standard	Speed-Lock
502-527-130	4.0 mm	30°	105°	140 mm	Reverse cant	Speed-Lock



Non-Autoclavable C-Mount Arthroscopes

Part number	Outer diameter	View direction	Field of view	Working length	Light post direction	Locking mechanism
502-626-030	2.7 mm	30°	80°	75 mm	Standard	Speed-Lock
502-623-030	2.3 mm	30°	80°	72 mm	Standard	Speed-Lock
502-624-030	1.9 mm	30°	65°	58 mm	Standard	Speed-Lock

Arthroscope hardware

4.0 mm Arthroscope hardware – Speed-Lock

5.0 mm Series

377-031-144	5.0 mm Cannula, 2 Rotating Stopcocks
377-031-129	Pencil Tip Obturator for 5.0 mm Cannula
377-031-229	Trocar for 5.0 mm Cannula



5.8 mm Series

747-031-560	5.8 mm Cannula, 2 Fixed Stopcocks
747-031-550	5.8 mm Cannula, 2 Rotating Stopcocks
747-031-540	5.8 mm Cannula, 1 Fixed Stopcock
747-031-530	5.8 mm Cannula, 1 Rotating Stopcock
747-031-510	Pencil Tip Obturator for 5.8 mm Cannula
747-031-511	Blunt Tip Obturator for 5.8 mm Cannula
747-031-520	Trocar for 5.8 mm Cannula



6.5 mm Series

377-031-650	6.5 mm Cannula, 2 Rotating Stopcocks
377-031-630	6.5 mm Cannula, 1 Rotating Stopcock
377-031-610	Pencil Tip Obturator for 6.5 mm Cannula
377-031-611	Blunt Tip Obturator for 6.5 mm Cannula
377-031-620	Trocar for 6.5 mm Cannula



6.5 mm Series inflow/outflow cannula

747-031-650	Inflow/Outflow Cannula, 2 Rotating Stopcocks (Continuous Flow)
747-031-510	Pencil Tip Obturator for 6.5 mm Inflow/Outflow Cannula
747-031-511	Blunt Tip Obturator for 6.5 mm Inflow/Outflow Cannula
747-031-520	Trocar for 6.5 mm Inflow/Outflow Cannula



4.0 mm Long Arthroscope hardware – Speed-Lock

5.8 mm Series

502-577-550	5.8 mm Cannula, 2 Rotating Stopcocks
502-577-520	Trocar for 5.8 mm Long Cannula
502-577-510	Blunt Tip Obturator 5.8 mm Long Cannula
502-577-515	Pencil Tip Obturator 5.8 mm Long Cannula



2.7 mm Arthroscope hardware – Speed-Lock

4.0 mm Series

343-331-430	4.0 mm Cannula, 1 Rotating Stopcock
343-331-450	4.0 mm Cannula, 2 Rotating Stopcocks
343-331-410	Pencil Tip Obturator for 4.0 mm Cannula
343-331-411	Blunt Tip Obturator for 4.0 mm Cannula
343-331-420	Trocar for 4.0 mm Cannula




2.7 mm Stubby arthroscope hardware – Speed-Lock

3.2 mm Series

» Low-flow

502-344-530	3.2 mm Cannula, 1 Rotating Stopcock
502-344-550	3.2 mm Cannula, 1 Fixed Stopcock
502-344-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-344-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-344-500	Pencil Tip Obturator for 3.2 mm Cannula
502-344-510	Blunt Tip Obturator for 3.2 mm Cannula
502-344-520	Trocar for 3.2 mm Cannula



4.0 mm Series

» High-flow

502-244-530	4.0 mm Cannula, 1 Rotating Stopcock
502-244-550	4.0 mm Cannula, 1 Fixed Stopcock
502-244-560	4.0 mm Cannula, 2 Rotating Stopcock
502-244-500	Pencil Tip Obturator for 4.0 mm Cannula
502-244-510	Blunt Tip Obturator for 4.0 mm Cannula
502-244-520	Trocar for 4.0 mm Cannula




2.7 mm Stubby arthroscope hardware – J-lock

3.2 mm Series

» Low-flow

502-713-530	3.2 mm Cannula, 1 Rotating Stopcock
502-713-550	3.2 mm Cannula, 1 Fixed Stopcock
502-713-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-713-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-713-500	Pencil Tip Obturator for 3.2 mm Cannula
502-713-510	Blunt Tip Obturator for 3.2 mm Cannula
502-713-520	Trocar for 3.2 mm Cannula



4.0 mm Series

» High-flow

502-714-530	4.0 mm Cannula, 1 Rotating Stopcock
502-714-550	4.0 mm Cannula, 1 Fixed Stopcock
502-714-560	4.0 mm Cannula, 2 Rotating Stopcocks
502-714-500	Pencil Tip Obturator for 4.0 mm Cannula
502-714-510	Blunt Tip Obturator for 4.0 mm Cannula
502-714-520	Trocar for 4.0 mm Cannula




2.3 mm Arthroscope hardware – Speed-Lock

3.2 mm Series

» High-flow

502-344-530	3.2 mm Cannula, 1 Rotating Stopcock
502-344-550	3.2 mm Cannula, 1 Fixed Stopcock
502-344-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-344-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-344-500	Pencil Tip Obturator for 3.2 mm Cannula
502-344-510	Blunt Tip Obturator for 3.2 mm Cannula
502-344-520	Trocar for 3.2 mm Cannula



2.9 mm Series

» Low-flow


502-623-530	2.9 mm Cannula, 1 Rotating Stopcock
502-623-500	Pencil Tip Obturator for 2.9 mm Cannula
502-623-510	Blunt Tip Obturator for 2.9 mm Cannula

2.3 mm Arthroscope hardware – J-lock

3.2 mm Series

» High-flow

502-713-530	3.2 mm Cannula, 1 Rotating Stopcock
502-713-550	3.2 mm Cannula, 1 Fixed Stopcock
502-713-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-713-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-713-500	Pencil Tip Obturator for 3.2 mm Cannula
502-713-510	Blunt Tip Obturator for 3.2 mm Cannula
502-713-520	Trocar for 3.2 mm Cannula



2.9 mm Series

» Low-flow

502-712-530	2.9 mm Cannula, 1 Rotating Stopcock
502-712-500	Pencil Tip Obturator for 2.9 mm Cannula
502-712-520	Trocar for 2.9 mm Cannula

1.9 mm Arthroscope hardware – Speed-Lock

2.8 mm Series


502-144-530	2.8 mm Cannula, 1 Rotating Stopcock
502-144-550	2.8 mm Cannula, 1 Fixed Stopcock
502-144-560	2.8 mm Cannula, 2 Rotating Stopcocks
502-144-500	Pencil Tip Obturator for 1.9 mm Cannula
502-144-510	Blunt Tip Obturator for 1.9 mm Cannula



1.9 mm Arthroscope hardware – J-lock

2.8 mm Series

502-711-530	2.8 mm Cannula, 1 Rotating Stopcock
502-711-550	2.8 mm Cannula, 1 Fixed Stopcock
502-711-560	2.8 mm Cannula, 2 Rotating Stopcocks
502-711-500	Pencil Tip Obturator for 2.8 mm Cannula
502-711-510	Blunt Tip Obturator for 2.8 mm Cannula
502-711-520	Trocar for 2.8 mm Cannula





Autoclavable Arthroscope Sterilization Tray
233-032-104



Autoclavable Arthroscope and Hardware Sterilization Tray
233-032-116



Arthroscope and Camera Sterilization Tray
233-032-105



Endoscope and Camera Sterilization Tray
233-032-107

Sterilization trays

Trays

233-032-104 Autoclavable Arthroscope Sterilization Tray
Holds two eyepiece arthroscopes
L = 10.53" | W = 3.93" | H = 1.49"

233-032-116 Autoclavable Arthroscope and Hardware Sterilization Tray
Holds two C-mount arthroscopes and hardware
L = 11.21" | W = 6.59" | H = 1.50"

233-032-105 Arthroscope and Camera Sterilization Tray
Holds three arthroscopes, one camera, and one light cable
L = 20.66" | W = 9.81" | H = 2.75"

233-032-107 Endoscope and Camera Sterilization Tray
Holds two arthroscopes, two laparoscopes, one camera, and one light cable
L = 20.96" | W = 10.06" | H = 3.35"



Manual Instruments Sterilization Tray 242-000-024



Shaver Handpiece Tray 272-700-000



Cutter Cannula Accessory Tray 272-707-000



ParallelPortal Instrument Case and Tray 233-032-100 & 233-032-200



Hip Access and Instrumentation Hardware XL Tray 295-800-200

Instrument trays

Trays

242-000-012 12 Instrument Arthroscopy Manual Instruments Sterilization Tray
L = 16.5" | W = 11.5" | H = 6"

242-000-024 23 Instrument Arthroscopy Manual Instruments Sterilization Tray
L = 21.5" | W = 12" | H = 5.5"

272-700-000 Shaver Handpiece Tray
Holds one handpiece
L = 14" | W = 9" | H = 2"

272-707-000 Cutter Cannula Accessory Tray
Accommodates all Stryker cutter and bur hardware
L = 23.5" | W = 12.5" | H = 3.5"

295-800-000 Hip Access and Instrumentation Tray Lid

295-800-200 Hip Access and Instrumentation Hardware XL Tray
L = 18" | W = 15.5" | H = 6"

295-800-300 Hip Access and Instrumentation Arthroscope Tray
L = 18" | W = 15.5" | H = 6"

242-000-112 Hip Arthroscopy Instruments Tray
L = 23.5" | W = 13" | H = 10"

233-032-200 Sterilization Tray for ParallelPortal Instrumentation*
L = 22" | W = 10" | H = 4"

233-032-100 Sterilization Case for ParallelPortal Instrumentation*
L = 22" | W = 11" | H = 4"

*Sterilization Tray and Case for ParallelPortal instrumentation must be ordered in tandem

Powered instruments



CrossFire 2 Console
475-100-000



CrossFire Footswitch
475-000-100

CrossFire 2 Integrated Resection and Energy System

CrossFire 2	**475-100-000**	CrossFire 2 Console
	475-000-100	CrossFire Footswitch
Accessories	**6000-001-020**	2 m Firewire Cable



Core Console
5400-050-000



TPS Wired Footswitch
5100-008-000



Arthroscopy Wired Footswitch
275-701-400

Core Powered Instrument Driver

Console	**5400-050-000**	Core Console
Footswitches	**5100-008-000**	TPS Wired Footswitch
	275-701-400	Arthroscopy Wired Footswitch



Formula 180 Shaver Handpiece (with buttons)
375-708-500



Formula Shaver Handpiece (without buttons)
375-701-500



Formula Shaver Handpiece (with buttons)
375-704-500



TPS Small-Joint Shaver Handpiece
275-601-500

Shaver handpieces

Handpieces » Compatible with CrossFire, Core	**375-708-500**	Formula 180 Shaver Handpiece (with buttons)
	375-701-500	Formula Shaver Handpiece (without buttons)
	375-704-500	Formula Shaver Handpiece (with buttons)
	275-601-500	TPS Small-Joint Shaver Handpiece
Accessories	**375-701-000**	Formula Soaking Cap

Cutters & burs





Dual Edge



Tomcat HC



Aggressive Max



Smooth Bite

CrossBlade Series Cutters

Premium (5/box)

	3.5 mm	4.0 mm	5.0 mm	5.5 mm
Dual Edge	475-331-000	475-341-000	—	475-361-000
Tomcat HC	—	475-345-000	475-355-000	—
Aggressive Max	475-337-000	—	—	—
Smooth Bite	475-333-000	—	—	—



Laser cut design on shaver inner-housing improves clogging resistance



Resector | Aggressive Plus | Tomcat | Scalloped | Cougar End | End Cutter | Double Bite | Slotted Whisker | Whisker

Formula Series Cutters

Standard (5/box)

	3.5 mm	4.0 mm	5.0 mm	5.5 mm
Resector	375-532-000	375-542-000	375-552-000	375-562-000
Aggressive Plus	375-534-000	375-544-000	375-554-000	375-564-000
Tomcat	375-535-000	375-545-000	375-555-000	375-565-000
Scalloped	—	375-546-000		—
Cougar End	—	375-541-000	—	—
End	—	375-747-000	—	—
Double Bite	—	375-543-000	—	—
Slotted Whisker	—	375-548-000	—	—
Whisker	—	375-549-000	—	—

Angled (5/box)

	4.0 mm	4.5 mm	5.0 mm
Resector	—	380-542-150	—
Aggressive Plus	380-544-100	380-544-150	380-554-100
Tomcat	380-545-100	380-545-150	380-555-100
Double Bite	—	380-543-150	—



12-Flute Barrel



6-Flute Barrel



Unhooded Barrel



12-Flute Round



6-Flute Round



Unhooded Round



Egg Bur

Formula Series Burs



Standard (5/box)

	3.5 mm	4.0 mm	5.0 mm	5.5 mm
Standard 12-Flute Barrel	—	375-941-012	375-951-112	375-951-012
Standard 12-Flute Round	—	375-940-012	375-950-112	375-950-012
Aggressive 6-Flute Barrel	—	375-941-000	375-951-100	375-951-000
Aggressive 6-Flute Round	375-930-000	375-940-000	375-950-100	375-950-000
Unhooded 6-Flute Barrel	—	375-941-200	—	375-951-200
Unhooded 6-Flute Round	—	375-940-200	—	375-950-200
Egg Bur 6-Flute	—	—	—	375-952-000



6-Flute SLAP Bur



Auger Bur



Subchondral Drill



6-Flute Left Helix Barrel Bur



12-Flute Left Helix Barrel Bur

Speciality (5/box)

	Part number	Outer diameter	Description
6-Flute SLAP	375-941-500	4.0 mm	Protected bur is designed to allow safe access to the glenoid without compromising the condition of the labrum
Auger	375-450-500	5.0 mm	For acromioplasties
Subchondral Drill (1.5 mm Drill Tip)	375-832-000	4.0 mm	For the initial treatment of articular cartilage defects
6-Flute Left Helix Barrel Bur	375-953-000	5.5 mm	Enables surgeons to use the same technique on the right and left joint
12-Flute Left Helix Barrel Bur	375-953-012	5.5 mm	

Cutter cannulas

Color-coded cutter cannulas

» Use with Formula Series Cutters and Burs

» Color-coding:

3.5 mm
Locks in all 375 Series Small-Joint Cutters and Burs—except 3.0 mm Hooded Abrasion Bur

4.5 mm
Fits all cutters up to 4.0 mm

5.0 mm
Fits all cutters and blue 5.0 mm burs

5.6 mm
Fits all cutters and red 4.0 mm burs

6.0 mm
Fits all cutters and burs

272-707-000 Cutter Accessory Tray
Accommodates all cutter and bur hardware
L = 23.5" | W = 12.5" | H = 3.5"

275-722-000 4.5 mm Cutter Cannula
» Fits all cutters up to 4.0 mm

275-722-300 4.5 mm Cutter Cannula with Irrigation Holes at Distal Tip
» Fits all cutters up to 4.0 mm

275-722-100 4.5 mm Trocar

275-722-200 4.5 mm Obturator

275-720-000 5.0 mm-Bur Cannula
» Fits all cutters
» Fits blue burs up to 5.0 mm

275-720-100 5.0 mm-Bur Trocar

275-720-200 5.0 mm-Bur Obturator

275-719-000 5.6 mm Cutter Cannula
» Fits all cutters
» Fits burs up to 4.0 mm

275-719-300 5.6 mm Cutter Cannula with Irrigation Holes at Distal Tip
» Fits all cutters
» Fits burs up to 4.0 mm

275-719-100 5.6 mm Trocar

275-719-200 5.6 mm Obturator



275-721-000 6.0 mm-Bur Cannula
» Fits all cutters and burs

275-721-100 6.0 mm-Bur Trocar

275-721-200 6.0 mm-Bur Obturator

375-035-302 3.5 mm Formula Small-Joint Cutter Cannula
» Fits all Small-Joint Cutters
» Fits all burs, except 3.0 mm Hooded Abrasion Bur

375-035-100 3.5 mm Formula Trocar

Non color-coded cannulas

270-713-300 5.0 mm Cutter Cannula with Holes

270-713-200 5.0 mm Obturator



Speed-Lock Bridge Stopcocks



Competitive Cannula Adapter



Cannula Irrigation Adapters



Sealing Cap



Inflow and Outflow Drain Cannulas

Cutter cannula accessories

4 mm Speed-Lock Bridge

» For use with 4 mm Speed-Lock Autoclavable Arthroscopes

377-727-540	Speed-Lock Bridge, 2 Rotating Stopcocks
377-727-530	Speed-Lock Bridge, 1 Rotating Stopcock

Irrigation adapters

272-099-000	Competitive Cannula Adapter Locks Stryker cutters and burs into Linvatec™ Disposable 7 cm Cannula and Dyonics™ Reusable Cannulas
266-724-000	Cannula Irrigation Adapter
266-725-000	Sealing Cap
333-000-001	Cannula Irrigation Adapter with Stopcock and Luer Lock
377-031-900	Speed-Lock Syringe Adapter for 4.0 mm, 165 mm Arthroscopes
377-031-901	Speed-Lock Cannula Plug for 4.0 mm, 165 mm Arthroscopes

Inflow and outflow drain cannulas

333-070-000	70 mm Drain Cannula Kit Ⓚ Sharp Trocar, Obturator and Cannula
333-070-001	70 mm Drain Cannula
333-070-002	Trocar for 70 mm Drain Cannula
333-070-003	Obturator for 70 mm Drain Cannula
333-100-000	100 mm Drain Cannula Kit Ⓚ Sharp Trocar, Obturator and cannula
333-100-001	100 mm Drain Cannula
333-100-002	Trocar for 100 mm Drain Cannula
333-100-003	Obturator for 100 mm Drain Cannula

Stryker/Dyonics/ Linvatec adapters

272-100-000	Stryker/Dyonics Fluid Seal Adapter Allows use of Stryker Formula Cutters with Dyonics Fluid Sealing Cannulas
272-100-200	Stryker/Dyonics Adapter Bridge, Double Rotating Allows use of Stryker Arthroscopes with a Dyonic Fluid Seal Adapter and Dyonics Cannulas





90-S Cruise



90-S Accelerator



90-S Max



90-S



Aardvark



50-S (Angled)



30-S (Angled)

SERFAS Energy Probes

All probes come with integrated cable and hand controls

Suction probes

Part number	Outer diameter	Length	Product name	Description
279-401-200	4.0 mm	135 mm	90-S Cruise	Most complete 90° radio frequency probe offered
279-351-400	4.0 mm	135 mm	90-S Accelerator	Aggressive, all-purpose suction probe
279-401-100	4.0 mm	135 mm	90-S Max	Largest 90° suction probe for increased suction capabilities
279-351-100	3.5 mm	135 mm	90-S	Aggressive, all-purpose suction probe
279-251-101	2.5 mm	135 mm	Aardvark	Bendable suction probe for tight joint spaces
279-351-250	3.5 mm	135 mm	50-S	50° all-purpose suction probe for use in posterior knee procedures
279-351-230	3.5 mm	135 mm	30-S	30° beveled all-purpose suction probe



Direct



Lat



Contour



Hook

Non-suction probes

Part number	Outer diameter	Length	Product name	Description
279-350-401	3.5 mm	135 mm	Direct	Provides excellent access for posterior areas of the knee and shoulder
279-350-201	3.5 mm	135 mm	Lat	Effective for ablating larger areas of soft tissue
279-350-301	3.5 mm	135 mm	Contour	An effective all-purpose probe
279-350-501	3.5 mm	135 mm	Hook	Specifically designed for a lateral release and precision cutting

Arthroscopy pumps



CrossFlow Integrated Arthroscopy Pump
450-000-000

CrossFlow Footswitch
450-000-500

CrossFlow

Pump system	**450-000-000**	CrossFlow Integrated Arthroscopy Pump
	450-000-500	CrossFlow Footswitch



Inflow Cassette Tubing
450-000-100




Outflow Cassette Tubing
450-000-200



Day-Use Tubing
450-000-115

Tubing	**450-000-100**	CrossFlow Inflow Cassette Tubing
	450-000-200	CrossFlow Outflow Cassette Tubing
	450-000-300	CrossFlow Integrated Cassette Tubing
	450-000-115	Day-Use Tubing
	450-000-125	Patient-Use Tubing
Accessories	**P17275**	CrossFlow Pump Competitor Integration Power Cables
	6000-001-020	2 m Firewire Cable



Disposable Cassette Tubing 350-800-006



FloSteady Select Arthroscopy Pump 350-800-001

FloSteady Select

Pump	**350-800-001**	FloSteady Select Arthroscopy Pump
Tubing	**350-800-006**	Disposable Cassette Tubing (10/box) Used with FloSteady Select Arthroscopy Pump Not made with natural rubber latex

Pump accessories

Hand control

350-220-000 Autoclavable Hand Controller
Controls: pressure, flow rate, wash feature, start/stop
(Requires adapter for consoles manufactured before July 2000)



Gravity Flow Arthroscopy Tube Sets

» Not made with natural rubber latex

350-195-000 2-Spike Gravity Flow Tube Set, Disposable
350-195-004 4-Spike Gravity Flow Tube Set, Disposable



Dual irrigation

» Not made with natural rubber latex
» Quantity: 10/box

250-070-419 Dual Irrigation Adapter, Disposable (10/box)



Single portal arthroscopy





ParallelPortal system

Autoclavable arthroscopes and access



502-129-030	Ideal Eyes 30° Arthroscope, 2.9 x 200 mm, Eyepiece, Speed-Lock
502-829-030	Ideal Eyes Precision 30° Arthroscope, 2.9 x 200 mm, C-Mount, Speed-Lock
377-829-510	4.6 x 200 mm Cannula, 1 Rotating Stopcock, No Distal Holes
377-829-520	4.6 x 200 mm Cannula, 1 Rotating Stopcock
377-829-530	4.6 x 200 mm Cannula, 2 Rotating Stopcocks, No Distal Holes
377-829-531	4.6 x 200 mm Cannula, 2 Rotating Stopcocks*
377-829-540	4.6 x 200 mm Cannula, 1 Fixed Stopcock, No Distal Holes
377-829-541	4.6 x 200 mm Cannula, 1 Fixed Stopcock*
377-829-550	4.6 x 200 mm Cannula, 2 Fixed Stopcocks, No Distal Holes*
377-829-551	4.6 x 200 mm Cannula, 2 Fixed Stopcocks*
377-829-590	4.6 x 200 mm Cannula, 2 Rotating Stopcocks at 95°*
377-829-595	4.6 x 200 mm Cannula, 2 Rotating Stopcocks at 95°, No Distal Holes*
377-829-500	Obturator for 4.6 mm x 200 mm Cannula
377-829-501	Obtrocar for 4.6 x 200 mm Cannula*
377-829-502	Trocar for 4.6 x 200 mm Cannula*
377-829-600	Cannulated Obturator for 4.6 x 200 mm Cannula*
377-829-601	Cannulated Obtrocar for 4.6 x 200 mm Cannula*
377-829-602	Cannulated Trocar for 4.6 x 200 mm Cannula*
377-829-690	4.6 mm Cannula, 2 Fixed Stopcocks at 95°*
377-829-695	4.6 mm Cannula, 2 Fixed Stopcocks at 95°, No Distal Holes*
377-829-700	3.5 mm Switching Stick

*Made to order

Sterilization trays

233-032-200	Sterilization Tray for ParallelPortal Instrumentation* L = 22" | W = 10" | H = 4"
233-032-100	Sterilization Case for ParallelPortal Instrumentation* L = 22″ | W = 11″ | H = 4″

* Sterilization Tray and Case for ParallelPortal Instrumentation must be ordered in tandem

Manual instruments

Part number	Outer diameter	Tip direction	Angled direction	Description
377-829-701	—	—	—	Probe

Instruments kit	**R233-032-201**	ParallelPortal Instruments Rental Kit Ⓚ
Cutters	**380-532-300**	3.5mm Proximal Bend Resector
	380-534-300	3.5mm Proximal Bend Agg Plus
	380-535-300	3.5mm Proximal Bend Tomcat
	380-542-300	4.0mm Proximal Bend Resector
	380-544-300	4.0mm Proximal Bend Agg Plus
	380-545-300	4.0mm Proximal Bend Tomcat
	380-534-400	3.5mm Double Bend Agg Plus
	380-535-400	3.5mm Double Bend Tomcat
	380-544-400	4.0mm Double Bend Agg Plus
	380-545-400	4.0mm Double Bend Tomcat
Cannulas	**3911-004-055**	4.5 mm x 55 mm ParallelPortal Cannula
	3911-004-025	4.5 mm x 25 mm ParallelPortal Cannula
	3911-004-000	ParallelPortal Cannula with Zero Tube



Hip arthroscopy



Visualization

Ideal Eyes Autoclavable Arthroscopes

Fitting	Part number	Outer diameter	View direction	Field of view	Working length	Light post direction	Locking mechanism
Eyepiece	502-204-030	4.0 mm	30°	105°	165 mm	Standard	Speed-Lock
	502-204-070	4.0 mm	70°	105°	165 mm	Standard	Speed-Lock
	502-677-030	4.0 mm	30°	105°	165 mm	Standard	Speed-Lock
	502-677-070	4.0 mm	70°	105°	165 mm	Standard	Speed-Lock
Precision C-Mount	502-304-030	4.0 mm	30°	105°	165 mm	Standard	Speed-Lock
	502-304-070	4.0 mm	70°	105°	165 mm	Standard	Speed-Lock

5.8 mm Series Speed-Lock hardware

For Long 4.0 mm, 165 mm Arthroscopes

502-577-550 5.8 mm Cannula, 2 Rotating Stopcocks

502-577-515 Pencil Tip Obturator 5.8 mm Long Cannula

502-577-015 5.8 mm Long Pencil Tip Cannulated Obturator

Access

For use with 165 mm Ideal Eyes Arthroscopes, 30° and 70°





	4.0 mm	5.0 mm	5.5 mm
Cannula	**295-723-100**	**295-724-100**	**295-725-100**
Cannula with Distal Holes	**295-723-110**	**295-724-110**	**295-725-110**
Cannulated Obturator	**295-723-120**	**295-724-120**	**295-725-120**
Cannulated Obtrocar	**295-723-130**	**295-724-130**	**295-725-130**
Cannulated Trocar	**295-723-140**	**295-724-140**	**295-725-140**

Additional access

377-030-300 4.4 mm Cannulated Hip Scope Trocar
377-030-400 4.4 mm Cannulated Hip Scope Obturator

Sterilization trays

295-720-000 Hip Arthroscopy Access Kit Ⓚ
R295-720-000 Hip Arthroscopy Access Kit - Rental Ⓚ
295-800-000 Arthroscopy Access Sterilization Tray Lid
295-800-200 Arthroscopy Access Hardware XL Sterilization Tray
295-800-300 Arthroscopy Access Arthroscope Sterilization Tray



Accessories

295-726-100 Screwdriver Handle
266-722-100 4.0 mm Switching Stick
266-723-100 5.0 mm Switching Stick
275-720-300 Hip Needle
266-721-100 Hip Cannula Plug
266-724-000 Irrigation Adaptor
266-725-000 Sealing Cap



Hip bridges

295-727-200 Dual Rotating Stopcock
377-727-550 Speed-Lock Bridge, Dual Rotating Stopcock
295-727-100 Single Rotating Stopcock
295-727-202 Dual Fixed Stopcock
295-727-101 Single Fixed Stopcock





Instrumentation kits

242-200-000	Hip Arthroscopy Manual Instrumentation Kit K
R242-200-000	Hip Arthroscopy Manual Instrumentation Kit - Rental K
242-000-112	Hip Arthroscopy Instruments Tray L = 23.5" | W = 13" | H = 10"

Instrumentation sets

Access

Part number	Outer diameter	Working length	Description
242-200-001	5.5 mm	140 mm	Slotted Cannula
242-200-002	6.5 mm	140 mm	Slotted Cannula
242-200-003	4.0 mm	302 mm	Cannulated Switching Stick
242-200-004	5.5 mm	302 mm	Cannulated Switching Stick
242-200-005	6.5 mm	302 mm	Cannulated Switching Stick



Slotted Cannula



Cannulated Switching Stick

Biters

Part number	Outer diameter	Tip direction	Angled direction	Description
242-200-006	4.0 mm	0°	Straight	Hip Biter
242-200-007	4.0 mm	15°	Up	Hip Biter



Hip Biter

Graspers

Part number	Outer diameter	Tip direction	Angled direction	Description
242-200-008	4.0 mm	20°	Right	Hip Grasper
242-200-009	4.0 mm	20°	Left	Hip Grasper
242-200-010	4.0 mm	0°	Straight	Hip Grasper



Grasper, Left



Grasper, Straight



Suture manipulation

Part number	Outer diameter	Tip direction	Angled direction	Description
242-200-011	4.0 mm	Helix	Left	Hip Suture Passer
242-200-012	4.0 mm	Helix	Right	Hip Suture Passer
242-200-013	4.0 mm	15°	Straight	Hip Suture Passer
242-200-014	4.0 mm	35°	Up	Hip Suture Passer
242-200-015	4.0 mm	0°	Straight	Hip Suture Grasper
242-200-016	5.0 mm	0°	Straight	Suture Cutter
242-200-017	3.0 mm	0°	Straight	Hip Knot Pusher



Suture Passer, Right



Suture Passer, Straight



Suture Grasper



Suture Cutter

Rigid instruments

Part number	Outer diameter	Tip direction	Angled direction	Description
242-200-018	4.0 mm	20°	Up	Hip Curette
242-200-019	4.0 mm	30°	Up	Rasp
242-200-020	4.0 mm	20°	Up	Hip Tissue Liberator







Probes

Part number	Outer diameter	Tip direction	Angled direction	Description
242-200-021	3.0 mm	90°	Straight	Hip Probe
242-200-022	3.0 mm	90°	Curved	Hip Probe



Probe

Microfracture

Part number	Outer diameter	Tip direction	Angled direction	Description
242-200-023	2.3 mm	0°	Straight	Microfracture Pick

Accessories

Part number	Description	Disposable
242-200-024	Curved Hip Blade*	X
242-200-025	Straight Hip Blade, Blunt Tip*	X
242-200-026	Straight Hip Blade, Sharp Tip*	X
242-200-027	Switching Stick Handle*	

*Additional hardware not included in Stryker Hip Arthroscopy Instruments Kit

CrossBlade XL Diamond Burs

Premium Hip Length (5/box)



4.0 mm Round Diamond Bur



5.5 mm Round Diamond Bur

Burs	**485-840-000**	4.0 mm XL Round Diamond Bur
	485-860-000	5.5 mm XL Round Diamond Bur



Aggressive Plus Cutter



Tomcat Cutter



Resector Cutter



4.0 mm 8-Flute Pear Bur



5.5 mm 8-Flute Pear Bur



8-Flute Round Bur



8-Flute Barrel Bur

Formula Series XL Cutters and Burs

Hip Length (5/box)

Cutters » 180 mm » New and redesigned cutters for improved resection performance	**385-544-000**	4.0 mm Aggressive Plus, Long Hip Cutter
	385-544-100	4.0 mm Angled Aggressive Plus, Long Hip Cutter
	385-545-000	4.0 mm Tomcat, Long Hip Cutter
	385-545-100	4.0 mm Angled Tomcat, Long Hip Cutter
	385-554-000	5.0 mm Straight Aggressive Plus, Long Hip Cutter
	385-552-000	5.0 mm Straight Resector, Long Hip Cutter
Burs » Recessed hood design yields increased distal exposure for improved end on cutting	**385-943-000**	4.0 mm Long Hip 8-Flute Pear Bur
	385-953-008	5.5 mm Long Hip 8-Flute Pear Bur
	385-950-008	5.5 mm Long Hip 8-Flute Round Bur
	385-951-008	5.5 mm Long Hip 8-Flute Barrel Bur

RF ablation



Hip Length SERFAS Energy Probes

279-351-103	90-S XL Probe For aggressive soft tissue debridement
279-351-253	50-S XL Probe Angled access for hard to reach areas of the hip
279-350-502	Hook XL Probe Precision cutting probe

Long 90 mm Dri-Lok Hip Cannulas

	5.0 mm	6.5 mm	8.0 mm
Threaded Dri-Lok Cannula Quantity: 5/Box	3910-090-500	3910-090-650	3910-090-800
Distal Threaded Dri-Lok Cannula Quantity: 5/Box	3910-090-502	3910-090-652	3910-090-802
Reusable Cannulated Obturator	—	3910-090-006	3910-090-008

Small-joint arthroscopy



Full Radius Cutter



Aggressive Plus Cutter



Tomcat Cutter



Hooded Abrasion Bur



Formula Series Small-Joint Cutters and Burs

Small Joint (5/box)

Cutters and burs

» Only compatible with Formula Handpieces

375-627-000	2.5 mm Small-Joint Full Radius Cutter
375-637-000	3.5 mm Small-Joint Full Radius Cutter
375-628-000	2.5 mm Small-Joint Aggressive Plus Cutter
375-638-000	3.5 mm Small-Joint Aggressive Plus Cutter
375-636-000	3.5 mm Small-Joint Tomcat Cutter
375-641-000	2.0 mm Small-Joint Hooded Abrasion Bur
375-647-000	3.0 mm Small-Joint Hooded Abrasion Bur

Cutter and bur hardware

375-035-302	Formula Small-Joint Cutter Cannula Locks in all 375 Series Small-Joint Cutters and Burs (except 3.0 mm Hooded Abrasion Bur)
375-035-100	3.5 mm Formula Trocar
275-035-300	Sealing Cap
375-023-027	2.7 mm Scope Bridge

TPS Small-Joint Series Cutters and Burs





Full Radius Cutter **Aggressive Plus Cutter** **Hooded Abrasion Bur**

Cutters and burs

275-627-000	2.5 mm Small-Joint Full Radius Cutter (5/box)
275-637-000	3.5 mm Small-Joint Full Radius Cutter (5/box)
275-628-000	2.5 mm Small-Joint Aggressive Cutter (5/box)
275-638-000	3.5 mm Small-Joint Aggressive Cutter (5/box)
275-641-000	2.0 mm Small-Joint Hooded Abrasion Bur (5/box)
275-647-000	3.0 mm Small-Joint Hooded Abrasion Bur (5/box)

Cutter and bur hardware

275-035-302	3.5 mm Small-Joint Cutter Cannula Locks in 2.3 mm and 2.7 mm Small-Joint Scope and all 275 Series Small-Joint Cutters and Burs (except 3.0 mm Hooded Abrasion Bur)
275-035-200	3.5 mm Obturator
275-035-300	Sealing Cap



Small-Joint SERFAS Energy Probes

279-250-101	2.5 mm Micro-Claw SERFAS Energy Small-Joint Probe Designed for direct end cutting and ablation in small-joints
279-250-201	2.5 mm Micro-Brush SERFAS Energy Small-Joint Probe An effective all-purpose small-joint probe
279-251-101	2.5 mm Aardvark SERFAS Energy Suction Probe Bendable suction probe for tight joint spaces



Micro-Claw



Micro-Brush



Aardvark

Manual instruments



Punches

Part number	Outer diameter	Tip direction	Angled direction	Description
300-027-100	2.7 mm	0°	Straight	Big Bite Punch
300-027-101	2.7 mm	30°	Right	Big Bite Punch
300-027-102	2.7 mm	30°	Left	Big Bite Punch
300-027-103	2.7 mm	15°	Up	Big Bite Punch
300-034-100	3.4 mm	0°	Straight	Big Bite Punch
300-034-101	3.4 mm	30°	Right	Big Bite Punch
300-034-102	3.4 mm	30°	Left	Big Bite Punch
300-034-103	3.4 mm	15°	Up	Big Bite Punch
300-027-200	2.7 mm	0°	Straight	Narrow Punch
300-034-200	3.4 mm	0°	Straight	Narrow Punch
300-034-203	3.4 mm	15°	Up	Narrow Punch
300-034-300	3.4 mm	0°	Straight	Scoop Jaw Punch
300-034-301	3.4 mm	30°	Right	Scoop Jaw Punch
300-034-302	3.4 mm	30°	Left	Scoop Jaw Punch
300-027-104	2.7 mm	0°	Straight	Upshaft Big Bite Punch
300-034-104	3.4 mm	0°	Straight	Upshaft Big Bite Punch
300-034-110	3.4 mm	45°	Left	Tip Biter
300-034-111	3.4 mm	45°	Right	Tip Biter
300-034-500	3.4 mm	0°	Right	Meniscal Crescent Punch
300-034-501	3.4 mm	0°	Left	Meniscal Crescent Punch
300-034-502	3.4 mm	30°	Right	Meniscal Crescent Punch
300-034-503	3.4 mm	30°	Left	Meniscal Crescent Punch
300-034-400	3.4 mm	90°	Right	Rotary Punch
300-034-401	3.4 mm	90°	Left	Rotary Punch
300-034-800	3.4 mm	0°	Straight	Backbiter



Big Bite Punch



Narrow Punch



Scoop Jaw Punch



Upshaft Big Bite Punch



Tip Biter



Meniscal Crescent Punch



Angled Meniscal Crescent Punch



Rotary Punch



Back Biter

Scissors

Part number	Outer diameter	Angled direction	Description
300-034-600	3.4 mm	Straight	Hook Scissor
300-034-601	3.4 mm	Right	Hook Scissor
300-034-602	3.4 mm	Left	Hook Scissor
300-027-603	2.7 mm	Straight	Micro Scissor Punch
300-034-603	3.4 mm	Straight	Micro Scissor Punch


Hook Scissor


Micro Scissor Punch

Graspers

Part number	Outer diameter	Ratchet length	Description
300-027-702	2.7 mm	120 mm	Soft Tissue Grasper with Ratchet
300-027-703	2.7 mm	120 mm	Soft Tissue Grasper
300-034-702	3.4 mm	120 mm	Soft Tissue Grasper with Ratchet
300-034-703	3.4 mm	120 mm	Soft Tissue Grasper
300-034-390	4.0 mm	120 mm	Soft Tissue Grasper
300-034-700	3.4 mm	—	Loose Body Grasper with Ratchet
300-034-701	3.4 mm	—	Loose Body Grasper
300-034-380	—	—	Claw Rongeur


Soft Tissue Grasper


Loose Body Grasper


Rongeur

Probes

Part number	Outer diameter	Angled direction	Description
3910-500-800	3.0 mm	Straight	Calibrated Probe (one piece)
3910-500-850	5.0 mm	Straight	Calibrated Probe (one piece)


Calibrated Probe

Sterilization trays

Part number	Description
242-000-012	12 Instrument Arthroscopic Manual Instruments Sterilization Tray
242-000-024	23 Arthroscopic Manual Instruments Sterilization Tray

Small-joint instruments

Kit

242-100-000 Champion Small-Joint Instrumentation Kit Ⓚ

Kit includes the following:

242-000-012 12 Instrument Sterilization Tray
L = 16.5" | W = 11.5" | H = 6"

242-100-002 2.1 mm Straight Blunt Nose
242-100-003 2.1 mm Right Blunt Nose
242-100-004 2.1 mm Left Blunt Nose
242-100-005 2.1 mm Down Blunt Nose
242-100-006 2.1 mm Up Blunt Nose
242-100-007 2.5 mm Scissors
242-100-008 2.5 mm Grasper
242-100-012 2.7 mm Straight Blunt Nose
242-100-013 2.7 mm Up Blunt Nose
242-100-014 Small-Joint Probe Straight
242-100-015 Small-Joint Probe 90°
242-100-016 Small-Joint Probe 30°



Additional small-joint instruments

242-010-200 Mini 2.0 mm Small-Joint Punch
242-010-300 Mini 2.0 mm Small-Joint Grasper
242-010-400 Mini 2.0 mm Small-Joint Scissors



Disposable cannulas

Dri-Lok Cannula



Standard 75 mm length (5/box)

	5.0 mm	6.5 mm	8.0 mm
Threaded	3910-075-500	3910-075-650	3910-075-800
Non-Threaded	3910-075-501	3910-075-651	3910-075-801
Distal Threaded	3910-075-502	3910-075-652	3910-075-802
Reusable Cannulated Obturator	—	3910-075-006	3910-075-008

Long Hip 90 mm length (5/box)

	5.0 mm	6.5 mm	8.0 mm
Threaded	3910-090-500	3910-090-650	3910-090-800
Distal Threaded	3910-090-502	3910-090-652	3910-090-802
Reusable Cannulated Obturator	—	3910-090-006	3910-090-008

Accessories

Accessories for the Dri-Lok Cannulas

266-719-000 4.0 mm Wissinger Rod (Small)
For use with 6.5 mm Dri-Lok Cannulas
Use with Reusable Cannulated Obturator

266-720-000 5.0 mm Wissinger Rod (Large)
For use with 8.0 mm Dri-Lok Cannulas

266-721-000 Wissinger Rod Handles (2/box)

266-722-000 4.0 mm Switching Stick (Small)
For use with 6.5 mm Dri-Lok Cannulas
Use with Reusable Cannulated Obturator

266-723-000 5.0 mm Switching Stick (Large)



Micro cart



Micro cart

Cart	**351-600-000**	Micro Cart Accommodates video equipment or arthroscopy systems Removable flat panel mounting bracket Includes adjustable IV pole

Urology

Rigid cystoscopes

78 Cystoscopes
78 Cystoscope hardware
79 Cystoscope instrumentation
79 Flexible instruments

Resection

80 Resectoscope
81 Resectoscope accessories

Laser cystoscope

82 Laser cystoscope system

Urethrotome

83 Visual uretrotome

Ureteroscopes

84 Semi-rigid autoclavable ureteroscopes
84 Ureteroscope accessories

Urology accessories

85 Sterilization trays

Rigid cystoscopes





Cystoscopes

Ideal Eyes Autoclavable Cystoscopes

For use with optical forceps, cysto sheaths, resectoscope, urethrotome, and laser sheaths

Part number	Outer diameter	View direction
502-990-000	4.0 mm	0°
502-990-012	4.0 mm	12°
502-990-030	4.0 mm	30°
502-990-070	4.0 mm	70°

KS-Series Autoclavable Cystoscopes

For use with Karl Storz hardware and 20 mm coupler

Part number	Outer diameter	View direction
502-991-000	4.0 mm	0°
502-991-012	4.0 mm	12°
502-991-030	4.0 mm	30°
502-991-070	4.0 mm	70°



Cystoscope hardware

Sheaths and obturators

Working channel	17 Fr		19 Fr		21 Fr		23 Fr		25 Fr	
	Single	Double	Single	Double	Single	Double	Single	Double	Single	Double
	5 Fr	4 Fr	6 Fr	5 Fr	7 Fr	5 Fr	9 Fr	6 Fr	10 Fr	8 Fr
Cystoscope Sheath	502-880-217		502-880-219		502-880-221		502-880-223		502-880-225	
Standard Obturator	502-880-218		502-880-220		502-880-222		502-880-224		502-880-226	
Visual Obturator	502-881-217		502-881-219		502-881-221		502-881-223		502-881-225	

Note: 1 mm = 3 Fr

Bridges

	Part number
Evaluation	502-880-200
Single Horn	502-880-201
Double Horn	502-880-202
Albarran, Single Horn	502-880-206
Albarran, Double Horn	502-880-203



Double Horn Bridge



25 Fr Cystoscope Sheath with Single Horn Bridge



Cystoscope instrumentation

Rigid optical instruments

- For use with cystoscopes and resectoscopes
- Use with resectoscope requires adapter, see page 73

For use with 0°, 12° cystoscope

502-880-210 Rigid Optical Biopsy Forcep

502-880-211 Rigid Optical Grasping Forcep

For use with 30° cystoscope

502-880-213 Rigid Optical Stone Crushing Forcep

502-880-215 Rigid Optical Biopsy Forcep

For use with 70° cystoscope

502-880-214 Rigid Optical Biopsy Forcep

Cystoscope sheath adapters

502-880-204 Bladder Syringe Adapter, Cystoscope Sheath

502-880-601 Ellik Adapter, Cystoscope Sheath

502-880-205 Port Seal (10/box)



502-880-204

Fulgurating electrodes

For use with rigid cystoscopes

504-870-040 7 Fr Bugbee Electrode, 40 cm (3/box)

504-871-040 7 Fr Ball Electrode, 40 cm (3/box)

504-872-040 7 Fr Domed Electrode, 40 cm (3/box)

Flexible instruments

41 cm, for use with rigid cystoscope hardware



		5 Fr	7 Fr
	**Flexible Grasping Forcep**	505-880-105	505-880-107
	**Flexible Biopsy Cup**	505-880-115	505-880-117
	**Flexible Scissors**	505-880-125	—

Resection



Resectoscope

Cystoscope	**502-990-030**	4.0 mm 30° Autoclavable Cystoscope
Sheaths	**502-880-324**	24 Fr Standard Flow Resectoscope Sheath (Inner)
	502-880-426	24/26 Fr Continuous Flow Sheath Set (Inner/Outer)
	502-880-327	27 Fr Standard Flow Resectoscope Sheath (Inner)
	502-880-428	27/28 Fr Continuous Flow Sheath Set (Inner/Outer)
Obturators	**502-880-001**	24/26 Fr Resectoscope Standard Obturator
	502-880-002	24/26 Fr Resectoscope Visual Obturator
	502-880-003	24/26 Fr Resectoscope Timberlake Obturator
	502-880-427	27/28 Fr Resectoscope Standard Obturator
	502-880-429	27/28 Fr Resectoscope Visual Obturator
	502-880-425	27/28 Fr Resectoscope Timberlake Obturator
Working elements	**502-880-401**	Working Element—Passive (Iglesias)
	502-880-402	Working Element—Active (Baumrucker)











Electrodes

» Sterile/disposable
» Quantity: 6/box
» For use with electrosurgical generator


504-880-200


504-881-100


504-880-500


504-880-600


504-880-800

Use with 24/26 Fr sheaths	Use with 27/28 Fr sheaths	Electrode
504-880-200	—	24 Fr Roller Ball
—	504-881-100	27 Fr Gold Coagulating
504-880-500	504-880-500	0° (Straight) Cutting Loop
504-880-600	504-880-600	Dimpled Vaporizing Roller Ball
504-880-800	504-880-800	Collings Knife
504-880-400	504-881-412	30° Cutting Loop Electrode, .012
504-880-414	504-881-414	30° Cutting Loop Electrode, .014
504-880-312	504-881-312	90° Cutting Loop Electrode, .012
504-880-314	504-881-314	90° Cutting Loop Electrode, .014

Resectoscope accessories

Bridges and adapters

502-880-006 Bladder Syringe Adapter, Inner Sheath
502-880-007 Bladder Syringe Adapter, Outer Sheath
502-880-602 Ellik Adapter, Inner Sheath
502-880-603 Ellik Adapter, Outer Sheath
502-880-005 Laser Bridge (for use with Straight Fire Laser)
502-880-208 Rigid Optical Forcep Adapter, Outer Sheath
502-880-209 Rigid Optical Forcep Adapter, Inner Sheath
502-880-325 24 Fr Standard Flow Resectoscope Sheath Adapter
502-880-328 27 Fr Standard Flow Resectoscope Sheath Adapter

Resectoscope accessories

502-880-205 Port Seal (10/box)
502-880-650 Reusable Stopcock

Laser cystoscope



Urology

Laser cystoscope system

- For use with the Greenlight Laser™
- For PVP procedures and other side fire laser systems

502-532-030	4.0 mm 30° Autoclavable Cystoscope with Integrated Greenlight Filter
502-880-300	Continuous Flow Laser Cystoscope Sheath Kit ⓚ Includes: Continuous Flow Laser Cystoscope Inner and Outer Sheaths
502-880-299	Continuous Flow Laser Cystoscope, Outer Sheath
502-880-303	Continuous Flow Laser Cystoscope, Inner Sheath
502-880-301	Visual Obturator, Laser Cystoscope
502-880-302	Sweep Guide, Laser Cystoscope

Urethrotome



Visual uretrotome

» For use with 0° or 12° cystoscopes to cut structures in the urethra

502-880-401	Working Element—Passive (Iglesias)
502-880-521	21 Fr Visual Urethrotome Sheath
502-880-525	25 Fr Visual Urethrotome Outer Sheath
502-880-524	21 Fr Visual Urethrotome Working/Optical Bridge
502-880-522	21 Fr Urethrotome Standard Obturator
502-880-523	21 Fr Urethrotome Visual Obturator



502-880-522 with 502-880-502



502-880-501



502-880-502



502-880-503



502-880-504



502-880-505

Cold knives

» For use with 0° or 12° cystoscopes

502-880-501	Cold Knife, Half Moon
502-880-502	Cold Knife, Straight
502-880-503	Cold Knife, Serrated
502-880-504	Cold Knife, Hook
502-880-505	Cold Knife, Loop

Ureteroscopes



Semi-rigid autoclavable ureteroscopes

Ureteroscopes	**502-880-330**	SRU-6 Autoclavable Semi-Rigid Ureteroscope, 6.9/10 Fr, 33 cm Includes: Cleaning Brush and Sterilization/Storage Tray
	502-880-430	SRU-6X Autoclavable Semi-Rigid Ureteroscope, 6.9/10 Fr, 43 cm Includes: Cleaning Brush and Sterilization/Storage Tray
Accessories	**504-999-001**	Cleaning Brush for Semi-Rigid Ureteroscope
	233-032-890	Sterilization/Storage Tray for Semi-Rigid Ureteroscope

Ureteroscope accessories

Flexible instruments	**For use with flexible cystoscopes**	
	505-880-205	5 Fr Flexible Grasping Forcep, 60 cm
Fulgrating electrodes	**For use with flexible cystoscopes**	
	504-860-065	5 Fr Bugbee Electrode, 65 cm (3/box)
	504-861-065	5 Fr Ball Electrode, 65 cm (3/box)
	504-862-065	5 Fr Domed Electrode, 65 cm (3/box)
	For use with SRU-6/SRU-6X and URT7000S/URT7000Si	
	504-841-115	2 Fr Short Tip Electrode, 115 cm
	504-842-115	2 Fr Long Tip Electrode, 115 cm
	504-843-115	3 Fr Short Tip Electrode, 115 cm
	504-844-115	3 Fr Long Tip Electrode, 115 cm
Accessories	**502-880-205**	Port Seal (10/box)

Urology accessories



Urology/Gynecology Accessory Tray
1 Tier
233-032-880



Urology/Gynecology Tray
2 Tiers
233-032-881



Sterilization/Storage Tray
for Semi-Rigid Ureteroscope
233-032-890

Sterilization trays

233-032-880 Urology/Gynecology Accessory Tray (1 Tier)
L = 18" | W = 10" | H = 4"

233-032-881 Urology/Gynecology Tray (2 Tiers)
L = 22" | W = 12" | H = 6"

233-032-890 Sterilization/Storage Tray for Semi-Rigid Ureteroscope
L = 29" | W = 13" | H = 4"

Gynecology

Gynecology

Rigid hysteroscopes

88 Rev360 Ideal Eyes Autoclavable Hysteroscopes
89 Rev360 Semi-Flexible Instrumentation

Resection

90 Rev360 22/24 Fr resection products
91 24/26 Fr 4 mm resection products
92 Resectoscope accessories
92 Sterilization trays

Gynecologic laparoscopy instruments

93 Gynecologic laparoscopy instruments

Fluid management

93 Fluid Safe Fluid Management System

Rigid hysteroscopes

Rev360 Ideal Eyes Autoclavable Hysteroscopes



Hysteroscopes

Part number	Outer diameter	View direction
502-729-000	2.9 mm	0°
502-729-012	2.9 mm	12°
502-729-030	2.9 mm	30°
502-740-000	4.0 mm	0°
502-740-012	4.0 mm	12°
502-740-030	4.0 mm	30°

Sheaths

Part number	Outer diameter	Sheath	Use	Working channel
502-729-051	2.9 mm	Inner	Diagnostic	—
502-729-052	2.9 mm	Outer	Diagnostic	—
502-729-061	2.9 mm	Inner	Operative	5 Fr
502-729-062	2.9 mm	Outer	Operative	—
502-740-051	4.0 mm	Inner	Diagnostic	—
502-740-052	4.0 mm	Outer	Diagnostic	—
502-740-061	4.0 mm	Inner	Operative	7 Fr
502-740-062	4.0 mm	Outer	Operative	—



2.9 and 4.0 mm Outer Operative Sheaths

Obturators

Part number	Sheath diameter	Use
502-729-050	2.9 mm	Diagnostic
502-729-060	2.9 mm	Operative
502-740-050	4.0 mm	Diagnostic
502-740-060	4.0 mm	Operative



Rev360 Semi-Flexible Instrumentation

5 Fr	7 Fr	Description	Length
Use with 2.9 or 4.0 mm Operative Sheath	Use with 4.0 mm Operative Sheath		
502-555-100	**502-777-100**	Single Action Grasper	41 cm
502-555-200	**502-777-200**	Biopsy Punch	41 cm
502-555-300	**502-777-300**	Scissors	41 cm
502-555-400	**502-777-400**	Biopsy Cup	41 cm
502-555-500	**502-777-500**	Double Action Grasper	41 cm

Accessories

502-023-029	HTA® Adapter (Hydro ThermaAblator®) For use with 2.9 mm Hysteroscopes
502-880-205	Port Seal (10/box)

Resection



Rev360 22/24 Fr resection products

Resectoscope	**502-729-012**	2.9 mm 12° Ideal Eyes Autoclavable Hysteroscope
Sheaths	**502-990-322**	22 Fr Resectoscope Standard Flow Sheath (Inner)
	502-990-324	22/24 Fr Resectoscope Sheath (Outer)
	502-990-424	22/24 Fr Continuous Flow Resectoscope Sheath Set (Inner/Outer) K
Obturator	**502-990-414**	22/24 Fr Resectoscope Standard Obturator
Working element	**502-990-401**	22/24 Fr Working Element—Passive For use with 2.9 mm Scope



504-990-600



504-990-314



504-990-200



504-990-100



504-990-500



504-990-800

Electrodes

- Sterile/disposable
- For use with 502-990-401 Working Element

504-990-600	Rev360 22 Fr Dimpled Vaporizing Roller Ball Electrode (6/box)
504-990-314	Rev360 22 Fr 30° Cutting Loop Electrode, .014 (6/box)
504-990-200	Rev360 22 Fr Roller Ball Electrode (6/box)
504-990-100	Rev360 22 Fr Gold Coagulating Electrode (6/box)
504-990-500	Rev360 22 Fr 0° (Straight) Cutting Loop Electrode, .014 (6/box)
504-990-800	Rev360 22 Fr Collings Knife Electrode (6/box)



Resectoscope



Resectoscope sheaths



Resectoscope working element

24/26 Fr 4 mm resection products

Resectoscope	**502-990-030**	4.0 mm Scope For use with 24/26 Fr Resectoscope
Sheaths	**502-880-324**	24 Fr Standard Flow Resectoscope Sheath (Inner)
	502-880-426	24/26 Fr Continuous Flow Resectoscope Sheath Set (Inner/Outer)
Obturators	**502-880-001**	24/26 Fr Resectoscope Standard Obturator
	502-880-002	24/26 Fr Resectoscope Visual Obturator
Working elements » For use with 4.0 mm Scope	**502-880-401**	Working Element - Passive (Iglesias)
	502-880-402	Working Element - Active (Baumrucker)



504-880-414



504-880-314



504-880-200



504-880-600



504-880-100



504-880-500



504-880-800

Electrodes » Sterile/disposable » For use with 24/26 Fr Resectoscope » For use with 502-880-401 & 502-880-402 Working Elements	**504-880-414**	24 Fr 30° Cutting Loop Electrode, .014 (6/box)
	504-880-314	24 Fr 90° Cutting Loop Electrode, .014 (6/box)
	504-880-200	24 Fr Roller Ball Electrode (6/box)
	504-880-600	Dimpled Vaporizing Roller Ball Electrode (6/box)
	504-880-100	Gold Coagulating Electrode (6/box)
	504-880-500	0° (Straight) Cutting Loop Electrode (6/box)
	504-880-800	Collings Knife Electrode (6/box)
	504-880-312	24 Fr 90° Cutting Loop Electrode, .012 (6/box)
	504-880-400	24 Fr 30° Cutting Loop Electrode, .012 (6/box)

Resectoscope accessories

Cables	**502-990-300**	Universal/Valleylab Cable
Rigid optical instruments » For use with 24/26 Fr Resectoscope only	**502-880-210**	Rigid Optical Biopsy Forcep 0°, 12°
	502-880-211	Rigid Optical Grasping Forcep 0°, 12°
	502-880-213	Rigid Optical Stone Crushing Forcep 30°
	502-880-214	Rigid Optical Biopsy Forcep, 70º
	502-880-215	Rigid Optical Biopsy Forcep, 30º
Bridges and adapters	**502-880-006**	Bladder Syringe Adapter, Inner Sheath
	502-880-007	Bladder Syringe Adapter, Outer Sheath
	502-880-602	Ellik Adapter, Inner Sheath
	502-880-603	Ellik Adapter, Outer Sheath
	502-880-005	Laser Bridge
	502-880-208	Rigid Optical Forcep Adapter, Outer Sheath
	502-880-209	Rigid Optical Forcep Adapter, Inner Sheath
Port seal	**502-880-205**	Port Seal (10/box)



502-880-210



502-880-213



Urology/Gynecology Accessory Tray
1 Tier



Urology/Gynecology Tray
2 Tiers

Sterilization trays

Trays	**233-032-880**	Urology/Gynecology Accessory Tray (1 Tier) L = 18" | W = 10" | H = 4"
	233-032-881	Urology/Gynecology Tray (2 Tiers) L = 22" | W = 12" | H = 6"

Gynecologic laparoscopy instruments

Palpation Probe	**250-080-135**	33 cm Long, 5.0 mm Palpation Probe	
	250-080-136	45 cm Long, 5.0 mm Palpation Probe	
Cohen Intrauterine Cannula	**250-080-137**	Cohen Intrauterine Cannula Complete with Acorn	

Fluid management





System	**502-000-000**	Fluid Safe Hysteroscopy Pump Fluid Management System Ⓚ Designed to automatically measure fluid deficit Includes: Monitor, Pump Console, and Wheel Base
	502-100-000	Canisters for Fluid Safe (36/pack)
	502-200-000A	Integrated Tubing for Fluid Safe (10/pack)

Laparoscopy

Laparoscopes

96 1588 AIM HD Autoclavable Laparoscopes
97 Precision Ideal Eyes HD Autoclavable Laparoscopes
98 Ideal Eyes Laparoscopes
98 Standard Laparoscopes
98 Laparoscope accessories

Manual instruments

99 3.0 mm Laparoscopic instruments
100 5.0 mm Laparoscopic instruments
102 5.0 mm Sliding lock graspers
102 10.0 mm Laparoscopic instruments
103 Manual instruments kits
105 Laparoscopic instrument accessories
105 Laparoscopic accessories

Electrosurgical instruments

106 Reposable monopolar electrosurgical probes
106 Bipolar instrumentation

Suction/irrigation

107 StrykeFlow2 Pump
107 AHTO Pump
107 StrykeFlow PS
108 Suction irrigation tips
109 Reposable electrosurgical tips
109 Accessories

Insufflators

110 PneumoClear
111 PneumoSure XL
111 Insufflator accessories

ICG and infrared technology

112 1588 AIM Platform

Laparoscopic training system

113 Laparoscopic training system

Pneumatic scope holder

113 Accessories

Laparoscopes



1588 AIM HD Autoclavable Laparoscopes

Part number	Outer diameter	View direction	Working length
502-537-010	5.4 mm	0°	30 cm
502-537-030	5.4 mm	30°	30 cm
502-937-010	10.0 mm	0°	33 cm
502-937-030	10.0 mm	30°	33 cm

Precision Ideal Eyes HD Autoclavable Laparoscopes




Regular

Part number	Outer diameter	View direction	Working length
502-503-010	5.5 mm	0°	30 cm
502-503-030	5.5 mm	30°	30 cm
502-503-045	5.5 mm	45°	30 cm
502-103-010	10.0 mm	0°	33 cm
502-103-030	10.0 mm	30°	33 cm
502-103-045	10.0 mm	45°	33 cm

Bariatric

Part number	Outer diameter	View direction	Working length
502-513-010	5.5 mm	0°	45 cm
502-513-030	5.5 mm	30°	45 cm
502-513-045	5.5 mm	45°	45 cm
502-113-010	10.0 mm	0°	45 cm
502-113-030	10.0 mm	30°	45 cm
502-113-045	10.0 mm	45°	45 cm


Ideal Eyes Laparoscopes




2.9 mm Autoclavable

Part number	Outer diameter	View direction	Working length
502-329-010	2.9 mm	0°	30 cm
502-329-030	2.9 mm	30°	30 cm

Pediatric Autoclavable



Part number	Outer diameter	View direction	Working length
502-290-010	2.9 mm	0°	20 cm
502-290-030	2.9 mm	30°	20 cm



Standard Laparoscopes

Operating Non-Autoclavable

Part number	Outer diameter	View direction	Working length	Eyepiece angle	Working channel
331-010-090	10.0 mm	0°	27 cm	90°	5.0 mm
331-000-000	11.0 mm	0°	27 cm	90°	6.0 mm

Laparoscope accessories

Sterilization trays

233-032-108 Laparoscope Sterilization Tray
Holds two laparoscopes
L = 19" | W = 5" | H = 3"



233-032-111 Bariatric Laparoscope Sterilization Tray
Holds two bariatric laparoscopes
L = 28" | W = 10" | H = 4"



Accessories

105-189-807 Port Seal, Small (Blue)
105-189-808 Port Seal, Large (Green)
105-191-925 Tip Polishing Paste

Manual instruments

3.0 mm Laparoscopic instruments

Handles



PEEK Monopolar Handle
20 & 29 cm
250-282-045 (P)



PEEK Multifunction Handle
20 & 29 cm
250-282-046 (P)

Graspers

	 Atraumatic Single Action	 Atraumatic Double Action	 Babcock
20 cm	—	—	—
29 cm	250-282-099 (P)	250-282-101 (P)	250-282-103 (P)

Dissectors

	 Dissecting Forceps	 Tapered Bullet	 Maryland
29 cm	250-282-110 (P)	250-282-057 (P)	250-282-058 (P)

Scissors

	 Curved Metzenbaum	 Hook
29 cm	250-282-047 (P)	250-282-049 (P)

Biopsy

	 Biopsy Punch
29 cm	250-282-060 (P)

Needleholders

	 Straight
29 cm	250-282-061

(P) Pediatric Kit, (B) Bariatric Kit, (G) Gynecology Kit, (S) Standard Kit
Refer to page 103 and 96 for complete kits

5.0 mm Laparoscopic instruments

Handles



PEEK Monopolar Handle
33 cm **250-080-617** G S
45 cm **250-181-164**



PEEK Multifunction Handle
33 cm **250-181-106**
45 cm **250-181-108**



Monopolar Handle
33 cm **250-080-233**
45 cm **250-080-595**



Ratcheting Handle
33 cm **250-080-234** G
45 cm **250-080-596**



Needleholder Handle
33 & 45 cm
250-080-235

Graspers

*Listed from atraumatic to aggressive

	 Double Action Atraumatic*	 Fenestrated Schertl*	 Fundus*	 Dorsey*	 DeBakey*
33 cm	250-080-311	250-080-312	250-080-315	250-080-319	250-080-314 G
45 cm	250-080-585	—	250-080-735	250-080-736 B	250-080-748 B

	 Serrated*	 Blunt Grasper with Spoon*	 Alligator*	 Cobra*	 Allis* (Single Row of Teeth)
33 cm	250-080-286 S	250-080-313	250-080-316	250-080-317	250-080-591 G

	 Retention*	 Single Action Atraumatic	 Babcock	 Endo
33 cm	250-080-697	250-080-310	250-080-321	250-080-699
45 cm	250-080-725	250-080-584	250-080-586 B	250-080-726

Dissectors

	 Dolphin with Spoon	 Maryland	 Curved Kelly	 Mixter	 Right Angle
33 cm	250-080-280 S	250-080-282 G S	250-080-283	250-080-285 S	250-080-694 S
45 cm	—	250-080-578 B	—	—	250-080-729

	 Right Angle (Long Jaw)	 Dissecting Forceps
33 cm	250-080-757	—
45 cm	—	250-080-762

P Pediatric Kit, B Bariatric Kit, G Gynecology Kit, S Standard Kit
Refer to page 103 and 96 for complete kits

5.0 mm Laparoscopic instruments (continued)

Handles



PEEK Monopolar Handle
33 cm **250-080-617**
45 cm **250-181-164** B



PEEK Multifunction Handle
33 cm **250-181-106**
45 cm **250-181-108**



Monopolar Handle
33 cm **250-080-233**
45 cm **250-080-595**



Ratcheting Handle
33 cm **250-080-234**
45 cm **250-080-596** B



Needleholder Handle
33 & 45 cm
250-080-235

Scissors

	 Hook	 Curved Metzenbaum (Long Jaws)	 Mini Metzenbaum (Curved)	 Endo Metzenbaum (Curved)
33 cm	250-080-260	250-080-265 G S	250-080-266	250-080-267
45 cm	250-080-573	250-080-752 B		250-080-575

Biopsy

	 Punch	 Double Action
33 cm	250-080-290 G	—
45 cm	—	250-080-581

Forceps

	 Tenaculum	 Park	 Johann Forceps
33 cm	250-080-698 G	250-080-733	250-080-763

Needleholder

	 Straight	 Curved Left	 Curved Right
33 cm	250-080-340	250-080-341	250-080-342
45 cm	250-080-588	—	—

P Pediatric Kit, B Bariatric Kit, G Gynecology Kit, S Standard Kit
Refer to page 103 and 96 for complete kits

5.0 mm Sliding lock graspers

Handle	Graspers		
		**Single Action Atraumatic (Non-Rotating)**	**Double Action Atraumatic (Rotating)**
	33 cm	250-080-765 G S	250-080-767 G S
	45 cm	250-080-766 B	250-080-768 B

10.0 mm Laparoscopic instruments

Handles



PEEK Monopolar Handle
33 cm **250-080-618**



PEEK Multifunction Handle
33 cm **250-181-107**



Monopolar Handle
33 cm **250-080-231**
B G S



Ratcheting Handle
33 cm **250-080-230** S

Graspers

	 **Babcock**	 **Single Action Claw**	 **Double Action Claw**	 **Biopsy Spoon**
33 cm	250-080-241	250-080-244	250-080-245 G S	250-080-246 S

	 **Paddle Babcock**
33 cm	250-080-250

Dissectors

	 **Mixter**
33 cm	250-080-249 B

P Pediatric Kit, B Bariatric Kit, G Gynecology Kit, S Standard Kit
Refer to page 103 and 96 for complete kits

Manual instruments kits

Pediatric (P)

250-080-780K Pediatric Instrument Kit (K)

Kit includes the following:

250-282-060 3 mm x 29 cm Biopsy Punch Insert
250-282-057 3 mm x 29 cm Bullet Forceps Insert
250-282-058 3 mm x 29 cm Maryland Forceps Curved Insert
250-282-110 3 mm x 29 cm Dissecting Forceps Insert
250-282-099 3 mm x 29 cm Single Action Atraumatic Grasper Insert
250-282-101 3 mm x 29 cm Double Action Atraumatic Grasper Insert
250-282-103 3 mm x 29 cm Babcock Forceps Insert
250-282-047 3 mm x 29 cm Curved Metzenbaum Long Scissors Insert
250-282-049 3 mm x 29 cm Hook Scissors Insert
250-282-045 3 mm Peek Monopolar Handle
250-282-046 3 mm Peek Multi-Function Handle

Bariatric (B)

250-080-781K Bariatric Instrument Kit (K)

Kit includes the following:

250-080-703 45 cm Aspiration Needle
250-040-118 45 cm J-Tip Monopolar Electrosurgical Probe
250-080-136 5 mm x 45 cm Graduated Palpation Probe
250-080-249 Mixter Forceps
250-080-578 5 mm x 45 cm Curved Left Maryland Dissecting Forceps
250-080-736 5 mm x 45 cm Dorsey Grasper Forceps Insert
250-080-748 5 mm x 45 cm Debakey Forceps Insert
250-080-586 5 mm x 45 cm Babcock Grasper Forceps Insert
250-080-766 Single Action Sliding Lock Atraumatic Grasper
250-080-768 Double Action Sliding Lock Atraumatic Grasper
250-080-752 5 mm x 45 cm Metzenbaum Curved Scissors Long Jaw Insert
250-080-596 5 mm x 45 cm Rotating Handle with Ratchet Insulated Shaft
250-080-231 Rotating Handle with Ratchet Insulated Shaft
250-181-164 5 mm x 45 cm Peek Handle
250-015-704 45 cm Laparoscopic Instruments Tray
L = 27" | W = 11" | H = 9"

Standard (S)

250-080-782K Standard Instrument Kit (K)

Kit includes the following:

250-080-702	33 cm Aspiration Needle
250-040-113	33 cm J-Tip Monopolar Electrosurgical Probe
250-080-280	Serrated Spoon Dolphin Forceps
250-080-282	Curved Left Maryland Forceps
250-080-694	5 mm x 33 cm Right Angle Forcep Insert
250-080-285	Mixter Forceps
250-080-286	Serrated Grasper Forceps
250-080-245	Double Action Claw Forceps
250-080-246	Biopsy Spoon
250-080-765	Single Action Sliding Lock
250-080-767	Double Action Sliding Lock Atraumatic Grasper
250-080-265	Curved Long Metzenbaum Scissors
250-080-230	Rotating Handle with Ratchet Insulated Shaft
250-080-231	Rotating Handle with Ratchet Insulated Shaft
250-080-617	5 mm Peek Monopolar Handle
250-015-500	Laparoscopic Instruments Tray L = 24" | W = 12.5" | H = 8.5"
250-080-619	Sealing Cap

Gynecology (G)

250-080-783K Gynecology Instrument Kit (K)

Kit includes the following:

250-080-702	33 mm Aspiration Needle
250-040-113	33 mm J-Tip Monopolar Electrosurgical Probe
250-080-135	5 mm Graduated Palpation Probe
250-080-360	33 mm Fenestrated Bipolar Forceps
250-080-290	Punch Biopsy Forceps
250-080-282	Curved Left Maryland Forceps
250-080-314	Debakey Forceps
250-080-245	Double Action Claw Forceps
250-080-765	Single Action Sliding Lock Atraumatic Grasper
250-080-767	Double Action Sliding Lock Atraumatic Grasper
250-080-591	5 mm x 33 cm Allis Single Row Teeth Insert
250-080-698	5 mm x 33 cm Tenaculum Insert
250-080-265	Curved Long Metzenbaum Scissors
250-080-231	Rotating Handle with Ratchet Insulated Shaft
250-080-236	Ring Handle
250-080-234	5 mm Ratcheting Handle
250-080-617	5 mm Peek Monopolar Handle
250-080-137	Cohen Intrauterine Cannula Complete

Laparoscopic instrument accessories

Trays

250-015-500 Laparoscopic Instrument Sterilization Tray (S)
3-tiered tray holds 12 instruments in rack
Additional space for instruments, trocars, cannulas and cables

Accommodates:
3.0 mm, 20 cm and 29 cm instruments
5.0 mm, 33 cm instruments
10.0 mm, 33 cm instruments
L = 24" | W = 12.5" | H = 8.5"



250-015-704 45 cm Bariatric Laparoscopic Instruments Tray (B)
Rack holds 11 instruments
Additional space for instruments, trocars and cannulas
L = 27" | W = 11" | H = 9"



Port caps

250-080-619 Replacement Flush Port Caps (S)

Laparoscopic accessories

Replacement flush port

250-080-619 Replacement Flush Port Caps (5/box)

Aspiration needle

250-080-702 5.5 mm x 33 cm Aspiration Needle (S)
17 Gauge Needle

250-080-703 5.5 mm x 45 cm Aspiration Needle (B)
17 Gauge Needle



Palpation probes

250-080-135 5.0 mm x 33 cm Palpation Probe (B) (G)

250-080-136 5.0 mm x 45 cm Palpation Probe (B)

(P) Pediatric Kit, (B) Bariatric Kit, (G) Gynecology Kit, (S) Standard Kit
Refer to page 103 and 96 for complete kits

Electrosurgical instruments



Spatula Tip



L-Tip



J-Tip

Reposable monopolar electrosurgical probes

3.0 mm	**250-040-104**	29 cm L-Tip Probe (3/box)
5.0 mm	**250-040-111**	33 cm Spatula Tip Probe (3/box)
	250-040-116	45 cm Spatula Tip Probe (3/box)
	250-040-112	33 cm L-Tip Probe (3/box)
	250-040-117	45 cm L-Tip Probe (3/box)
	250-040-113	33 cm J-Tip Probe (3/box) S
	250-040-118	45 cm J-Tip Probe (3/box) B



Bipolar Ring Handle



Bipolar Spring Handle



Fenestrated Forceps



Paddle Forceps

Bipolar instrumentation

5.0 mm	**250-080-236**	5.0 mm Bipolar Ring Handle G For use with 33 cm and 45 cm instruments
	250-080-360	33 cm Bipolar Fenestrated Forceps (Insert) G
	250-080-371	33 cm Bipolar Metal Shaft

P Pediatric Kit, B Bariatric Kit, G Gynecology Kit, S Standard Kit
Refer to page 103 and 96 for complete kits

Suction Irrigation



StrykeFlow2 Pump

250-070-500 StrykeFlow2 Pump and Handpiece Assembly with 10 ft of Tubing (6/box)
Battery-powered

250-070-520 StrykeFlow2 with Disposable Tip (6/box)
Battery-powered

AHTO Pump

250-070-601 AHTO Irrigation Pump

250-070-600 AHTO Suction/Irrigation Tube Set (6/box)

250-070-620 AHTO Suction/Irrigation Tube Set with Disposable Tip (6/box)

250-070-640 AHTO Suction/Irrigation Dual Spike Tube Set (6/box)

250-070-602 AHTO Console Replacement Battery

105-204-101 AHTO Replacement Screw



StrykeFlow PS

250-070-540 StrykeFlow PS, Dual Spike, with 10 ft of Tubing (6/box)

250-070-530 StrykeFlow PS Single Spike Tubing (6/box)



Suction irrigation tips

		Tip	Size	Reflective metal finish	Non-reflective finish
Reusable	Regular (Vented)		3.0 mm x 32 cm	250-070-490	—
			5.0 mm x 24 cm	250-070-411	—
			5.0 mm x 28 cm	250-070-402	250-070-482
			5.0 mm x 32 cm	250-070-403	250-070-483
			5.0 mm x 45 cm	250-070-408	250-070-488
			10.0 mm x 32 cm	250-070-404	250-070-484
	Regular (Non-vented)		3.0 mm x 32 cm	250-070-491	—
			5.0 mm x 32 cm	—	250-070-489
	Pool Suction		5.0 mm x 32 cm	250-070-406	250-070-486
			10.0 mm x 32 cm	250-070-405	—
	Hydrodissection		5.0 mm x 32 cm	250-070-407	250-070-487
	Aspiration Needle		5.0 mm x 32 cm	250-070-437	—
	Stone Scooper		10.0 mm x 32 cm	250-070-492	—
Disposable	Regular (Vented)		5.0 mm x 32 cm	250-070-505	—

Reposable electrosurgical tips

StrykeProbe Electrosurgical Suction Tips

	Tip		32 cm	45 cm
Reposable » 20 autoclavable cycles	Spatula		250-070-441	250-070-451
	J-Tip		250-070-442	250-070-452
	L-Tip		250-070-443	250-070-453
	Ball		250-070-444	—
	Needle		250-070-445	250-070-455
	Spoon		250-070-446	—
	Outer Sheath Replacement		250-070-460	250-070-450

Accessories

Suction/irrigation accessories

250-070-419 Dual Irrigation Adapter (10/box)

250-070-435 Adapter for Davol Nezhat/Dorsey Suction/Irrigation Probes

250-070-510 Suction Irrigator Tips Steam Sterilization Tray
L = 21.5" | W = 11.5" | H = 4"

Insufflators



PneumoClear Plus
CO_2 Conditioning Insufflator
620-050-000

PneumoClear

Insufflator	**620-050-000**	Pneumoclear Plus CO_2 Conditioning Insufflator Includes the following: SIDNE Smart 50 L Insufflator, Bariatric Mode, Pediatric Mode, Advanced Mode, TAMIS Mode, Vessel Harvesting Mode
Kits	**620-050-001**	Pneumoclear Plus CO_2 Conditioning Insuffalator for Bottle Gas Includes the following: PneumoClear CO_2 Conditioning Insufflator, CO_2 Tank Hose, CO_2 Tank Yoke Ⓚ
	620-050-002	Pneumoclear Plus CO_2 Conditioning Insuffalator for House Gas Includes the following: PneumoClear Plus CO_2 Conditioning Insufflator, DISS House Gas Connector, DISS House Gas Hose Ⓚ
Tubing	**620-050-100**	PneumoClear High Flow Tube Set (10/box)
	620-050-200	PneumoClear Heated High Flow Tube Set (10/box)
	620-050-250	PneumoClear Smoke Evacuation High Flow Tube Set (10/box)
	620-050-300	PneumoClear Heated Humidified Tube Set (10/box)
	620-050-350	PneumoClear Heated Humidified Smoke Evacuation Tube Set (10/box)



PneumoSure XL High Flow Insufflator
620-040-610

PneumoSure XL

Insufflator	**620-040-610**	High Flow Insufflator Includes the following: SIDNE Smart 45 L Insufflator, High Flow Mode, Pediatric Mode, Bariatric Mode, Vessel Harvesting Mode
Kits	**620-040-654**	High Flow Insuffalator for Bottle Gas Includes the following: Pneumosure XL Insufflator, CO_2 Tank Hose, CO_2 Tank Yoke Ⓚ
	620-040-652	High Flow Insuffalator for House Gas Includes the following: Pneumosure XL Insufflator, DISS House Gas Connector, DISS House Gas Hose Ⓚ

Insufflator accessories

Tubing	**620-040-660**	PneumoSure High Flow Tubing (10/box)
	620-040-680	PneumoSure High Flow Tubing—RTP (10/box)
	620-040-690	PneumoSure Heated Tubing—RTP (10/box)
Accessories	**620-040-650**	PneumoSure Tubeset Adapter
	620-010-103	CO_2 Tank Yoke
	620-010-104	CO_2 Tank Hose
	620-030-503	CO_2 Switching Valve
	620-040-002	DISS House Gas Connector for PneumoSure
	620-040-003	DISS House Gas Hose
	620-050-913	DISS House Gas Connector for PneumoClear
	620-050-914	Bottle Gas Connector for PneumoClear



ICG and infrared technology



Consoles (top to bottom)
220-220-300, 1588-010-000

Consoles	**220-220-300**	L10 LED Light Source with AIM
	1588-010-000	1588 AIM Camera Control Unit (CCU)
Accessories	**220-180-518**	IRIS Ureteral Kit
	PP9036	SPY-MIS ICG Pack (6 Kits per)





1588 AIM HD Autoclavable Laparoscopes

Part number	Outer diameter	View direction	Working length
502-537-010	5.4 mm	0°	30 cm
502-537-030	5.4 mm	30°	30 cm
502-937-010	10.0 mm	0°	33 cm
502-937-030	10.0 mm	30°	33 cm

Laparoscopic training system



System	**240-100-100**	Park Trainer Laparoscopic Cart
	240-100-110	Park Trainer Laparoscopic Adjustable Module
	240-100-115	Park Trainer Laparoscopic Skin
	240-095-200	StrykerVision Flat Panel Mounting Arm

Pneumatic scope holder

Accessories	**240-240-002**	Wingman Nitrogen Gas Tanks (6/box)
	240-240-003	Wingman Disposable Tube Set/Camera Button (12/box)

Services from Stryker

116 OnSite Services
117 ProCare Services
118 Replacement parts
120 Repair process
121 Loaner and replacement policy

Trusted partners

OnSite Services

Stryker's OnSite Services program offers customizable solutions in the operating room and sterile processing department designed to facilitate the workflow of your minimally invasive equipment. Our trained Specialists focus on decreasing the peri-operative interruptions that impact your hospital financially, operationally and clinically.

OnSite in the operating room

OnSite Specialists understand the unique challenges and demands faced by caregivers and are committed to helping alleviate stress to ensure that your staff can focus on patient care. Specialists are experts in:

Room set-up & equipment management
Specialists verify that all equipment is set to surgeon specifications and is ready for each case.

Case cart management
OnSite Specialist's assist with case cart preparation and post procedure transportation in an effort to reduce overall turnover times.

Troubleshooting & in-room support
Our OnSite program is designed to manage issues in the field, helping to minimize potential OR downtime and increase surgeon satisfaction.

Disposable inventory management
Unnecessary expenses should be eliminated. Specialists help ensure only required disposable items are selected and opened.

OnSite in the Sterile Processing Department

Productivity within the SPD is essential as it directly correlates to the operational success of the OR. OnSite assumes full ownership for the processing and preparation of minimally invasive equipment to assist with timely turnover.



Preventative maintenance
Routine maintenance can help sustain proper equipment functionality, longevity and patient safety while reducing repair frequency and costs.

Instrument, camera & scope management
Specialists focus on providing sets that are accurate, available and properly cleaned and sterilized.



ProCare Services

Making it easier for you to get the most out of your equipment investment.

Stryker's ProCare Protect service contract is designed to decrease downtime, improve employee satisfaction and increase efficiency at an affordable price.

The ProCare Protect advantage

Improve efficiency

A Protect agreement minimizes OR downtime by providing loaners within 24 hours* while your equipment is being repaired. Save time and money by eliminating individual repair approvals.

Standardize costs

Eliminate the guesswork. With a Protect agreement, you will know the cost of owning your equipment for the life of the contract. Contracts can range from 1-5 years and payment can be scheduled on a recurring basis.

Original manufacturer advantage

No one is more qualified to service and repair your Stryker equipment than the team that designed and manufactured it. Our certified repair technicians have the Stryker components, specifications, and knowledge to get your equipment working for you as quickly as possible.

* Please note that inventory and material constraints can cause delays in loaner and repair/replace product availability.

Replacement parts

Camera and coupler parts

105-187-384	C-Mount Microscope Adapter
105-207-652	1188/1288 Non A/C Soaking Cap
P17542	1488/1588/Precision AC Soaking Cap
P10261	1188 A/C Soaking Cap
P24765	1488/1588 Soaking Lanyard
P26805	Precision A/C Soaking Lanyard
P30313	1488/1588 Cable O-Ring, bags of 10
P35920	1188/1288 Cable O-Ring, bags of 10

Video accessories parts

105-160-710	Soft Foot Rubber Pegs
105-207-367	Micro Cart IV Pole
105-208-427	SDC Ultra DVD Tray Cover
105-201-570	Plastic Extrusion for Styrker Vision Mount
105-210-667	Swivel Caster for Video Cart, Single Wheel with Brake
105-210-668	Swivel Caster for Video Cart, Single Wheel
P12811	SDP1000 Pink Paper Roll Holder
P12812	SDP1000 Blue Paper Roll Holder
P12814	Cleaning Ribbon
P16009	SDC3 LCD Screen
P16007	SDC3 Chassis Cover
P16008	SDC3 Power Supply
P16016	SDC3 Hard Drive
P16020	SDC3 Front Panel
P16032	SDC3 DVD Tray Cover
P16386	SDC3 DVD Writer Sata-Lite-On IHAS124
P18993	SDC3 DVD Tray Cover Interface
P25876	VisionPro Accessory Kit, Cable Cover
P25877	VisionPro Accessory Kit, Power Supply
P31664	Plastic Extrusion for Heavy Duty Styrker Vision Mount
105-208-393	SDC3 System Fan





Lightsource parts	**105-199-547**	Jaw Spring L8/L9/L10
	P10526	1288/1488 CCU and L9000 Replacement LCD Touch Screen
	P18917	X8000 Ballast (CEP301) Mounting Bracket
	P19114	X8000 Cable Assy, Ballast to Control Bd.
	P19115	X8000 Cable Assy, Ballast to Control Bd.
	P19116	X8000 Ballast
	P19118	X8000 Cable Assy, Bulb Anode
	P23669	X8000 Ballast (CEP301) Mounting Bracket Kit K
Scope and hardware parts	**105-202-057**	iSwitch Battery Cap
	105-204-101	AHTO Pump Screw Clamp
	105-207-096	Wingman Screw Clamp
	240-240-003	Wingman Scope Holder Tube Set
Shaver handpiece parts	**275-701-599**	12K Sterilization Cap
	375-701-000	Formula Sterilization Cap
Arthroscopy pump parts	**105-203-714**	Pad, Clamp, Cassette Pump
	105-207-646	FloSteady Pole Clamp
	105-210-561	FluidSafe Container Holder
Laparoscopy parts	**105-195-003**	Insufflator Bottle Gas Connector
	105-210-562	Black Locking Notch
	620-040-650	PneumoSure Tube Set Adapter

Repair process

Stryker Endoscopy products sent in for maintenance or repair should be sent to the below addresses and reference the associated RMA number.

Stryker Scopes
(Except green eye piece AIM scopes)

Stryker Endoscopy
135 Schofield Avenue
Dudley, MA 01571

All other Stryker Endoscopy products
(Including green eye piece AIM scopes)

Stryker Endoscopy
Attn: Service Unit
5900 Optical Court
San Jose, CA 95138



The repair process

Call repair customer service. 1.800.624.4422, option 2 or e-mail at EndoCSRepairTeam@Stryker.com. Please have the following information on-hand:

- Account number
- Product number
- Serial number
- Valid purchase order
- Description of product failure
- Patient/user safety questions
- Contact for the repair (name and phone number)
- Bill-to and ship-to address

Stryker facility repair

1. You will be eligible to receive a loaner or replacement product specific to your selected service program
2. Repair customer service will open an RMA (Return Material Authorization) order
3. Receive the loaner or replacement product, place your device in the same box, and write the RMA number on the shipping label. If no label is provided, please contact 1.800.624.4442, option 6 or email EndoCSLoanerTeam@Stryker.com
4. Ship to the addresses listed on the left and keep tracking information on file

In-facility repair*

1. Repair customer service will open a repair order for the device
2. A Stryker-certified field technician will contact you directly to schedule the service date
3. The field technician will travel to your facility to perform the repair

*Applicable to Spy Elite only

myProCare

Features and benefits

- Create your own RMAs online
- Easy review of all repair details and tracking information
- Better understanding of what is covered on Service Contracts
- Approve repair pricing online

To sign up

1. Go to **www.myProCare.Stryker.com**
2. Click on register
3. Fill in the form including your account number and shipping address and submit
4. Within 24 hours your request will be approved and you will receive an e-mail with login details

Loaner and replacement policy



Repair/return

Stryker Endoscopy will provide loaners within 24 hours* from the time a repair order is placed. Once the product is analyzed, Stryker will obtain approval to proceed with the repair.

Repair/replace

Stryker Endoscopy will provide a quality replacement within 24 hours*. Customers keep the replacement and return the damaged item to Stryker. The repair/replace program is a pre-approved pricing program. Charges will automatically be billed once the unit is analyzed.

Delinquency

All loaners and damaged items are required to be returned to Stryker within 7 business days. Unreturned product will be considered delinquent and is subject to invoice at the replacement cost. If the customer has 3 or more items delinquent, they will be put on hold for repair/replace and loaner requests. Stryker Endoscopy reserves the right to charge the customer full replacement price of a product in the event the loaner or damaged item is not returned to Stryker Endoscopy.

Products covered

The following products are supported under the Repair/Replace program:

- Rigid, Semi-Rigid and Flexible Scopes
- Printers and Monitors
- Arthroscopy Footswitches
- Formula Shavers
- FloSteady
- CrossFlow Pump
- Fluid Safe Pump
- Laparoscopic and Arthroscopic Manual Instruments
- 1188, 1188 Autoclavable, 1288, 1488, 1588, S1, Precision Camera Heads and SPY-PHI
- Camera Couplers for 1188, 1188, 1288, 1488, 1588, Precision and Urology Camera Heads

* Please note that inventory and material constraints can cause delays in loaner and repair/replace product availability.

Index

Page	Numbers	Description
●	**84-959-010**	Universal Centrifuge
17	**103-166-002**	BNC Cable (10 ft)
17	**105-033-001**	Hospital Power Cord, 6 ft (110 V)
17	**105-150-908**	S-Video Cable (12 ft)
120	**105-160-710**	Soft Foot
17	**105-160-911**	S-Video Cable (30 ft)
17	**105-184-963**	S-VHS Cable (50 ft)
120	**105-187-384**	C-Mount Adapter
22, 26	**105-187-988**	Serial USB CableUSB A-B (6 ft)
98	**105-189-807**	Sealing Cap, Wave 3 Instruments
98	**105-189-808**	Port Seal for Operating Laparoscope, Large (Green)
17	**105-190-647**	Hospital Power Cord, 2 ft (110 V)
98	**105-191-925**	Tip-Polishing Paste
●	**105-194-585R**	12K Hand Control Cable Programmed for Hand Control Shaver
●	**105-194-586R**	12K Shaver Cable Programmed for Non-Hand Control Shaver
119	**105-195-003**	Back Gas Connector
●	**105-195-990R**	Formula Cable Programmed for Non-Hand Control
●	**105-195-991R**	Formula Cable Programmed for Hand Control
●	**105-199-040**	Mode Warm Wheel Gear
120	**105-201-570**	Plastic Extrusion for Styrker Vision Mount
121	**105-202-057**	iSwitch Battery Cap
●	**105-202-057R**	Cap Assembly
121	**105-203-714**	Pad, Clamp, AHTO Cassette Pump
107, 121	**105-204-101**	AHTO Screw Clamp
17, 31	**105-205-295**	Hospital Power Cord, 20 ft (110 V)
31	**105-205-854**	Mounting Plate for Flat-Panel Roll Stand

Page	Numbers	Description
17	**105-206-758**	Locking 2.5 mm to 3.5 mm Phone Cable
17	**105-206-813**	Cable, Y Remote, Locking 2.5 mm to 2 x 3.5 mm
31	**105-206-869**	SV Mounting Arm Bracket
121	**105-207-096**	Wingman Scope Holder Arm Connector Handle
120	**105-207-367**	Micro Cart IV Pole
121	**105-207-646**	FLOSTEADY Repair Part: Clamp with Handle
120	**105-207-652**	1188 Camera Cable Soaker Cap (Black)
120	**105-208-393**	SDC3 System Fan
120	**105-208-427**	Chassis SK18, DVD Tray Cover
120	**105-210-561**	FLUID SAFE Container Holder
121	**105-210-562**	Locking Notch
120	**105-210-667**	Standard Cart Wheel with Brake
120	**105-210-668**	Standard Cart Wheel without Brake
●	**220-180-517**	InfraVision Universal Ureteral Kit (5/box)
21, 112	**220-180-518**	IRIS Ureteral Kit
●	**220-200-000**	x8000 Xenon Light Source
●	**220-201-000**	Replacement Bulb for x8000 (300 Watts)
●	**220-210-000**	L9000 LED Light Source
21, 112	**220-220-300**	L10 LED Light Source with AIM
●	**233-032-008**	Wingman Sterilization Tray
49, 61	**233-032-100**	Sterilization Case
61	**233-032-104**	Autoclavable Arthroscope Sterilization Tray (holds 2 scopes)
61	**233-032-105**	Arthroscope and Camera Sterilization Tray
61	**233-032-107**	Endoscopic Scope and Camera Sterilization Tray

Page	Numbers	Description
98	**233-032-108**	Laparoscope Sterilization Tray (holds 2 laparoscopes)
98	**233-032-111**	Bariatric Laparoscope Tray
●	**233-032-113**	Flexible Cystoscopes and Ureteroscopes Tray
18	**233-032-114**	Articulating Laparoscope Sterilization Tray (10 mm/5 mm)
18	**233-032-115**	Bariatric Articulating Laparoscope Tray
61	**233-032-116**	Autoclavable Arthroscope and Hardware Sterilization Tray
49, 61	**233-032-200**	Sterilization Tray for Parallel Portal Instrumentation
62	**R233-032-201**	ParallelPortal Instrument Rental Kit
18	**233-032-301**	AIM Sterilization Tray
18	**233-032-302**	Endoscope and Camera Sterilization Tray
●	**233-032-800**	Flexvision Tray
95, 92	**233-032-880**	Urology/Gynecology Accessory Tray, 1 Tier
85, 92	**233-032-881**	Urology/Gynecology Tray, 2 Tier
84, 85	**233-032-890**	Sterilization/Storage Tray for Semi-Rigid Ureteroscope
22	**233-050-064**	5.0 mm x 10 ft, Clear Case Fiberoptic Light Cable (Storz scope and Stryker Light Source fittings, screw-on)
22	**233-050-065**	5.0 mm x 10 ft, Fiberoptic Light Cable (Stryker Scope and Stryker Light Source Fittings)
22	**233-050-067**	2.0 mm x 7.5 ft Clear Case Fiberoptic Light Cable (Stryker Scope and Stryker Light Source Fittings)
22	**233-050-069**	5.0 mm x 10 ft, Clear Case Fiberoptic Light Cable (Wolf Scope and Stryker Light Source Fittings, Snap-On)
22	**233-050-071**	Light Source Adapter with Fiber Scopes
22	**233-050-072**	Olympus Light Source Adapter
22	**233-050-073**	Storz Light Source Adapter
22	**233-050-074**	Wolf/Dyonics Light Source Adapter
23	**233-050-075**	Stryker/ACMI Scope Adapter
23	**233-050-076**	Wolf/Dyonics Scope Adapter

Page	Numbers	Description
23	**233-050-077**	Storz/Olympus Scope Adapter
22	**233-050-084**	5.0 mm x 10 ft, Non-Transparent Fiberoptic Cable
22	**233-050-086**	Safelight Olympus Scope Adapter
22	**233-050-087**	Safelight Stryker/Henke/ Dyonics/ Storz Scope Adapter
22	**233-050-088**	Safelight Wolf Scope Adapter
22	**233-050-090**	5.0 mm x 10 ft, Fiberoptic Light Cable (Universal Scope and Stryker Light Source Fittings)
22	**233-050-100**	5.0 mm x 10 ft, Clear-Case Safelight Fiberoptic Light Cable
22	**233-050-192**	Safelight Circon/ACMI Scope Adapter
22	**233-050-199**	Safelight Kit: Cable and Scope Adapter
22	**233-050-200**	5.0 mm x 10 ft, Opaque-Case Safelight Fiberoptic Light Cable
22	**233-050-300**	AIM Safelight Fiber Optic Cable, 5.0 mm x 10 ft / 3.05 m
23	**233-060-000**	ACMI Universal Scope Adapter
22	**233-065-010**	6.5 mm x 10 ft Fiberoptic Light Cable (Wolf Scope and Stryker Light Source Fittings)
23	**233-080-000**	ACMI Adapter for Non-Autoclavable Scopes
23	**233-082-000**	Storz Adapter for Non-Autoclavable Scopes
18	**233-410-000**	Autoclavable Camera Tray
18	**233-410-002**	Camera Sterilization Tray
●	**240-020-331**	Standard Headset
●	**240-020-812**	Wireless Mic System, 3000 Series
29	**240-030-922**	Flat Panel Monitor Stand
●	**240-030-925**	SV-2 Monitor Cover
●	**240-030-931**	Power Supply for 21″ Vision Elect Flat Monitor
●	**240-030-935**	Vision Elect Monitor Cover
●	**240-030-950**	Power Supply for 26″ Vision Elect HDTV
28, 29	**240-030-951**	15 ft DC Extension Cable for Vision Elect HDTV
28, 29	**240-030-952**	75 ft DC Extension Cable for Vision Elect HDTV

Page	Numbers	Description
●	**240-030-961**	Monitor Cover for 26″ Vision Elect HDTV
●	**240-030-971**	WiSe HDTV Transmitter
●	**240-030-972**	WiSe Receiver
30	**240-030-974**	SYNK Token Keys (3/pkg)
●	**240-030-975**	WiSe Channel Upgrade Token (Green)
●	**240-030-976**	Wise Default Setting Token (Yellow)
30	**240-030-977**	SYNK/WiSe Permanent Link Token (Red)
●	**240-030-990**	WiSe 19″ Surgical Display
●	**240-030-992**	Power Supply for WiSe 19″ HDTV Surgical Display
30	**240-031-000**	VisionPro SYNK 26″ Wireless LED Display
29	**240-031-002**	VisionPro 26″ Display Cover
28, 29	**240-031-004**	26″ Display Medical Power Supply
26, 30	**240-031-006**	SYNK Display Device Control Cable
30	**240-031-010**	SYNK Wireless Transmitter
29	**240-031-020**	VisionPro 26″ LED Display
26, 29	**240-031-021**	VisionPro Display Device Control Cable
28	**240-031-050**	32" 4K Surgical Display
28	**240-031-051**	4K Display Cover
28	**240-031-052**	4K Display with S-Video Converter Box Kit
28	**240-031-053**	4K Display VGA Converter Box Kit
28	**240-031-054**	4K Display DVI Converter Box Kit
28	**240-031-055**	4K Display 3G-SDI Converter Box Kit
28, 31	**240-031-057**	4K Display with Video Cart Upgrade Kit
28	**240-030-922**	Flat Panel Monitor Stand
●	**240-040-001**	Isolation Transformer (Medical Grade)
26	**240-050-704**	SDC Media, Verbatim CD-R Discs (10/pkg)
27	**240-050-717**	HP Advanced Glossy Photo Paper (50 sheets)

Page	Numbers	Description
26	**240-050-811**	SDC Media, Verbatim DVD+RW Discs (10/pkg)
17, 26	**240-050-845**	DVI Cable Kit
26	**240-050-875**	DICOM Upgrade Kit for SDC HD
●	**240-050-903**	USB 2 Hard Drive, 160GB
26	**240-050-995**	DICOM Upgrade Kit for SDC Ultra
24	**240-060-100**	SDC3 HD Information Management System
24	**240-060-101**	SDC3 Voice Control Package Kit
24	**240-060-102**	SDC3 Device Control Package
24	**240-060-103**	SDC3 DICOM Software
●	**240-060-105**	My SDC3 iPad Application
26	**240-060-112**	Jabra Wireless Headset and Base Station
26	**240-060-113**	Jabra Base Station Mounting Bracket
●	**240-060-115**	SDC3 Voice Control Replacement Activation Key
●	**240-060-116**	SDC3 Device Control Replacement Activation Key
26	**240-060-127**	SDC3 Infrared Remote Control Replacement
●	**240-060-133**	Stryker Surgeon Profile Manager
●	**240-060-135**	EDAM for Berchtold® F-Series Surgical Lights
●	**240-060-136**	EDAM for Berchtold® Camera System
26	**240-060-147**	Video Editing and Telestration License
25	**240-060-557**	SDC3 SLM Powershare License
24	**240-060-558**	SDC3 EMR Connectivity Package
●	**240-060-559**	SDC3 EMR Connectivity Replacement Activation Key
17, 31	**240-060-845**	DVI-D Cable (30 ft)
25	**240-060-900**	SDC3 Base with Voice Control Kit
25	**240-060-901**	SDC3 Base with Device Control Kit
25	**240-060-903**	SDC3 Base with Voice Control and Device Control Kit
25	**240-060-905**	SDC3 Base with Device Control and DICOM Kit

Page	Numbers	Description
25	**240-060-906**	SDC3 Base with Voice Control, Device Control and DICOM Kit
25	**240-060-907**	SDC3 Base with DICOM
25	**240-060-917**	SDC3 Base with SDP1000 Printer Kit
25	**240-060-918**	SDC3 Base with Voice Control and SDP1000 Printer Kit
25	**240-060-919**	SDC3 Base with Device Control and SDP1000 Printer Kit
25	**240-060-921**	SDC3 Base with DICOM and SDP1000 Printer Kit
25	**240-060-922**	SDC3 Base with Voice Control, Device Control and SDP1000 Printer Kit
25	**240-060-923**	SDC3 Base with Voice Control, DICOM and SDP1000 Printer Kit
25	**240-060-924**	SDC3 Base with Device Control, DICOM and SDP1000 Printer Kit
25	**240-060-925**	SDC3 Base with Voice Control, Device Control, DICOM and SDP1000 Kit
25	**240-060-928**	SDC3 Base with Device Control and EMR Connectivity Kit
25	**240-060-929**	SDC3 Base with Device Control, Voice Control and EMR Connectivity Kit
25	**240-060-930**	SDC3 Base with Device Control, SDP1000 Printer and EMR Connectivity Kit
25	**240-060-931**	SDC3 Base with Device Control, Voice Control, SDP1000 Printer and EMR Connectivity Kit
25	**240-060-932**	SDC3 Base with Voice Control and EMR Connectivity Kit
25	**240-061-101**	Voice and Device Control with EMR Connectivity Kit
25	**240-061-102**	Voice and Device Control with DICOM Kit
25	**240-061-103**	Voice and Device Control Kit
25	**240-061-104**	Voice Control and EMR Connectivity Kit
25	**240-061-105**	Voice Control with DICOM Kit
25	**240-061-106**	Device Control and EMR Connectivity Kit
25	**240-061-107**	Device Control with DICOM Kit
25	**240-061-558**	SDC3 Base with EMR Connectivity Kit

Page	Numbers	Description
25	**240-080-226**	Kodak ESP 7250 Color Ink Cartridge
25	**240-080-227**	Kodak ESP 7250 Black Ink Cartridge
25	**240-080-230**	SDP1000 Digital Color Printer
25	**240-080-231**	Letter Size Print Media for SDP1000 (100 sheets)
27	**240-080-232**	SEPC-100 - Box Of A4 Size Media for SDP1000 Printer
28, 29, 31, 113	**240-095-200**	StrykerVision Flat-Panel Mounting Arm
●	**240-099-001**	Stryker Auxiliary Video Cart with Isolation Transformer
31	**240-099-001K**	Auxilliary Cart Kit
31	**240-099-011K**	Standard Video Cart Kit
●	**240-099-015**	Circuit Breaker with Delayed Trip
●	**240-099-016**	Circuit Breaker with Delayed Trip for Pre-2005 Carts
●	**240-099-020**	Stryker Multi-Specialty Cart
31	**240-099-050**	Isolation Transformer
31	**240-099-052**	CO_2 Tank Bracket for Cart
31	**240-099-054**	LCD Side Mount Velcro Strap
31	**240-099-059**	Additional Shelf (for Auxiliary and Standard Cart)
31	**240-099-069**	Power Cord Replacement for Video Carts
17	**240-099-071**	DVI-I Cable (3 ft)
●	**240-099-072**	Stackable Demo Cart
31	**240-099-074**	Auxiliary Video Connector
31	**240-099-075**	Shelf with Pin Rails (Standard Cart)
31	**240-099-076**	Pull-Out Shelf with Pin Rail (Standard Cart)
31	**240-099-109**	Flat-Panel Roll Stand Base
31	**240-099-110**	Flat-Panel Roll Stand Pole
31	**240-099-110K**	Flat Panel Roll Stand Kit
28	**240-099-250**	S-Video Converter Box
28	**240-099-255**	VGA Converter Box
28	**240-099-260**	3G-SDI Coverter Box
28	**240-099-265**	DVI Converter Box

Page	Numbers	Description
113	**240-100-100**	Park Trainer Laparoscopic Cart
113	**240-100-110**	Park Trainer Laparoscopic Adjustable Module
113	**240-100-115**	Park Trainer Laparoscopic Skin
●	**240-240-000**	Wingman Scope Holder
113	**240-240-002**	N2 Tank (6/box)
113, 121	**240-240-003**	Scope Holder Tube Set/Button (12/box)
●	**240-240-005**	Wingman Foot Pedal
●	**240-240-007**	Dyna-Com N2 Male Adapters
●	**240-240-009**	Wingman Diss Male N2 Adapter
●	**240-240-011**	Schrader N2 Male Adapter
●	**240-240-012**	Wingman Pressure Release Tool
●	**240-240-100**	Wingman Rail Clamp
●	**240-240-200**	Wingman Base
●	**240-240-300**	Wingman Outer Arm
●	**240-240-400**	Wingman Inner Arm
19	**240-260-000**	Clarity Console Box
19	**240-260-001**	Clarity with SDC3 Base Kit
19	**240-260-002**	Clarity with SDC3 Base and SDP1000 Printer Kit
19	**240-260-003**	Clarity with SDC3 Base and Device Control Kit
19	**240-260-004**	Clarity with SDC3 Base, Device Control and SDP1000 Printer Kit
19	**240-260-005**	Clarity with SDC3 Base, Device and Voice Control, and SDP1000 Printer Kit
19	**240-260-006**	Clarity with SDC3 Base, Device and Voice Control, and SDP1000 Printer Kit
49, 72, 73	**242-000-012**	12 Position Sterilization Tray
49, 72	**242-000-024**	23 Instrument Sterilization Tray
49, 65	**242-000-112**	Stryker Hip Arthroscopy Instruments Sterilization Tray
73	**242-010-200**	Mini 2 mm Small Joint Punch
73	**242-010-300**	Mini 2 mm Small Joint Grasper
73	**242-010-400**	Mini 2 mm Small Joint Scissor
73	**242-100-000**	Small-Joint Instrumentation Kit
73	**242-100-002**	2.1 mm Blunt Nose, Straight

Page	Numbers	Description
73	**242-100-003**	2.1 mm Blunt Nose, Right
73	**242-100-004**	2.1 mm Blunt Nose, Left
73	**242-100-005**	2.1 mm Blunt Nose, Down
73	**242-100-006**	2.1 mm Blunt Nose, Up
73	**242-100-007**	2.5 mm Scissors
73	**242-100-008**	2.5 mm Grasper
73	**242-100-012**	2.7 mm Blunt Nose, Straight
73	**242-100-013**	2.7 mm Blunt Nose, Up
73	**242-100-014**	Small Joint Probe, Straight
73	**242-100-015**	Small Joint Probe 90°
73	**242-100-016**	Small Joint Probe 30°
65	**242-200-000**	Stryker Hip Arthroscopy Instruments Kit
65	**R242-200-000**	Hip Instruments Rental Kit
65	**242-200-001**	5.5 mm Slotted Cannula
65	**242-200-002**	6 mm Slotted Cannula
65	**242-200-003**	4 mm Cannulated Switching Stick
65	**242-200-004**	5.5 mm Cannulated Switching Stick
65	**242-200-005**	6 mm Cannulated Switching Stick
65	**242-200-006**	4 mm Hip Biter, Straight
65	**242-200-007**	4 mm Hip Biter, 15° Up
65	**242-200-008**	4 mm Hip Grasper, Right
65	**242-200-009**	4 mm Hip Grasper, Left
65	**242-200-010**	4 mm Hip Grasper, Straight
66	**242-200-011**	4 mm Hip Suture Passer, Left
66	**242-200-012**	4 mm Hip Suture Passer, Right
66	**242-200-013**	4 mm Hip Suture Passer, Straight
66	**242-200-014**	4 mm Suture Passer, 35° Up
66	**242-200-015**	4 mm Hip Suture Grasper
66	**242-200-016**	5 mm Suture Cutter
66	**242-200-017**	Hip Knot Pusher
66	**242-200-018**	4 mm Hip Curette, 20°
66	**242-200-019**	4 mm Rasp, 30° Up
66	**242-200-020**	4 mm Hip Tissue Liberator
66	**242-200-021**	Hip Probe, 90°

Page	Numbers	Description
66	**242-200-022**	Curved Hip Probe
66	**242-200-023**	Straight Micro Fracture Pick
66	**242-200-024**	Curved Hip Blade
66	**242-200-025**	Straight Hip Blade, Blunt Tip
66	**242-200-026**	Straight Hip Blade, Sharp Tip
66	**242-200-027**	Switching Stick Handle
●	**242-720-025**	Hip Set Sterilization Tray
104, 105	**250-015-500**	Laparoscopic Instruments Sterilization Tray
103, 105	**250-015-704**	45 cm Laparoscopic Instruments Tray
●	**250-040-012**	High Frequency Monopolar Cable (10/box)
●	**250-040-103**	3 mm x 29 cm, Spatula Tip Electrosurgical Probe (3/box)
106	**250-040-104**	3 mm x 29 cm, L-Tip Electrosurgical Probe (3/box)
106	**250-040-111**	5 mm x 33 cm, Spatula Tip Electrosurgical Probe (3/box)
106	**250-040-112**	5 mm x 33 cm, L-Tip Electrosurgical Probe (3/box)
104, 106	**250-040-113**	5 mm x 33 cm, J-Tip Electrosurgical Probe (3/box)
106	**250-040-116**	5 mm x 45 cm, Spatula Tip Electrosurgical Probe (3/box)
106	**250-040-117**	5 mm x 45 cm, L-Tip Electrosurgical Probe (3/box)
103, 106	**250-040-118**	5 mm x 45 cm, J-Tip Electrosurgical Probe (3/box)
108	**250-070-402**	5 mm x 28 cm, Regular Tip, Vented, Metal Finish
108	**250-070-403**	5 mm x 32 cm, Regular Tip, Vented, Metal Finish
108	**250-070-404**	10 mm x 32 cm, Regular Tip, Vented, Metal Finish
108	**250-070-405**	10 mm x 32 cm, Pool Suction Tip, Metal Finish
108	**250-070-406**	5 mm x 32 cm, Pool Suction Tip, Metal Finish
108	**250-070-407**	5 mm x 32 cm, Hydrodissection Tip, Metal Finish
108	**250-070-408**	5 mm x 45 cm, Regular Tip, Vented, Metal Finish
●	**250-070-409**	5 mm x 32 cm Regular Tip, Non-Vented, Metal Finish

Page	Numbers	Description
108	**250-070-411**	5 mm x 24 cm, Regular Tip, Vented, Metal Finish
●	**250-070-412**	Flexible Laser Fiber Guide, 28 cm
●	**250-070-413**	Laser Fiber Guide
●	**250-070-414**	Flexible Laser Fiber Guide, 32 cm
60, 109	**250-070-419**	Dual Irrigation Adapter, Disposable (10/box)
109	**250-070-435**	Adapter for Davot Nezhat/ Dorsey Suction/Irrigation Probes
108	**250-070-437**	5 mm x 32 cm, Aspiration Needle Tip
109	**250-070-441**	5 mm x 32 cm, Strykeprobe Spatula Tip
109	**250-070-442**	5 mm x 32 cm, Strykeprobe J-Tip
109	**250-070-443**	5 mm x 32 cm, Strykeprobe L-Tip
109	**250-070-444**	5 mm x 32 cm, Strykeprobe Ball Tip
109	**250-070-445**	5 mm x 32 cm, Strykeprobe Needle Tip
109	**250-070-446**	5 mm x 32 cm, Strykeprobe Spoon Tip
109	**250-070-450**	5 mm x 45 cm, Strykeprobe Outer Sheath Replacement
109	**250-070-451**	5 mm x 45 cm, Strykeprobe Spatula Tip
109	**250-070-452**	5 mm x 45 cm, Strykeprobe J-Tip
109	**250-070-453**	5 mm x 45 cm, Strykeprobe L-Tip
109	**250-070-455**	5 mm x 45 cm, Strykeprobe Needle Tip
109	**250-070-460**	5 mm x 32 cm, Strykeprobe Outer Sheath Replacement
●	**250-070-472**	2 mm x 32 cm, Regular Tip with 2 Holes
108	**250-070-482**	5 mm x 28 cm, Regular Tip, Vented, Non-Reflective Finish
108	**250-070-483**	5 mm x 32 cm, Regular Tip, Vented, Non-Reflective Finish
108	**250-070-484**	10 mm x 32 cm, Regular Tip, Vented, Non-Reflective Finish
●	**250-070-485**	10 mm x 32 cm, Pool Suction Tip, Non-Reflective Finish
108	**250-070-486**	5 mm x 32 cm, Pool Suction Tip, Non-Reflective Finish

Page	Numbers	Description
108	**250-070-487**	5 mm x 32 cm, Hydrodissection Tip, Non-Reflective Finish
108	**250-070-488**	5 mm x 45 cm, Regular Tip, Vented, Non-Reflective Finish
108	**250-070-489**	5 mm x 32 cm, Regular Tip with No Holes
108	**250-070-490**	3 mm x 32 cm, Regular Tip, Vented, Metal Finish
108	**250-070-491**	3 mm x 32 cm, Regular Tip, Non-Vented, Metal Finish
108	**250-070-492**	10 mm x 32 cm, Stone Scooper
107	**250-070-500**	StrykeFlow2 without Tip (6/box), SD (Softer Durometer)
108	**250-070-505**	5 mm x 32 cm Regular Tip, Vented, Metal Finish
109	**250-070-510**	Suction Irrigator Tips Steam Sterilization Tray
107	**250-070-520**	StrykeFlow2 with Disposable Tip (6/box)
107	**250-070-530**	StrykeFlow Single Spike Tubing (6/box)
107	**250-070-540**	StrykeFlowPS, Dual Spike, 10 ft of Tubing (6/box)
107	**250-070-600**	AHTO Suction/Irrigation Tube Set (6/box)
107	**250-070-601**	AHTO Irrigation Pump
107	**250-070-602**	AHTO Rechargeable Battery Pack
107	**250-070-620**	AHTO Suction/Irrigation Tube Set with Disposable Tip (6/box)
107	**250-070-640**	AHTO Suction/Irrigation Dual Spike Tube Set
●	**250-080-130**	5 mm Fixation Clamp
●	**250-080-133**	5 mm Myoma Drill
●	**250-080-134**	10 mm Myoma Drill
93, 104, 105	**250-080-135**	5 mm Palpation Probe, 33 cm Long
93, 103, 105	**250-080-136**	5 mm Palpation Probe, 45 cm Long
93, 104	**250-080-137**	Cohen Intrauterine Cannula (Complete with Acorn)
●	**250-080-138**	Cohen Cannula (Cannula Only)
●	**250-080-139**	Small Acorn
●	**250-080-140**	Large Acorn

Page	Numbers	Description
●	**250-080-154**	Trocar, Pyramidal Tip, 5.5 mm
●	**250-080-156**	Trocar, Pyramidal Tip, 11 mm
●	**250-080-157**	5.5 mm Obturator for Hasson Cannula
●	**250-080-171**	5.5 mm Cannula, Automatic Valve, Stopcock without Trocar
●	**250-080-174**	11 mm Cannula, Automatic Valve, Stopcock without Trocar
●	**250-080-179**	11 mm Hasson Cannula, Automatic Valve, Stopcock
●	**250-080-180**	11 mm Fixable Cone for Hasson Cannula
●	**250-080-204**	Reducer, 12.5 mm/11.0 mm–5.5 mm
●	**250-080-207**	Male Luer Lock for 6 mm Tubing
102, 104	**250-080-230**	10 mm x 33 cm, Ratcheting Handle
102, 103, 104	**250-080-231**	10 mm x 33 cm, Monopolar Handle
100, 101	**250-080-233**	5 mm x 33 cm, Monopolar Handle
100, 101, 104	**250-080-234**	5 mm x 33 cm, Ratcheted Handle
100, 101	**250-080-235**	5 mm x 33 cm, Needleholder Handle
104, 106	**250-080-236**	5 mm x 33 cm, Bipolar Ring Handle
●	**250-080-237**	5 mm x 33 cm, Bipolar Spring Handle
●	**250-080-240**	10 mm x 33 cm, Allis Grasper
102	**250-080-241**	10 mm x 33 cm, Babcock Grasper
●	**250-080-242**	10 mm x 33 cm, Pennington Grasper
102	**250-080-244**	10 mm x 33 cm, Single Action Claw
102, 104	**250-080-245**	10 mm x 33 cm, Double Action Claw
102, 104	**250-080-246**	10 mm x 33 cm, Biopsy Spoon
●	**250-080-247**	10 mm x 33 cm, Operating Scissors, Serrated

Page	Numbers	Description
102, 103	**250-080-249**	10 mm x 33 cm, Mixter
102	**250-080-250**	10 mm Paddle Babcock Grasper
101	**250-080-260**	5 mm x 33 cm, Hook Scissors
101	**250-080-262**	5 mm x 33 cm, Peritoneal Scissors
●	**250-080-263**	5 mm x 33 cm, Straight Metzenbaum Scissors (Long Jaws)
●	**250-080-264**	5 mm x 33 cm, Straight Metzenbaum Scissors
101, 104	**250-080-265**	5 mm x 33 cm, Curved Metzenbaum Scissors (Long Jaws)
101	**250-080-266**	5 mm x 33 cm, Mini Metzenbaum Scissors (Curved)
101	**250-080-267**	5 mm x 33 cm, Endo Metzenbaum Scissors (Curved)
100, 104	**250-080-280**	5 mm x 33 cm, Dolphin with Spoon Dissector
100, 104	**250-080-282**	5 mm x 33 cm, Maryland Dissector
100	**250-080-283**	5 mm x 33 cm, Curved Kelly Dissector
●	**250-080-284**	5 mm x 33 cm, Tissue Grasper Dissector, 45°
100, 104	**250-080-285**	5 mm x 33 cm, Mixter Dissector
100, 104	**250-080-286**	5 mm x 33 cm, Serrated Grasper
●	**250-080-287**	5 mm x 33 cm, Narrow Jaw Grasper
●	**250-080-288**	5 mm x 33 cm, Needle Nose Dissector
101, 104	**250-080-290**	5 mm x 33 cm, Biopsy Punch
●	**250-080-292**	5 mm x 33 cm, Blakesly Biopsy
●	**250-080-293**	5 mm x 33 cm, Single Action Biopsy Spoon with Pin
100	**250-080-310**	5 mm x 33 cm, Single Action Atraumatic Grasper
100	**250-080-311**	5 mm x 33 cm, Double Action Atraumatic Grasper
100	**250-080-312**	5 mm x 33 cm, Fenestrated Schertl Grasper
100	**250-080-313**	5 mm x 33 cm, Blunt Grasper with Spoon

Page	Numbers	Description
100, 104	**250-080-314**	5 mm x 33 cm, Debakey Grasper
100	**250-080-315**	5 mm x 33 cm, Fundus Grasper
100	**250-080-316**	5 mm x 33 cm, Alligator Grasper
100	**250-080-317**	5 mm x 33 cm, Cobra Grasper
100	**250-080-319**	5 mm x 33 cm, Dorsey Grasper
●	**250-080-320**	5 mm x 33 cm, Strong Grasper (Fenestrated)
100	**250-080-321**	5 mm x 33 cm, Babcock Grasper
●	**250-080-323**	5 mm x 33 cm, Meso-Ovarian Forceps
●	**250-080-324**	5 mm x 33 cm, Oviduct Forceps
●	**250-080-325**	5 mm x 33 cm, Micro Grasper
101	**250-080-340**	5 mm x 33 cm, Straight Needleholder
101	**250-080-341**	5 mm x 33 cm, Curved Left Needleholder
101	**250-080-342**	5 mm x 33 cm, Curved Right Needleholder
●	**250-080-350**	45 cm Bipolar Fenestrated Forceps (Insert)
●	**250-080-351**	5 mm x 45 cm, Bipolar Paddle Forceps (Insert)
104, 106	**250-080-360**	5 mm x 33 cm, Bipolar Fenestrated Forceps (Insert)
●	**250-080-361**	5 mm, 33 cm, Bipolar Paddle Forceps (Insert)
●	**250-080-362**	5 mm x 33 cm, Bipolar Micro Tip Forceps (Insert)
106	**250-080-371**	5 mm x 33 cm, Bipolar Shaft
●	**250-080-558**	10 mm Clip-Applying Forceps, Ethicon Ml (LC300 or LT300 Compatible)
101	**250-080-573**	5 mm x 45 cm, Hook Scissors
101	**250-080-575**	5 mm x 45 cm, Endo Metzenbaum Scissors Curved
100, 103	**250-080-578**	5 mm x 45 cm, Maryland Dissector
●	**250-080-579**	5 mm x 45 cm, Serrated Grasper
101	**250-080-581**	5 mm x 45 cm, Double Action Biopsy Spoon with Pin
100	**250-080-584**	5 mm x 45 cm, Single Action Atraumatic Grasper

Page	Numbers	Description
100	**250-080-585**	5 mm x 45 cm, Double Action Atraumatic Grasper
100, 103	**250-080-586**	5 mm x 45 cm, Babcock Grasper
101	**250-080-588**	5 mm x 45 cm, Straight Needleholder
●	**250-080-590**	5 mm x 45 cm, Curved Right Needleholder
100, 104	**250-080-591**	5 mm x 33 cm, Allis Grasper (Single Row Of Teeth)
●	**250-080-592**	5 mm x 33 cm, Allis Grasper (Double Row Of Teeth)
100, 101	**250-080-595**	5 mm x 45 cm, Monopolar Handle
100, 101, 103	**250-080-596**	5 mm x 45 cm, Ratcheting Handle
100, 101, 104	**250-080-617**	5 mm x 33 cm, Peek Monopolar Handle
102	**250-080-618**	10 mm x 33 cm, Peek Monopolar Handle
104, 105	**250-080-619**	Replacement Flush Port Caps (5/box)
●	**250-080-628**	Replacement Inner Seal for 5.5 mm Cannulas
●	**250-080-630**	Replacement Inner Seal for 11 mm Cannulas
●	**250-080-634**	3.5 mm Cannula, Automatic Valve, Stopcock, without Trocar (55 mm)
●	**250-080-690**	Replacement Inner Seal for 5.5 mm and 8 mm Cannulas
●	**250-080-691**	Replacement Inner Seal for 11 mm and 12.5 mm Cannulas
●	**250-080-692**	Trocar, Pyramidal Tip, 3.5 mm (105 mm Length)
100, 104	**250-080-694**	5 mm x 33 cm, Right Angle Dissector
100	**250-080-697**	5 mm x 33 cm, Retention Grasper
101, 104	**250-080-698**	5 mm x 33 cm, Tenaculum Forceps
100	**250-080-699**	5 mm x 33 cm, Endo Grasper
●	**250-080-701**	5 mm Endoloop Applicator
104, 105	**250-080-702**	5 mm Aspiration Needle, 33 cm Long, 17 Gauge Needle
103, 105	**250-080-703**	5 mm Aspiration Needle, 45 cm Long, 17 Gauge Needle
100	**250-080-725**	5 mm x 45 cm, Retention Grasper
100	**250-080-726**	5 mm x 45 cm, Endo Grasper
●	**250-080-727**	5 mm x 45 cm, Paddle Babcock Grasper
100	**250-080-729**	5 mm x 45 cm, Right Angle Dissector
●	**250-080-730**	3.5 mm Pyramidal Trocar, Long
101	**250-080-733**	5 mm x 33 cm, Park Forceps
100	**250-080-735**	5 mm x 45 cm, Fundus Grasper
100, 103	**250-080-736**	5 mm x 45 cm, Dorsey Grasper
101	**250-080-745**	5 mm x 45 cm, Park Forceps
100, 103	**250-080-748**	5 mm x 45 cm, Debakey Grasper
101	**250-080-751**	5 mm x 45 cm, Peritoneal Scissors
101, 103	**250-080-752**	5 mm x 45 cm, Curved Metzenbaum (Long Jaws) Scissors
100	**250-080-753**	5 mm x 45 cm, Curved Kelly Dissector
●	**250-080-754**	5 mm x 45 cm, Allis Grasper (Double Row Of Teeth)
●	**250-080-755**	5 mm x 33 cm, Fenestrated Grasper
100	**250-080-757**	5 mm x 33 cm, Right Angle (Long Jaw)
100	**250-080-760**	5 mm x 33 cm, Dissecting Forceps
100	**250-080-761**	5 mm x 45 cm, Right Angle (Long Jaw)
100	**250-080-762**	5 mm x 45 cm, Dissecting Forceps
101	**250-080-763**	5 mm x 33 cm, Johan Forceps
101	**250-080-764**	5 mm x 45 cm, Johan Forceps
102, 104	**250-080-765**	5 mm x 33 cm, Sliding Lock Single Action Atraumatic Grasper, Non-Rotating
102, 103	**250-080-766**	5 mm x 45 cm, Sliding Lock Single Action Atraumatic Grasper

Page	Numbers	Description
102, 104	**250-080-767**	5 mm x 33 cm, Sliding Lock Double Action Atraumatic Grasper
102, 103	**250-080-768**	5 mm x 45 cm, Sliding Lock Double Action Atraumatic Grasper
103	**250-080-780K**	Pediatric Lap Instrument Kit
103	**250-080-781K**	Bariatric Lap Instrument Kit
104	**250-080-782K**	Standard Lap Instrument Kit
104	**250-080-783K**	Gyn Lap Instrument Kit
●	**250-090-010**	Outlet Connector OO0509-Ohio/Oxygen
●	**250-099-600**	Flush Port Caps (5/bag)
100, 101	**250-181-106**	5 mm Peek Multifunction Handle
102	**250-181-107**	10 mm x 33 cm, Peek Multi-Function Handle
100, 101	**250-181-108**	5 mm x 45 cm, Peek Multi-Function Handle
100, 101, 103	**250-181-164**	5 mm x 45 cm, Peek Monopolar Handle
●	**250-282-000**	3 mm x 20 cm, Insert, Curved Metzenbaum Scissors
●	**250-282-002**	3 mm Hook Scissors
●	**250-282-003**	3 mm x 20 cm, Insert, Fundus Grasper
●	**250-282-004**	3 mm x 20 cm, Insert, Alligator Grasper
●	**250-282-005**	3 mm x 20 cm, Insert, Needle Nose Dissectors
●	**250-282-006**	3 mm x 20 cm, Insert Fenestrated Schertel Grasper
●	**250-282-009**	3 mm x 20 cm, Insert Blunt Grasper
●	**250-282-010**	3 mm x 20 cm, Insert Tapered Bullet
●	**250-282-011**	3 mm x 20 cm, Insert Maryland Dissectors
●	**250-282-012**	3 mm x 20 cm, Insert Biopsy Forceps
●	**250-282-013**	3 mm x 20 cm, Biopsy Punch
●	**250-282-014**	3 mm x 20 cm, Insert Straight Needleholder

Page	Numbers	Description
99, 103	**250-282-045**	3 mm Peek Monopolar Handle
99, 103	**250-282-046**	Peek Multifunction Handle
99, 103	**250-282-047**	3 mm x 29 cm, Insert Curved Metzenbaum Scissors
●	**250-282-048**	3 mm x 29 cm, Insert Peritoneal Scissors
99, 103	**250-282-049**	3 mm x 29 cm, Insert Hook Scissors
●	**250-282-050**	3 mm x 29 cm, Insert Fundus Grasper
●	**250-282-051**	3 mm x 29 cm, Insert Alligator Grasper
●	**250-282-052**	3 mm x 29 cm, Insert Needle Nose Dissectors
●	**250-282-056**	3 mm x 29 cm, Insert Blunt Grasper
99, 103	**250-282-057**	3 mm x 29 cm, Insert Tapered Bullet
99, 103	**250-282-058**	3 mm x 29 cm, Insert Maryland Dissectors
●	**250-282-059**	3 mm x 29 cm, Insert Biopsy Forceps
99, 103	**250-282-060**	3 mm x 29 cm, Insert Biopsy Punch
99	**250-282-061**	3 mm x 29 cm, Insert Straight Needleholder
●	**250-282-096**	3 mm, 20 cm, Insert Dorsey Grasper
99	**250-282-097**	3 mm x 29 cm, Insert Dorsey Grasper
99, 103	**250-282-099**	3 mm x 29 cm, Single Action Atraumatic Grasper
99	**250-282-100**	3 mm x 20 cm, Double Action Atraumatic Grasper
99, 103	**250-282-101**	3 mm x 29 cm, Double Action Atraumatic Grasper
99, 103	**250-282-103**	3 mm x 29 cm, Babcock Grasper
●	**250-282-105**	3 mm x 29 cm, Insert Right Angle Dissectors
99, 103	**250-282-110**	3 mm x 29 cm, Dissecting Forceps
74	**266-719-000**	4 mm Wissinger Rod (Small)
74	**266-720-000**	5 mm Wissinger Rod (Large)
74	**266-721-000**	Wissinger Rod Handles (2/box)

Page	Numbers	Description
64	**266-721-100**	Hip Cannula Plug
74	**266-722-000**	4 mm Switching Stick (Small)
64	**266-722-100**	4 mm Hip Switching Stick
74	**266-723-000**	5 mm Switching Stick (Large)
64	**266-723-100**	5 mm Hip Switching Stick
57, 74	**266-724-000**	Irrigation Adapter
57, 74	**266-725-000**	Sealing Cap
●	**268-000-100**	Ideal Eyes Flexible Control Unit (FCU), 10 mm/5 mm/Digital Cystoscope/Video Ureteroscope compatible
56	**270-713-100**	SE-4 Trocar
56	**270-713-200**	5.0 mm Obturator
56	**270-713-300**	5 mm Cutter Cannula with Holes
57	**272-099-000**	Competitive Cannula Adapter
57	**272-100-000**	Stryker Dyonics Fluid Seal Adapter
●	**272-100-100**	Stryker Dyonics Adaptor Bridge, One Rotating Stopcock
57	**272-100-200**	Stryker Dyonics Adaptor Bridge, Two Rotating Stopcocks
49	**272-700-000**	Shaver Handpiece Tray
49, 56	**272-707-000**	Cutter Accessory Tray
●	**275-035-100**	3.5 mm Trocar
70	**275-035-200**	3.5 mm Obturator
69, 70	**275-035-300**	Small-Joint Cap
70	**275-035-302**	3.5 mm Small Joint Cutter Cannula
52	**275-601-500**	TPS Small Joint Handpiece
70	**275-627-000**	2.5 mm Small Joint Full Radius Cutter (5/box)
70	**275-628-000**	2.5 mm Small Joint Aggressive Cutter (5/box)
70	**275-637-000**	3.5 mm Small Joint Full Radius Cutter (5/box)
70	**275-638-000**	3.5 mm Small Joint Aggressive Cutter (5/box)
70	**275-641-000**	2 mm Small Joint Hooded Abrasion Bur (5/box)
70	**275-647-000**	3 mm Small Joint Hooded Abrasion Bur (5/box)
51	**275-701-400**	Arthroscopy Footswitch

Page	Numbers	Description
121	**275-701-599**	Soaking Cap
56	**275-719-000**	5.6 mm Cutter Cannula
56	**275-719-100**	5.6 mm Trocar
56	**275-719-200**	5.6 mm Obturator
56	**275-719-300**	5.6 mm Cutter Cannula with Irrigation Holes at Distal Tip
56	**275-720-000**	5 mm Bur Cannula
56	**275-720-100**	5 mm Trocar
56	**275-720-200**	5 mm Obturator
56	**275-720-300**	Hip Needle
64	**275-720-500**	Nitinol Guide Wires (3/box)
●	**275-720-705**	Long Hip Knife Handle
56	**275-721-000**	6 mm Bur Cannula
56	**275-721-100**	6 mm Trocar
56	**275-721-200**	6 mm Obturator
56	**275-722-000**	4.5 mm Cutter Cannula
56	**275-722-100**	4.5 mm Trocar
56	**275-722-200**	4.5 mm Obturator
56	**275-722-300**	4.5 mm Cutter Cannula with Irrigation Holes at Distal Tip
●	**275-723-100**	5 mm Hip Cannula
●	**275-723-110**	5 mm Hip Trocar
●	**275-723-120**	5 mm Hip Obturator
●	**275-724-100**	4.5 mm Hip Cannula
●	**275-724-110**	4.5 mm Hip Trocar
●	**275-724-120**	4.5 mm Hip Obturator
●	**275-725-100**	5.6 mm Hip Cannula
●	**275-725-110**	5.6 mm Hip Trocar
●	**277-300-100**	iSWITCH Battery Pack
●	**277-400-100**	TPS Connector
●	**277-400-200**	iSWITCH SERFAS Cable
●	**277-600-100**	iSWITCH Valleylab Integration Kit
●	**278-400-000**	Probe Bender
70	**279-250-101**	2.5 mm Micro-Claw SERFAS Energy Small Joint Probe
70	**279-250-201**	2.5 mm Micro-Brush SERFAS Energy Small Joint Probe

Page	Numbers	Description
58, 70	**279-251-101**	2.5 mm Aardvark SERFAS Energy Suction Probe
58	**279-350-201**	3.5 mm Lateral SERFAS Energy Probe
58	**279-350-301**	3.5 mm Contour SERFAS Energy Probe
58	**279-350-401**	3.5 mm Direct SERFAS Energy Probe
58	**279-350-501**	3.5 mm Hook SERFAS Energy Probe
68	**279-350-502**	SERFAS Energy XL Hook
58	**279-351-100**	3.5 mm 90-S SERFAS Energy Suction Probe
68	**279-351-103**	SERFAS Energy XL 90-S
58	**279-351-230**	3.5 mm 30-S SERFAS Energy Suction Probe
58	**279-351-250**	3.5 mm 50-S SERFAS Energy Suction Probe
68	**279-351-253**	SERFAS Energy XL 50-S
58	**279-351-400**	90-S Accelerator
58	**279-401-100**	4 mm 90-S Max SERFAS Energy Suction Probe
58	**279-401-200**	SERFAS Energy 90-S Cruise
17	**280-121-000**	Spacer Ring
64	**295-720-000**	Arthroscopy Access Hip Kit
64	**R295-720-000**	Hip Access System Rental Kit
64	**295-723-100**	Hip 4 mm Cannula
64	**295-723-110**	Hip 4 mm Cannula, with Distal Holes
64	**295-723-120**	Hip Cannulated Obturator for 4 mm Cannula
64	**295-723-130**	Hip Cannulated Obtrocar for 4 mm Cannula
64	**295-723-140**	Hip Cannulated Trocar for 4 mm Cannula
64	**295-724-100**	Hip 5 mm Cannula
64	**295-724-110**	Hip 5 mm Cannula, with Distal Holes
64	**295-724-120**	Hip Cannulated Obturator for 5 mm Cannula
64	**295-724-130**	Hip Cannulated Obtrocar for 5 mm Cannula
64	**295-724-140**	Hip Cannulated Trocar for 5 mm Cannula

Page	Numbers	Description
64	**295-725-100**	Hip 5.5 mm Cannula
64	**295-725-110**	Hip 5.5 mm Cannula, with Distal Holes
64	**295-725-120**	Hip Cannulated Obturator for 5.5 mm Cannula
64	**295-725-130**	Hip Cannulated Obtrocar for 5.5 mm Cannula
64	**295-725-140**	Hip Cannulated Trocar for 5.5 mm Cannula
64	**295-726-100**	Screwdriver Handle
64	**295-727-100**	Hip Bridge, Single Rotating Stopcocks
64	**295-727-101**	Hip Bridge, Single Fixed Stopcocks
64	**295-727-200**	Hip Bridge, Dual Rotating Stopcocks
64	**295-727-202**	Hip Bridge, Dual Fixed Stopcocks
49, 64	**295-800-000**	Arthroscopy Access Sterilization Tray Lid
49, 64	**295-800-200**	Arthroscopy Access Hardware XL Sterilization Tray
49, 64	**295-800-300**	Arthroscopy Access Arthroscope Sterilization Tray
71	**300-027-100**	2.7 mm Big Bite Punch, Straight
71	**300-027-101**	2.7 mm, 30° Big Bite Punch, Right
71	**300-027-102**	2.7 mm, 30° Big Bite Punch, Left
71	**300-027-103**	2.7 mm 15° Big Bite Punch, Up
71	**300-027-104**	2.7 mm Big Bite Punch, Upshaft
71	**300-027-200**	2.7 mm Narrow Punch
72	**300-027-603**	2.7 mm Micro Scissor Punch
72	**300-027-702**	2.7 mm x 120 mm, Soft Tissue Grasper with Ratchet
72	**300-027-703**	2.7 mm x 120 mm, Soft Tissue Grasper without Ratchet
71	**300-034-100**	3.4 mm Big Bite Punch, Straight
71	**300-034-101**	3.4 mm, 30° Big Bite Punch, Right
71	**300-034-102**	3.4 mm, 30° Big Bite Punch, Left
71	**300-034-103**	3.4 mm Big Bite Punch, 15° Up
71	**300-034-104**	3.4 mm Big Bite Punch, Upshaft
71	**300-034-110**	3.4 mm Tip Biter, 45° Left
71	**300-034-111**	3.4 mm Tip Biter, 45° Right

Page	Numbers	Description
71	**300-034-200**	3.4 mm Narrow Punch
71	**300-034-203**	3.4 mm Narrow Punch, 15° Up
71	**300-034-300**	3.4 mm Scoop Jaw Punch, Straight
71	**300-034-301**	3.4 mm Scoop Jaw Punch, 30° Right
71	**300-034-302**	3.4 mm Scoop Jaw Punch, 30° Left
72	**300-034-380**	3.4 mm Claw Rongeur
72	**300-034-390**	4 mm x 120 mm, Soft Tissue Grasper without Ratchet
71	**300-034-400**	3.4 mm Rotary Punch, 90° Right
71	**300-034-401**	3.4 mm Rotary Punch, 90° Left
71	**300-034-500**	3.4 mm Meniscal Crescent Punch, Right
71	**300-034-501**	3.4 mm Meniscal Crescent Punch, Left
71	**300-034-502**	3.4 mm Meniscal Crescent Punch, 30° Right
71	**300-034-503**	3.4 mm Meniscal Crescent Punch, 30° Left
72	**300-034-600**	3.4 mm Hook Scissor
72	**300-034-601**	3.4 mm Hook Scissor, Right Angled
72	**300-034-602**	3.4 mm Hook Scissor, Left Angled
72	**300-034-603**	3.4 mm Micro Scissor Punch
72	**300-034-700**	3.4 mm Grasper with Ratchet
72	**300-034-701**	3.4 mm Grasper
72	**300-034-702**	3.4 mm x 120 mm Soft Tissue Grasper with Ratchet
72	**300-034-703**	3.4 mm x 120 mm, Soft Tissue Grasper without Ratchet
71	**300-034-800**	3.4 mm Backbiter
65	**300-034-900**	3.4 mm Hip Grasper
65	**300-034-901**	3.4 mm Hip Punch, Straight
●	**310-034-100**	3.4 mm Square Punch, Straight
●	**310-034-103**	3.4 mm Square Punch, 15° Uptip
●	**310-034-104**	3.4 mm Square Punch, 15° Upshaft
●	**310-034-110**	3.4 mm Punch, 45° Left-Tip
●	**310-034-111**	3.4 mm Punch, 45° Right-Tip

Page	Numbers	Description
●	**310-034-114**	3.4 mm Square Punch, 9° Upshaft
●	**310-034-701**	3.4 mm Loose Body Grasper, No Ratchet
●	**310-034-703**	3.4 mm Soft Tissue Grasper, No Ratchet
98	**331-000-000**	11 mm Operating Laparoscope
23	**331-000-100**	ACMI Adapter for Autoclavable Scopes
23	**331-000-200**	Wolf/Dyonics Adapter for Autoclavable Scopes
23	**331-000-300**	Storz Adapter for Autoclavable Scopes
23	**331-000-400**	Right Angle Adapter for Autoclavable Scopes
98	**331-010-090**	10 mm, 90° Eyepiece, Operating Laparoscope
57	**333-000-001**	Cannula Irrigation Adapter with Stopcock and Luer Lock
57	**333-070-000**	70 mm Drain Cannula Kit
57	**333-070-001**	70 mm Drain Cannula
57	**333-070-002**	Trocar for 70 mm Drain Cannula
57	**333-070-003**	Obturator for 70 mm Drain Cannula
57	**333-100-000**	100 mm Drain Cannula Kit
57	**333-100-001**	100 mm Drain Cannula
57	**333-100-002**	Trocar for 100 mm Drain Cannula
57	**333-100-003**	Obturator for 100 mm Drain Cannula
45	**343-331-410**	Obturator for 4 mm Speed-Lock Cannula, Pencil Tip
45	**343-331-411**	Obturator for 4 mm Speed-Lock Cannula, Blunt Tip
45	**343-331-420**	Trocar for 4 mm Speed-Lock Cannula
45	**343-331-430**	4 mm Cannula, 1-Rotating Stopcock
45	**343-331-450**	4 mm Cannula, 2-Rotating Stopcocks
60	**350-195-000**	2-Spike Gravity Flow Tube Set (10/box)
60	**350-195-004**	4-Spike Gravity Flow Tube Set (10/box)
●	**350-202-000**	Arthroscopy Pump Tube Set (10/box)

Page	Numbers	Description
60	**350-220-000**	Autoclavable Hand Control
●	**350-600-001**	Flocontrol Arthroscopy Pump (Hand Control Included)
●	**350-600-006**	Integrated Tubing (10/box)
●	**350-600-008**	Outflow Tubing (10/box)
60	**350-800-001**	FloSteady Arthroscopy Pump
60	**350-800-006**	Disposable Cassette Tubing (10/box)
●	**350-800-501**	Flosteady Model 200 - Arthroscopy Pole Pump
●	**350-800-502**	Flosteady Model 200 - Arthroscopy Pole Pump
●	**350-800-503**	Flosteady Model 200 - Arthroscopy Pole Pump
75	**351-600-000**	Micro Cart
69	**375-023-027**	2.7 mm Formula Scope Bridge
56, 69	**375-035-100**	3.5 mm Formula Trocar
56, 69	**375-035-302**	3.5 mm Formula Small Joint Cutter Cannula
55	**375-450-500**	5 mm Auger Bur, Formula (5/box)
●	**375-531-000**	3.5 mm Cougar Cutter, Formula (5/box)
54	**375-532-000**	3.5 mm Resector Cutter, Formula (5/box)
54	**375-534-000**	3.5 mm Aggressive Plus Cutter, Formula (5/box)
54	**375-535-000**	3.5 mm Tomcat Shaver Blade
54	**375-541-000**	4 mm Cougar Cutter, Formula (5/box)
54	**375-542-000**	4 mm Resector Cutter, Formula (5/box)
54	**375-543-000**	4 mm, Double Bite Cutter, Formula (5/box)
54	**375-544-000**	4 mm Aggressive Plus Cutter, Formula (5/box)
54	**375-545-000**	4 mm Tomcat Cutter, Formula (5/box)
54	**375-546-000**	4 mm Scalloped Cutter, Formula (5/box)
54	**375-548-000**	4 mm Slotted Whisker Cutter, Formula (5/box)
54	**375-549-000**	4 mm Whisker Cutter, Formula (5/box)

Page	Numbers	Description
●	**375-551-000**	5 mm Cougar Cutter, Formula (5/box)
54	**375-552-000**	5 mm Resector Cutter, Formula (5/box)
54	**375-554-000**	5 mm Aggressive Plus Cutter, Formula (5/box)
54	**375-555-000**	5 mm Tomcat Cutter, Formula (5/box)
●	**375-558-000**	5 mm Slotted Whisker Cutter, Formula (5/box)
54	**375-562-000**	5.5 mm, Resector Cutter, Formula (5/box)
54	**375-564-000**	5.5 mm Aggressive Plus Cutter, Formula (5/box)
54	**375-565-000**	5.5 mm Tomcat Cutter, Formula (5/box)
●	**375-566-000**	5.5 mm Scalloped Cutter, Formula (5/box)
69	**375-627-000**	2.5 mm Small Joint Full Radius Cutter, Formula (5/box)
69	**375-628-000**	2.5 mm Small Joint Aggressive Plus Cutter, Formula (5/box)
69	**375-636-000**	3.5 mm Small Joint Tomcat Shaver Blade, Formula (5/box)
69	**375-637-000**	3.5 mm Small Joint Full Radius Cutter, Formula (5/box)
69	**375-638-000**	3.5 mm Small Joint Aggressive Plus Cutter, Formula (5/box)
69	**375-641-000**	2 mm Small Joint Hooded Abrasion Bur, Formula (5/box)
69	**375-647-000**	3 mm Small Joint Hooded Abrasion Bur, Formula (5/box)
52, 121	**375-701-000**	Formula Sterilization Cap
52	**375-701-500**	Formula Shaver Handpiece (no buttons)
52	**375-704-500**	Formula Shaver Handpiece (with buttons)
52	**375-708-500**	Formula 180 Shaver Handpiece (with buttons)
●	**375-737-000**	3.5 mm End Cutter, Formula (5/box)
54	**375-747-000**	4 mm End Cutter, Formula (5/box)
●	**375-757-000**	5 mm End Cutter, Formula (5/box)

Page	Numbers	Description
55	**375-832-000**	4 mm Subchondral Drill, Formula (1.5 mm Drill Tip) (5/box)
●	**375-884-000**	4 mm TRUE End Cutter, Formula (5/box)
55	**375-930-000**	3.5 mm 6 Flute Round Bur, Formula (5/box)
55	**375-940-000**	4 mm 6 Flute Round Bur, Formula (5/box)
55	**375-940-012**	4 mm 12 Flute Round Bur, Formula (5/box)
55	**375-940-200**	4 mm 6 Flute Unhooded Round Bur, Formula (5/box)
55	**375-941-000**	4 mm 6 Flute Barrel Bur, Formula (5/box)
55	**375-941-012**	4 mm 12 Flute Barrel Bur, Formula (5/box)
55	**375-941-200**	4 mm 6 Flute Unhooded Barrel Bur, Formula (5/box)
55	**375-941-500**	4 mm 6 Flute SLAP Bur, Formula (5/box)
55	**375-950-000**	5.5 mm, 6 Flute Round Bur, Formula (5/box)
55	**375-950-012**	5.5 mm 12 Flute Round Bur, Formula (5/box)
55	**375-950-100**	5 mm 6 Flute Round Bur, Formula (5/box)
55	**375-950-112**	5 mm 12 Flute Round Bur, Formula (5/box)
55	**375-950-200**	5.5 mm 6 Flute Unhooded Round Bur, Formula (5/box)
55	**375-951-000**	5.5 mm 6 Flute Barrel Bur, Formula (5/box)
55	**375-951-012**	5.5 mm 12 Flute Barrel Bur, Formula (5/box)
55	**375-951-100**	5 mm 6 Flute Barrel Bur, Formula (5/box)
55	**375-951-112**	5 mm, 12 Flute Barrel Bur, Formula (5/box)
55	**375-951-200**	5.5 mm 6 Flute Unhooded Barrel Bur, Formula (5/box)
55	**375-952-000**	5.5 mm 6 Flute Egg Bur, Formula (5/box)
55	**375-953-000**	5.5 mm 6 Flute Left Helix Barrel Bur, Formula (5/box)
55	**375-953-012**	5.5 mm 12 Flute Left Helix Barrel Bur, Formula (5/box)

Page	Numbers	Description
●	**R377-000-100**	Glick Hip Kit Rental
●	**377-030-200**	Single Stopcock High Flow Sheath
●	**377-030-201**	Dual Stopcock High Flow Sheath
64	**377-030-300**	Cannulated Hip Scope Trocar
64	**377-030-400**	Cannulated Hip Scope Obturator
44	**377-031-129**	5 mm Obturator Speed Lock Cannula
44	**377-031-144**	5 mm Cannula, 2-Rotating Stopcocks
●	**377-031-145**	5 mm Cannula, 1-Rotating Stopcock
44	**377-031-229**	Trocar for 5 mm Speed-Lock Cannula
44	**377-031-610**	Obturator for 6.5 mm Speed-Lock Cannula, Pencil Tip
44	**377-031-611**	Obturator for 6.5 mm Speed-Lock Cannula, Blunt Tip
44	**377-031-620**	Trocar for 6.5 mm Speed-Lock Cannula
44	**377-031-630**	6.5 mm Cannula, 1-Rotating Stopcock
44	**377-031-650**	6.5 mm Cannula, 2-Rotating Stopcocks
57	**377-031-900**	Speed-Lock Syringe Adapter for 4 mm Arthroscope
57	**377-031-901**	Speed-Lock Cannula Plug for 4 mm Arthroscope
57	**377-727-530**	Speed-Lock Bridge, 1-Rotating Stopcock (Sapphire View Scopes)
57	**377-727-540**	Speed-Lock Bridge, 2-Rotating Stopcocks (Sapphire View Scopes)
64	**377-727-550**	Hip Scope Bridge, 2-Rotating Stopcocks
61	**377-829-500**	Obturator for 4.6 x 200 mm Cannula
61	**377-829-501**	Obtrocar for 4.6 x 200 mm Cannula
61	**377-829-502**	Trocar for 4.6 x 200 mm Cannula
61	**377-829-510**	4.6 x 200 mm Cannula, 1-Rotating Stopcock, No Distal Holes
61	**377-829-520**	4.6 x 200 mm Cannula, 1-Rotating Stopcock

Page	Numbers	Description
61	**377-829-530**	4.6 x 200 mm Cannula, 2-Rotating Stopcocks, No Distal Holes
61	**377-829-531**	4.6 x 200 mm Cannula, 2-Rotating Stopcocks
61	**377-829-540**	4.6 x 200 mm Cannula, 1-Fixed Stopcock, No Distal Holes
61	**377-829-541**	4.6 x 200 mm Cannula, 1-Fixed Stopcock
61	**377-829-550**	4.6 x 200 mm Cannula, 2-Fixed Stopcocks, No Distal Holes
61	**377-829-551**	4.6 x 200 mm Cannula, 2-Fixed Stopcocks
61	**377-829-590**	4.6 x 200 mm Cannula, 2-Rotating Stopcocks at 95°
61	**377-829-595**	4.6 x 200 mm, Cannula, 2-Rotating Stopcocks at 95°, No Distal Holes
61	**377-829-600**	Cannulated Obturator for 4.6 x 200 mm Cannula
61	**377-829-601**	Cannulated Obtrocar for 4.6 x 200 mm Cannula
61	**377-829-602**	Cannulated Trocar for 4.6 x 200 mm Cannula
61	**377-829-690**	4.6 x 200 mm Cannula, 2-Fixed Stopcocks at 95°
61	**377-829-695**	4.6 x 200 mm Cannula, 2-Fixed Stopcocks at 95°, No Distal Holes
●	**377-829-700**	3.5 mm Switching Stick
62	**377-829-701**	ParallelPortal Probe
62	**380-532-300**	ParallelPortal Cutter, Single Bend Resector 3.5 mm (5/box)
62	**380-534-300**	ParallelPortal Cutter, Single Bend Agressive Plus 3.5 mm (5/box)
62	**380-534-400**	ParallelPortal Cutter, Double Bend Aggressive Plus 3.5 mm (5/box)
62	**380-535-300**	ParallelPortal Cutter, Single Bend Tomcat 3.5 mm (5/box)
62	**380-535-400**	ParallelPortal Cutter, Double Bend Tomcat 3.5 mm (5/box)
54	**380-542-150**	4.5 mm Angled Resector Cutter, Formula (5/box)
62	**380-542-300**	ParallelPortal Cutter, Single Bend Resector 4.0 mm (5/box)

Page	Numbers	Description
54	**380-543-150**	4.5 mm Angled Double Bite Cutter, Formula (5/box)
54	**380-544-100**	4 mm Angled Aggressive Plus Cutter, Formula (5/box)
54	**380-544-150**	4.5 mm Angled Aggressive Plus Cutter, Formula (5/box)
62	**380-544-300**	ParallelPortal Cutter, Single Bend Aggressive Plus 4.0 mm (5/box)
62	**380-544-400**	ParallelPortal Cutter, Double Bend Aggressive Plus 4.0 mm (5/box)
54	**380-545-100**	4.0 mm Angled Tomcat Cutter, Formula (5/box)
54	**380-545-150**	4.5 mm Angled Tomcat Cutter, Formula (5/box)
62	**380-545-300**	ParallelPortal Cutter, Single Bend Tomcat 4.0 mm (5/box)
62	**380-545-400**	ParallelPortal Cutter, Double Bend Tomcat 4.0 mm (5/box)
●		
54	**380-554-100**	5 mm Angled Aggressive Plus Cutter, Formula (5/box)
54	**380-555-100**	5 mm Angled Tomcat Cutter, Formula (5/box)
67	**385-544-000**	4 mm Aggressive Plus, Long Hip Blade, Formula (5/box)
67	**385-544-100**	4 mm Angled Aggressive Plus, Long Hip Blade, Formula (5/box)
67	**385-545-000**	4 mm Tomcat, Long Hip Blade, Formula (5/box)
67	**385-545-100**	4 mm Angled Tomcat, Long Hip Blade, Formula (5/box)
67	**385-552-000**	5 mm Resector, XL
67	**385-554-000**	5 mm Aggressive Plus, XL
67	**385-943-000**	4 mm 8 Flute Long Hip Pear Bur, Formula (5/box)
67	**385-950-008**	5.5 mm 8-Flute Round Bur, XL
67	**385-951-008**	5.5 mm 8-Flute Barrel Bur, XL
67	**385-953-008**	5.5 mm 8-Flute Pear Bur, XL
59	**450-000-000**	CrossFlow Integrated Arthroscopy Pump
59	**450-000-100**	CrossFlow Inflow Cassette Tubing
59	**450-000-115**	Crossflow Day-Use Inflow Cassette Tubing

Page	Numbers	Description
59	**450-000-125**	Crossflow Patient-Use Tubing
59	**450-000-200**	CrossFlow Outflow Cassette Tubing
59	**450-000-300**	CrossFlow Integrated Cassette Tubing
59	**450-000-500**	CrossFlow Footswitch
●	**450-100-000**	Stryker Console Customizer
50	**475-000-100**	Crossfire Footswitch
50	**475-100-000**	Crossfire 2 Console
53	**475-331-000**	3.5 mm Dual Edge Shaver Blade
53	**475-333-000**	3.5 mm Smooth Bite Shaver Blade
53	**475-337-000**	3.5 mm Aggressive Max Shaver Blade
53	**475-341-000**	4.0 mm Dual Edge Shaver Blade
53	**475-345-000**	4.0 Tomcat HC Shaver Blade
53	**475-355-000**	5.0 Tomcat HC Shaver Blade
53	**475-361-000**	5.5 mm Dual Edge Shaver Blade
67	**485-840-000**	4.0 mm XL Round Diamond Bur
67	**485-860-000**	5.5 mm XL Round Diamond Bur
83	**502-000-000**	Fluid Safe Fluid Management System (3 Piece Kit)
●	**502-000-001**	Pump for Fluid Safe Fluid Management System
●	**502-000-002**	Weighing System for Fluid Safe Fluid Management System
●	**502-000-003**	Roller Base for Fluid Safe Fluid Management System
90	**502-023-029**	HTA Adapter for 2.9 mm Hysteroscope
42	**502-027-010**	Ideal Eyes 2.7 mm, 0° AC Stubby Eyepiece, J-Lock (75 mm)
42	**502-027-030**	Ideal Eyes 2.7 mm, 30° Autoclavable Stubby Eyepiece, J-Lock (75 mm)
42	**502-027-070**	Ideal Eyes 2.7 mm, 70° Autoclavable Stubby Eyepiece, J-Lock (75 mm)
93	**502-100-000**	Canisters for Fluid Safe
97	**502-103-010**	10 mm x 33 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 0°
97	**502-103-030**	10 mm x 33 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 30°
97	**502-103-045**	10 mm x 33 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 45°
42	**502-104-010**	Ideal Eyes 4 mm, 0° Autoclavable Arthroscope, 140 mm Working
42	**502-104-030**	Ideal Eyes 4 mm, 30° Autoclavable Arthroscope, 140 mm Working
42	**502-104-045**	Ideal Eyes 4 mm, 45° Autoclavable Arthroscope, 140 mm Working
42	**502-104-070**	Ideal Eyes 4 mm, 70° Autoclavable Arthroscope, 140 mm Working
42	**502-104-130**	Ideal Eyes 4 mm, 30° Autoclavable Reverse Cant Arthroscope, 140 mm
●	**502-110-001**	Articulating Laparoscope Leak Tester (10 mm)
●	**502-110-002**	Articulating Laparoscope Venting Cap (10 mm)
●	**502-110-004**	Leak Tester
●	**502-110-006**	Trocar Introducer for 5 mm Articulating Laparoscope
●	**502-110-010**	10 mm Ideal Eyes Articulating Laparoscope (NTSC Scope)
●	**502-110-110**	5 mm Ideal Eyes Articulating Laparoscope (NTSC Scope)
●	**502-110-122**	Cleaning Brush for Ureteroscope
●	**502-110-145**	5 mm Ideal Eyes Bariatric Articulating Laparoscope (NTSC Scope)
97	**502-113-010**	10 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 0°
97	**502-113-030**	10 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 30°
97	**502-113-045**	10 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 45°
42	**502-119-010**	Ideal Eyes 1.9 mm, 0° Autoclavable Arthroscope J-Lock
42	**502-119-030**	Ideal Eyes 1.9 mm, 30° Autoclavable Arthroscope, J-Lock
42	**502-123-010**	Ideal Eyes 2.3 mm, 0° Autoclavable Arthroscope, J-Lock

Page	Numbers	Description
42	**502-123-030**	Ideal Eyes 2.3 mm, 30° Autoclavable Arthroscope, J-Lock
42	**502-123-070**	Ideal Eyes 2.3 mm, 70° Autoclavable Arthroscope, J-Lock
42	**502-123-130**	Ideal Eyes 2.3 mm, 30° Autoclavable Reverse Cant Arthroscope, J-Lock
42	**502-127-010**	Ideal Eyes 2.7 mm, 0° Autoclavable Arthroscope, Speed-Lock
42	**502-127-030**	Ideal Eyes 2.7 mm, 30° Autoclavable Arthroscope, Speed-Lock
42	**502-127-070**	Ideal Eyes 2.7 mm, 70° Autoclavable Arthroscope, Speed-Lock
61	**502-129-030**	Ideal Eyes 30° Arthroscope, 2.9 x 200 mm, Eyepiece, Speedlock Autoclavable
●	**502-144-010**	1.9 mm, 0° Autoclavable Arthroscope, Speed-Lock
●	**502-144-030**	1.9 mm, 30° Autoclavable Arthroscope, Speed-Lock
47	**502-144-500**	1.9 mm Pencil Tip Obturator, Speed-Lock
47	**502-144-510**	1.9 mm Obturator, Speed-Lock
47	**502-144-530**	2.8 mm Cannula, 1-Rotating Stopcock, Speed-Lock
47	**502-144-550**	2.8 mm Cannula, 1-Fixed Stopcock, Speed-Lock
47	**502-144-560**	2.8 mm Cannula, 2-Rotating Stopcocks, Speed-Lock
93	**502-200-000A**	Integrated Tubing
42	**502-204-010**	Ideal Eyes 4 mm, 0° Long Autoclavable Arthroscope, 165 mm
42, 63	**502-204-030**	Ideal Eyes 4 mm, 30° Long Autoclavable Arthroscope, 165 mm
42, 63	**502-204-070**	Ideal Eyes 4 mm, 70° Long Autoclavable Arthroscope, 165 mm
●	**502-205-010**	HD 5 mm 0° Bariatric Autoclavable Laparoscope
●	**502-205-030**	HD 5 mm 30° Bariatric Autoclavable Laparoscope
●	**502-205-045**	HD 5 mm 45° Bariatric Autoclavable Laparoscope

Page	Numbers	Description
●	**502-206-030**	HD 5 mm 30° Bariatric IR Autoclavable Laparoscope
●	**502-206-045**	HD 5 mm 45° Bariatric IR Autoclavable Laparoscope
●	**502-210-010**	HD 10 mm 0° Bariatric Autoclavable Laparoscope
●	**502-210-030**	HD 10 mm 30° Bariatric Autoclavable Laparoscope
●	**502-210-045**	HD 10 mm 45° Bariatric Autoclavable Laparoscope
●	**502-211-030**	HD 10 mm 30° Bariatric IR Autoclavable Laparoscope
●	**502-211-045**	HD 10 mm 45° Bariatric IR Autoclavable Laparoscope
●	**502-244-030**	2.7 mm, 30° Autoclavable Stubby Arthroscope, Speed-Lock
45	**502-244-500**	2.7 mm, Pencil Tip Obturator, Speed-Lock
45	**502-244-510**	2.7 mm Obturator, Speed-Lock (High Flow)
45	**502-244-520**	2.7 mm Trocar, Speed-Lock (High Flow)
45	**502-244-530**	4 mm Cannula, 1-Rotating Stopcock, Speed-Lock (High Flow)
45	**502-244-550**	4 mm Cannula, 1-Fixed Stopcock, Speed-Lock (High Flow)
45	**502-244-560**	4 mm Cannula, 2-Rotating Stopcocks, Speed-Lock (High Flow)
98	**502-290-010**	2.9 mm, 0° Ideal Eyes Autoclavable Pediatric
98	**502-290-030**	2.9 mm, 30° Ideal Eyes Autoclavable Pediatric
41, 63	**502-304-030**	4.0 mm x 165 mm, 30° Autoclavable Arthroscope, C-Mount, Speed-Lock
41, 63	**502-304-070**	4.0 mm x 165 mm, 70° Autoclavable Arthroscope, C-Mount, Speed-Lock
41	**502-304-130**	4.0 mm x 165 mm, 30° Autoclavable Arthroscope, C-Mount, Speed-Lock,
97	**502-329-010**	2.9 mm x 30 cm, Laparoscope, 0°
97	**502-329-030**	2.9 mm x 30 cm, Laparoscope, 30°
●	**502-344-010**	2.3 mm, 0° Autoclavable Arthroscope, Speed-Lock

Page	Numbers	Description
●	**502-344-030**	2.3 mm, 30° Autoclavable Arthroscope, Speed-Lock
45, 46	**502-344-500**	2.3 mm Pencil Tip Obturator, Speed-Lock
45, 46	**502-344-510**	2.3 mm Obturator, Speed-Lock
45, 46	**502-344-520**	2.3 mm Trocar, Speed-Lock
45, 46	**502-344-530**	3.2 mm Cannula, 1-Rotating Stopcock, Speed-Lock
45, 46	**502-344-540**	3.2 mm Cannula, 2-Fixed Stopcocks, Speed-Lock
45, 46	**502-344-550**	3.2 mm Cannula, 1-Fixed Stopcock, Speed-Lock
45, 46	**502-344-560**	3.2 mm Cannula, 2-Rotating Stopcocks, Speed-Lock
●	**502-427-030**	4 mm, 30° C-Mount Non-Autoclavable Arthroscope
●	**502-427-070**	4 mm, 70° C-Mount Non-Autoclavable Arthroscope
●	**502-427-130**	4 mm, 30° C-Mount Non-Autoclavable Reverse Cant Arthroscope
●	**502-428-030**	2.7 mm, 30° C-Mount Non-Autoclavable Arthroscope
●	**502-457-030**	10 mm, 30° Autoclavable Laparoscope
●	**502-457-045**	10 mm, 45° Autoclavable Laparoscope
●	**502-477-011**	4 mm Autoclavable Arthroscope
●	**502-477-031**	4 mm Autoclavable Arthroscope
97	**502-503-010**	5.5 mm x 30 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 0°
97	**502-503-030**	5.5 mm x 30 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 30°
97	**502-503-045**	5.5 mm x 30 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 45°
97	**502-513-010**	5.5 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 0°
97	**502-513-030**	5.5 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 30°
97	**502-513-045**	5.5 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 45°

Page	Numbers	Description
●	**502-523-030**	2.3 mm, 30° C-Mount Autoclavable Arthroscope, Speed-Lock
●	**502-526-130**	2.7 mm x 30° C-Mount, Reverse Cant, Autoclavable
43	**502-527-030**	4 mm, 30° C-Mount Autoclavable Arthroscope
●	**502-527-070**	4 mm, 70° C-Mount Autoclavable Arthroscope
43	**502-527-130**	4 mm, 30° C-Mount Autoclavable Reverse Cant Arthroscope
82	**502-532-030**	4 mm, 30° Autoclavable Cystoscope with Integrated Green Light Filter
96, 112	**502-537-010**	AIM 5.4 mm 0°, HD Laparoscope, 30 cm
96, 112	**502-537-030**	AIM 5.4 mm 30°, HD Laparoscope, 30 cm
●	**502-539-010**	HD 5 mm 0° Autoclavable Laparoscope
●	**502-539-030**	HD 5 mm 30° Autoclavable Laparoscope
●	**502-539-045**	HD 5 mm 45° Autoclavable Laparoscope
●	**502-540-010**	HD 5 mm 0° IR Autoclavable Laparoscope
●	**502-540-030**	HD 5 mm 30° IR Autoclavable Laparoscope
89	**502-555-100**	Semi-Flexible (Single Action) Grasper, 5 Fr, 41 cm
89	**502-555-200**	Semi-Flexible Biopsy Punch, 5 Fr, 41 cm
89	**502-555-300**	Semi-Flexible Scissors, 5 Fr, 41 cm
89	**502-555-400**	Semi-Flexible Biopsy Cup, 5 Fr, 41 cm
89	**502-555-500**	Semi-Flexible (Double Action) Grasper, 5 Fr, 41 cm
63	**502-577-015**	5.8 mm Long Pencil Tip Cannulated Obturator
44	**502-577-510**	Blunt Tip Obturator for 4 mm Long Arthroscope
44, 63	**502-577-515**	Pencil Tip Obturator for 4 mm Long Arthroscope
44	**502-577-520**	Trocar for 4 mm Long Arthroscope

Page	Numbers	Description
44, 63	**502-577-550**	5.8 Cannula, 2-Rotating Stopcocks for 4 mm Long Arthroscope
43	**502-623-030**	2.3 mm, 30° C-Mount Non-Autoclavable Arthroscope, Speed-Lock
46	**502-623-500**	2.3 mm Autoclavable Pencil Tip Obturator, Speed-Lock
46	**502-623-510**	2.3 mm Autoclavable Blunt Tip Obturator, Speed-Lock
46	**502-623-530**	2.9 mm Autoclavable Cannula, 1-Rotating Stopcock, Speed-Lock
43	**502-624-030**	1.9 mm, 30° C-Mount Non-Autoclavable Arthroscope, Speed-Lock
43	**502-626-030**	2.7 mm, 30° C-Mount Non-Autoclavable Stubby Arthroscope, Speed-Lock
●	**502-627-030**	HD 2.7 mm x 30° Stubby Arthroscope, J-Lock, C-Mount, Autoclavable
63	**502-677-030**	4 mm, 30° Autoclavable Hip Arthroscope
63	**502-677-070**	4 mm, 70° Autoclavable Hip Arthroscope
●	**502-704-010**	Ideal Eyes 4 mm, 0° C-Mount, Autoclavable Arthroscope
●	**502-704-030**	HD 4 mm x 30° Arthroscope, Speedlock, C-Mount, Autoclavable
●	**502-704-070**	HD 4 mm x 70° Arthroscope, Speedlock, C-Mount, Autoclavable
47	**502-711-500**	Pencil Tip Obturator for 2.8 mm Cannula, J-Lock
47	**502-711-510**	Blunt Tip Obturator for 2.8 mm Cannula, J-Lock
47	**502-711-520**	Trocar for 2.8 mm Cannula, J-Lock
47	**502-711-530**	2.8 mm Cannula, 1-Rotating Stopcock, J-Lock
47	**502-711-550**	2.8 mm Cannula, 1-Fixed Stopcock, J-Lock
47	**502-711-560**	2.8 mm Cannula, 2-Rotating Stopcocks, J-Lock
46	**502-712-500**	Pencil Tip Obturator for 2.9 mm Cannula, J-Lock
46	**502-712-520**	Trocar for 2.9 mm Cannula, J-Lock

Page	Numbers	Description
46	**502-712-530**	2.9 mm Cannula, 1-Rotating Stopcock, J-Lock
45, 46	**502-713-500**	Pencil Tip Obturator for 3.2 mm Cannula, J-Lock
45, 46	**502-713-510**	Blunt Tip Obturator for 3.2 mm Cannula, J-Lock
45, 46	**502-713-520**	Trocar for 3.2 mm Cannula, J-Lock
45, 46	**502-713-530**	3.2 mm Cannula, 1-Rotating Stopcock, J-Lock
45, 46	**502-713-540**	3.2 mm Cannula, 2-Fixed Stopcocks, J-Lock
45, 46	**502-713-550**	3.2 mm Cannula, 1-Fixed Stopcock, J-Lock
45, 46	**502-713-560**	3.2 mm Cannula, 2-Rotating Stopcocks, J-Lock
45	**502-714-500**	Pencil Tip Obturator for 4 mm Cannula, J-Lock
45	**502-714-510**	Blunt Tip Obturator for 4 mm Cannula, J-Lock
45	**502-714-520**	Trocar for 4 mm Cannula J-Lock
45	**502-714-530**	4 mm Cannula, 1-Rotating Stopcock, J-Lock
45	**502-714-550**	4 mm Cannula, 1-Fixed Stopcock, J-Lock
45	**502-714-560**	4 mm Cannula 2-Rotating Stopcocks, J-Lock
●	**502-719-030**	HD 1.9 mm x 30° Arthroscope, J-Lock, C-Mount, Autoclavable
●	**502-727-030**	HD 2.7 mm x 30° Arthroscope, Speedlock, C-Mount, Autoclavable
88	**502-729-000**	Ideal Eyes 2.9 mm, 0° Autoclavable Hysteroscope
88, 90	**502-729-012**	Ideal Eyes 2.9 mm, 12° Autoclavable Hysteroscope
88	**502-729-030**	Ideal Eyes 2.9 mm, 30° Autoclavable Hysteroscope
88	**502-729-050**	Obturator for 2.9 mm Diagnostic Hysteroscope Sheath
88	**502-729-051**	2.9 mm Hysteroscope Diagnostic Sheath (Inner)
88	**502-729-052**	2.9 mm Hysteroscope Diagnostic Sheath (Outer)
88	**502-729-060**	Obturator for 2.9 mm Operative Hysteroscope Sheath

Page	Numbers	Description
88	**502-729-061**	2.9 mm Hysteroscope Operative Sheath (Inner)
88	**502-729-062**	2.9 mm Hysteroscope Operative Sheath (Outer)
88	**502-740-000**	4 mm, 0° Autoclavable Hysteroscope
88	**502-740-012**	4 mm, 12° Autoclavable Hysteroscope
88	**502-740-030**	4 mm, 30° Autoclavable Hysteroscope
88	**502-740-050**	Obturator for 4 mm Diagnostic Hysteroscope Sheath
88	**502-740-051**	4 mm Hysteroscope Diagnostic Sheath (Inner)
88	**502-740-052**	4 mm Hysteroscope Diagnostic Sheath (Outer)
88	**502-740-060**	Obturator for 4 mm Operative Hysteroscope Sheath
88	**502-740-061**	4 mm Hysteroscope Operative Sheath (Inner)
88	**502-740-062**	4 mm Hysteroscope Operative Sheath (Outer)
89	**502-777-100**	Semi-Flexible (Single Action) Grasper, 7 Fr, 41 cm
89	**502-777-200**	Semi-Flexible Biopsy Punch, 7 Fr, 41 cm
89	**502-777-300**	Semi-Flexible Scissors, 7 Fr, 41 cm
89	**502-777-400**	Semi-Flexible Biopsy Cup, 7 Fr, 41 cm
89	**502-777-500**	Semi-Flexible (Double Action) Grasper, 7 Fr, 41 cm
●	**502-804-030**	HD 4 mm x 30° Long Arthroscope, Speedlock, C-Mount, Autoclavable
●	**502-804-070**	HD 4 mm x 70° Long Arthroscope, Speedlock, C-Mount, Autoclavable
41	**502-819-010**	Ideal Eyes Precision HD, 1.9 mm, 0° Autoclavable Arthroscope, J-Lock, C-Mount
41	**502-819-030**	Ideal Eyes Precision HD, 1.9 mm, 30° Autoclavable Arthroscope, J-Lock, C-Mount
41	**502-820-030**	Ideal Eyes Precision HD, 1.9 mm, 30° Autoclavable Arthroscope, Speedlock, C-Mount

Page	Numbers	Description
41	**502-822-030**	Ideal Eyes Precision HD, 2.3 mm, 30°, Autoclavable Arthroscope, Speedlock, C-Mount
41	**502-823-010**	Ideal Eyes Precision HD, 2.3 mm, 0°, Autoclavable Arthroscope, J-Lock, C-Mount
41	**502-823-030**	Ideal Eyes Precision HD, 2.3 mm, 30°, Autoclavable Arthroscope, J-Lock, C-Mount
41	**502-823-070**	Ideal Eyes Precision HD, 2.3 mm, 70°, Autoclavable Arthroscope, J-Lock, C-Mount
41	**502-823-130**	Ideal Eyes Precision HD, 2.3 mm, 30°, Autoclavable Arthroscope, Reverse Cant, J-Lock, C-Mount
41	**502-826-030**	Ideal Eyes Precision HD, 2.7 mm, 30°, Autoclavable Arthroscope, Speedlock, C-Mount, 75 mm
41	**502-826-070**	Ideal Eyes Precision HD, 2.7 mm, 70°, Autoclavable Arthroscope, Speedlock, C-Mount, 75 mm
41	**502-827-010**	Ideal Eyes Precision HD, 2.7 mm, 0°, Autoclavable Arthroscope, J-Lock, C-Mount, 75 mm
41	**502-827-030**	Ideal Eyes Precision HD, 2.7 mm, 30°, Autoclavable Arthroscope, J-Lock, C-Mount, 75 mm
41	**502-827-070**	Ideal Eyes Precision HD, 2.7 mm, 70°, Autoclavable Arthroscope, J-Lock, C-Mount, 75 mm
41	**502-827-130**	Ideal Eyes Precision HD, 2.7 mm, 30°, Autoclavable Arthroscope, Reverse Cant, J-Lock, C-Mount, 75 mm
61	**502-829-030**	Ideal Eyes Precision HD, 30° Arthroscope, 2.9 x 200 mm, C-Mount, Speed-Lock, Autoclavable
●	**502-859-010**	HD 10 mm 0° Autoclavable Laparoscope
●	**502-859-030**	HD 10 mm 30° Autoclavable Laparoscope
●	**502-859-045**	HD 10 mm 45° Autoclavable Laparoscope
●	**502-860-010**	HD 10 mm 0° IR Autoclavable Laparoscope
●	**502-860-030**	HD 10 mm 30° IR Autoclavable Laparoscope
●	**502-860-045**	HD 10 mm 45° IR Autoclavable Laparoscope

Page	Numbers	Description
80, 91	**502-880-001**	24/26 Fr Resectoscope Standard Obturator
80, 91	**502-880-002**	24/26 Fr Resectoscope Visual Obturator
80	**502-880-003**	24/26 Fr Resectoscope Timberlake Obturator
81, 92	**502-880-005**	Laser Bridge (For use with Straight Fire Laser)
81, 92	**502-880-006**	Bladder Syringe Adapter, (Inner Sheath)
81, 92	**502-880-007**	Bladder Syringe Adapter, (Outer Sheath)
78	**502-880-200**	Evaluation Bridge
78	**502-880-201**	Single Horn Bridge
78	**502-880-202**	Double Horn Bridge
78	**502-880-203**	Albarran Bridge, Double Horn
79	**502-880-204**	Bladder Syringe Adapter Cystoscope Sheath
79, 81, 89, 84	**502-880-205**	Port Seal (10/box)
78	**502-880-206**	Albarran Bridge, Single Horn
81, 92	**502-880-208**	Rigid Optical Forcep Adapter, Outer Sheath
81, 92	**502-880-209**	Rigid Optical Forcep Adapter, Inner Sheath
81, 92	**502-880-210**	Rigid Optical Biopsy Forcep, 0°, 12°
81, 92	**502-880-211**	Rigid Optical Grasping Forcep, 0°, 12°
81, 92	**502-880-213**	Rigid Optical Stone Crushing Forcep 30°
81, 92	**502-880-214**	Rigid Optical Biopsy Forcep 70°
81, 92	**502-880-215**	Rigid Optical Biopsy Forcep 30°
78	**502-880-217**	17 Fr Cystoscope Sheath
78	**502-880-218**	17 Fr Cystoscope Standard Obturator
78	**502-880-219**	19 Fr Cystoscope Sheath
78	**502-880-220**	19 Fr Cystoscope Standard Obturator
78	**502-880-221**	21 Fr Cystoscope Sheath
78	**502-880-222**	21 Fr Cystoscope Standard Obturator
78	**502-880-223**	23 Fr Cystoscope Sheath
78	**502-880-224**	23 Fr Cystoscope Standard Obturator
78	**502-880-225**	25 Fr Cystoscope Sheath
78	**502-880-226**	25 Fr Cystoscope Standard Obturator
82	**502-880-299**	Continuous Flow Laser Cystoscope Sheath (Outer)
82	**502-880-300**	Continuous Flow Laser Cystoscope Sheath
82	**502-880-301**	Visual Obturator, Laser Cystoscope
82	**502-880-302**	Sweep Guide, Laser Cystoscope Sidem Fire Laser Sheath
82	**502-880-303**	Continuous Flow Laser Cystoscope Sheath (Inner)
80, 91	**502-880-324**	24 Fr Standard Flow Resectoscope Sheath
81	**502-880-325**	24 Fr Standard Flow Resectoscope Sheath Adapter
80	**502-880-327**	27 Fr Standard Flow Resectoscope Sheath
81	**502-880-328**	27 Fr Standard Flow Resectoscope Sheath Adapter
84	**502-880-330**	SRU-6 Autoclavable Semi-Rigid Ureteroscope, 6.9/10 Fr, 33 cm
80, 83, 91	**502-880-401**	Working Element, Passive (Iglesias)
80, 91	**502-880-402**	Working Element, Active (Baumrucker)
80	**502-880-425**	27/28 Fr Resectoscope Timberlake Obturator
80, 91	**502-880-426**	24/26 Fr Continuous Flow Inner/Outer Sheath
80	**502-880-427**	27/28 Fr Resectoscope Standard Obturator
80	**502-880-428**	27/28 Fr Continuous Flow Inner/Outer Sheath
80	**502-880-429**	27/28 Fr Resectoscope Visual Obturator
84	**502-880-430**	SRU-6x Autoclavable Semi-Rigid Ureteroscope, 6.9/10 Fr, 43 cm
83	**502-880-501**	Cold Knife, Half Moon
83	**502-880-502**	Cold Knife, Straight
83	**502-880-503**	Cold Knife, Serrated
83	**502-880-504**	Cold Knife, Hook

Page	Numbers	Description
83	**502-880-505**	Cold Knife, Loop
83	**502-880-521**	21 Fr Visual Urethrotome Sheath
83	**502-880-522**	21 Fr Urethrotome Standard Obturator
83	**502-880-523**	21 Fr Urethrotome Visual Obturator
83	**502-880-524**	21 Fr Visual Urethrotome Working/Optical Bridge
83	**502-880-525**	25 Fr Visual Urethrotome (Outer Sheath)
79	**502-880-601**	Ellik Adapter Cysto Sheath
81, 92	**502-880-602**	Ellik Adapter Inner Sheath
81, 92	**502-880-603**	Ellik Adapter Outer Sheath
●	**502-880-605**	Urethral Dilator Set, Curved
81	**502-880-650**	Reusable Stopcock
78	**502-881-217**	17 Fr Cysto Visual Obturator
78	**502-881-219**	19 Fr Cysto Visual Obturator
78	**502-881-221**	21 Fr Cysto Visual Obturator
78	**502-881-223**	23 Fr Cysto Visual Obturator
78	**502-881-225**	25 Fr Cysto Visual Obturator
41	**502-904-010**	Ideal Eyes Precision HD, 4 mm, 0°, Autoclavable Arthroscope, C-Mount, 140 mm
41	**502-904-030**	Ideal Eyes Precision HD, 4 mm, 30°, Autoclavable Arthroscope, C-Mount, 140 mm
41	**502-904-070**	Ideal Eyes Precision HD, 4 mm, 70°, Autoclavable Arthroscope, C-Mount, 140 mm
41	**502-904-130**	Ideal Eyes Precision HD, 4 mm, 30°, Autoclavable Arthroscope, Reverse Cant, C-Mount, 140 mm
41	**502-927-010**	Ideal Eyes Precision HD, 2.7 mm, 0°, Autoclavable Arthroscope, Speed-Lock, C-Mount, 120 mm
41	**502-927-030**	Ideal Eyes Precision HD, 2.7 mm, 30°, Autoclavable Arthroscope, Speed-Lock, C-Mount, 120 mm
41	**502-927-070**	Ideal Eyes Precision HD, 2.7 mm, 70°, Autoclavable Arthroscope, Speed-Lock, C-Mount, 120 mm
96, 112	**502-937-010**	AIM 10 mm 0°, HD Laparoscope, 33 cm
96, 112	**502-937-030**	AIM 10 mm 30°, HD Laparoscope, 33 cm

Page	Numbers	Description
●	**502-977-030**	4 mm Diagnostic Sheath
●	**502-978-030**	Operation Sheath for 4 mm Hysteroscope
78	**502-990-000**	4 mm, 0° Autoclavable Cystoscope
78	**502-990-012**	4 mm, 12° Autoclavable Cystoscope
78, 80, 91	**502-990-030**	4 mm, 30° Autoclavable Cystoscope
78	**502-990-070**	4 mm, 70° Autoclavable Cystoscope
92	**502-990-300**	Universal/Valleylab Cable
90	**502-990-322**	22/24 Fr Resectoscope Sheath (Inner)
90	**502-990-324**	22/24 Fr Resectoscope Sheath (Outer)
90	**502-990-401**	22/24 Fr Working Element—Passive
90	**502-990-414**	22/24 Fr Resectoscope Standard Obturator
90	**502-990-424**	22/24 Fr Continuous Flow Resectoscope Sheath (Inner/Outer)
78	**502-991-000**	4 mm, 0° KS-Series Autoclavable Cystoscope
78	**502-991-012**	4 mm, 12° KS-Series Autoclavable Cystoscope
78	**502-991-030**	4 mm, 30° KS-Series Autoclavable Cystoscope
78	**502-991-070**	4 mm, 70° KS-Series Autoclavable Cystoscope
84	**504-841-115**	2 Fr Short Tip Electode, 115 cm (3/box)
84	**504-842-115**	2 Fr Long Tip Electode, 115 cm (3/box)
84	**504-843-115**	3 Fr Short Tip Electrode, 115 cm (3/box)
84	**504-844-115**	3 Fr Long Tip Electrode, 115 cm (3/box)
84	**504-860-065**	5 Fr Bugbee Electrode, 65 cm (3/box)
84	**504-861-065**	5 Fr Ball Electrode, 65 cm (3/box)
84	**504-862-065**	5 Fr Domed Electrode, 65 cm (3/box)
79	**504-870-040**	7 Fr Bugbee Electrode, 40 cm (3/box)

Page	Numbers	Description
79	**504-871-040**	7 Fr Ball Electrode, 40 cm (3/box)
79	**504-872-040**	7 Fr Domed Electrode, 40 cm (3/box)
91	**504-880-100**	Gold Coagulating Electrode (6/box)
81, 91	**504-880-200**	Roller Ball Electrode (6/box)
81, 91	**504-880-312**	24 Fr 90° Cutting Loop Electrode, 0.012 (6/box)
81, 91	**504-880-314**	24 Fr 90° Cutting Loop Electrode, 0.014 (6/box)
81, 91	**504-880-400**	24 Fr 30° Cutting Loop Electrode, 0.012 (6/box)
81, 91	**504-880-414**	24 Fr 30° Cutting Loop Electrode, 0.014 (6/box)
81, 91	**504-880-500**	0° (Straight) Cutting Loop Electrode (6/box)
81, 91	**504-880-600**	Dimpled Vaporizing Rollar Ball Electrode (6/box)
81, 91	**504-880-800**	Collings Knife Electrode (6/box)
81	**504-881-100**	27 Fr Gold Coagulating Electrode (6/box)
81	**504-881-312**	27 Fr 90° Cutting Loop Electrode, 0.012 (6/box)
81	**504-881-314**	27 Fr 90° Cutting Loop Electrode, 0.014 (6/box)
81	**504-881-412**	27 Fr 30° Cutting Loop Electrode, 0.012 (6/box)
81	**504-881-414**	27 Fr 30° Cutting Loop Electrode, 0.014 (6/box)
●	**504-882-115**	2.4 Fr Nitinol Basket, 115 cm
90	**504-990-100**	Rev360 Gold Coagulating Electrode (6/box)
90	**504-990-200**	Rev360 Roller Ball Electrode (6/box)
90	**504-990-314**	Rev360 30° Cutting Loop Electrode, 0.014 (6/box)
90	**504-990-500**	Rev360 0° (Straight) Cutting Loop Electrode, 0.014 (6/box)
90	**504-990-600**	Rev360 Dimpled Vaporizing Roller Ball Electrode (6/box)
90	**504-990-800**	Rev360 Collings Knife Electrode (6/box)
84	**504-999-001**	Cleaning Brush for Semi-Rigid Ureteroscope
79	**505-880-105**	5 Fr Flexible Grasping Forcep

Page	Numbers	Description
79	**505-880-107**	7 Fr Flexible Grasping Forcep
79	**505-880-115**	5 Fr Flexible Biopsy Cup Forcep
79	**505-880-117**	7 Fr Flexible Biopsy Cup Forcep
79	**505-880-125**	Flexible Scissor, 5 Fr
84	**505-880-205**	5 Fr Flexible Grasping Forcep, 60 cm
●	**620-010-101**	Veress Needle
111	**620-010-103**	CO_2 Tank Yoke
111	**620-010-104**	CO_2 Tank Hose
●	**620-030-100**	PureView Buffalo Filter (10/box)
●	**620-030-201**	16 Liter Insufflator Tubing (10/box)
111	**620-030-301**	High Flow Insufflator Tubing (10/box)
111	**620-030-407**	High Flow Heated Insufflator Tubing (5/box)
111	**620-030-503**	CO_2 Switching Valve
111	**620-040-002**	Central Gas Connector for PneumoSure
111	**620-040-003**	Central Gas Hose
111	**620-040-610**	PneumoSure XL
●	**620-040-620**	PneumoSure Mode Upgrade Kit to XL
121	**620-040-650**	Tubeset Adapter for PneumoSure
111	**620-040-652**	High Flow Insuffalator for House Gas
111	**620-040-654**	High Flow Insuffalator for Bottle Gas
111	**620-040-660**	PneumoSure High Flow Tubing (10/box)
111	**620-040-680**	PneumoSure High Flow Tubing - RTP (10/box)
111	**620-040-690**	PneumoSure Heated Tubing - RTP (10/box)
110	**620-050-000**	Pneumoclear Plus CO_2 Conditioning Insufflator
110	**620-050-001**	Pneumoclear Plus CO_2 Conditioning Insuffalator for House Gas
110	**620-050-002**	Pneumoclear Plus CO_2 Conditioning Insuffalator for Bottle Gas
110	**620-050-100**	PneumoClear High Flow Tube Set (10/box)

Page	Numbers	Description
110	**620-050-200**	PneumoClear Heated High Flow Tube Set (10/box)
110	**620-050-250**	PneumoClear Smoke Evacuation High Flow Tube Set (10/box)
110	**620-050-300**	PneumoClear Heated Humidified Tube Set (10/box)
110	**620-050-350**	PneumoClear Heated Humidified Smoke Evacuation Tube Set (10/box)
111	**620-050-913**	DISS House Gas Connector for PneumoClear
●	**620-050-914**	US Adapter for PneumoClear
●	**620-050-915**	Universal Gas Connector, Angled
●	**620-050-916**	Sinter Filter for Universal Gas Connection
16	**700-000-111**	Precision AC 3-Chip Autoclavable Camera, C-Mount, Precision AC Coupler, C-Mount, Fiber Optic Cable 5.0 mm x 10 ft (3.05 m), and Camera Sterilization Tray Kit
16	**700-000-222**	Precision AC 3-Chip Autoclavable Camera, C-Mount and Precision AC Coupler, C-Mount, Fiber Optic Cable 5.0 mm x 10 ft (3.05 m), and Camera Sterilization Tray Kit
16	**700-010-000**	Precision AC 3-Chip Camera Control Unit (CCU)
16	**700-010-001**	Precision AC 3-Chip Camera Control Unit (CCU) with DVI Fiber Output
17	**700-020-122**	Precision 20 mm Autoclavable Coupler, C-Mount
16	**700-410-105**	Precision AC 3-Chip Autoclavable Camera Head, C-Mount
16	**700-410-122**	Precision AC 3-Chip Autoclavable Camera Head and 20 mm Coupler Kit
44	**747-031-510**	Obturator for 5.8 mm Speed-Lock Cannula, Pencil Tip
44	**747-031-511**	Obturator for 5.8 mm Speed-Lock Cannula, Blunt Tip
44	**747-031-520**	Trocar for 5.8 mm Speed-Lock Cannula
44	**747-031-530**	5.8 mm Cannula, 1-Rotating Stopcock
44	**747-031-540**	5.8 mm Cannula, 1-Fixed Stopcock
44	**747-031-550**	5.8 mm Cannula, 2-Rotating Stopcocks
44	**747-031-560**	5.8 mm Cannula, 2-Fixed Stopcocks
44	**747-031-650**	Inflow with Outflow Cannula
●	**882-010-110**	Zeiss Microscope Adapter for Standard 882/810/782
17	**882-210-110**	Zeiss/Leica C-Mount Microscope Adapter
15	**950-00009-000**	Tamper Evident Seals, Sterrad (Pack of 1000)
15	**950-00013-000**	Tamper Evident Seals, Sterrad (Pack of 1000)
15	**950-00014-000**	Polypro 7.5" DIA, Sterrad/Steam Pre Vac Filters (Pack of 1000)
●	**1188-010-000**	1188 HD CCU
17	**1188-020-122**	1188 C-Mount Coupler
●	**1188-210-105**	1188 HD Camera Head
●	**1188-410-110**	1188 HD 3-Chip Autoclavable Coupler
●	**1288-000-020**	1288 HD Camera Extension Cable
●	**1288-010-000**	1288 HD Camera Control Unit
●	**1288-010-001**	1288 HD Camera Control Unit with Fiber Output
●	**1288-020-122**	1288 HD Coupler, C-Mount
●	**1288-210-105**	1288 HD Camera Head, C-Mount
●	**1288-310-130**	1288 HD Urology Camera Head
●	**1288-710-105**	1288 HD Inline Camera Head
14	**1488-000-020**	1488 HD 3-Chip Camera Extension Cable (20 ft)
14	**1488-010-000**	1488 HD 3-Chip Camera Control Unit (CCU)
14	**1488-010-001**	1488 HD 3-Chip Camera Control Unit (CCU) with DVI Fiber Output
17	**1488-020-122**	1488 HD 18 mm Coupler, C-Mount
17	**1488-020-125**	Ideal Eyes Zoom Coupler, C-Mount
14	**1488-210-105**	1488 HD 3-Chip Camera Head, C-Mount
14	**1488-210-122**	1488 HD 3-Chip Camera Head and 18 mm Coupler Kit
14	**1488-310-130**	1488 HD 3-Chip Pendulum Camera Head with Integrated Coupler

Page	Numbers	Description
14	**1488-610-122**	1488 HD 3-Chip Camera Head with Integrated Coupler
14	**1488-710-105**	1488 HD 3-Chip Inline Camera Head, C-Mount
14	**1488-710-122**	1488 HD 3-Chip Inline Camera and 18 mm Coupler Kit
14	**1588-000-080**	Extension Cable
13, 112	**1588-010-000**	1588 AIM Camera Control Unit (CCU)
17	**1588-020-122**	AIM Coupler, 18 mm, C-Mount
13	**1588-210-105**	1588 AIM Camera Head, C-Mount
13	**1588-210-122**	1588 AIM Camera Head and AIM Coupler Kit
13	**1588-310-130**	1588 Pendulum Camera Head with Integrated Coupler
13	**1588-610-122**	1588 AIM Camera Head with Integrated Coupler
13, 18	**1588-668-257P**	1588 AIM Camera Control Unit with L10 AIM Light Source Kit
13	**1588-710-105**	1588 AIM Inline Camera Head, C-Mount
13	**1588-710-122**	1588 AIM Inline Camera Head and AIM Coupler Kit
13, 18, 19, 21	**1588-878-096P**	1588 AIM Camera Control Unit with L10 AIM Light Source and Clarity Kit
74	**3910-075-006**	6.5 mm x 75 mm, Reusable Cannulated Obturator
74	**3910-075-008**	8 mm x 75 mm, Reusable Cannulated Obturator
74	**3910-075-500**	5 mm x 75 mm, Threaded Dri-Lok Cannula (5/box)
74	**3910-075-501**	5 mm x 75 mm, Non-Threaded Dri-Lok Cannula (5/box)
74	**3910-075-502**	5 mm x 75 mm, Distal Thread Dri-Lok Cannula (5/box)
74	**3910-075-650**	6.5 mm x 75 mm, Threaded Dri-Lok Cannula (5/box)
74	**3910-075-651**	6.5 mm x 75 mm, Non-Threaded Dri-Lok Cannula (5/box)
74	**3910-075-652**	6.5 mm x 75 mm, Distal Thread Dri-Lok Cannula (5/box)
74	**3910-075-800**	8 mm x 75 mm, Threaded Dri-Lok Cannula (5/box)

Page	Numbers	Description
74	**3910-075-801**	8 mm x 75 mm, Non-Threaded Dri-Lok Cannula (5/box)
74	**3910-075-802**	8 mm x 75 mm, Distal Thread Dri-Lok Cannula (5/box)
68, 74	**3910-090-006**	6.5 mm x 90 mm, Reusable Cannulated Obturator
68, 74	**3910-090-008**	8 mm x 90 mm, Reusable Cannulated Obturator
68, 74	**3910-090-500**	5 mm x 90 mm, Threaded Dri-Lok Cannula (5/box)
68, 74	**3910-090-502**	5 mm x 90 mm, Distal Thread Dri-Lok Cannula (5/box)
68, 74	**3910-090-650**	6.5 mm x 90 mm, Threaded Dri-Lok Cannula (5/box)
68, 74	**3910-090-652**	6.5 mm x 90 mm, Distal Thread Dri-Lok Cannula (5/box)
68, 74	**3910-090-800**	8 mm x 90 mm, Threaded Dri-Lok Cannula (5/box)
68, 74	**3910-090-802**	8 mm x 90 mm, Distal Thread Dri-Lok Cannula (5/box)
●	**3910-200-036**	5.5 mm Peek Zip Anchor
72	**3910-500-800**	3 mm Probe
72	**3910-500-850**	5 mm Probe
62	**3911-004-000**	ParallelPortal Cannula with Zero Tube
62	**3911-004-025**	4.5 mm x 25 mm, ParallelPortal Cannula
62	**3911-004-055**	4.5 mm x 55 mm, ParallelPortal Cannula
51	**5100-008-000**	TPS Footswitch
51	**5400-050-000**	CORE Console
22, 50, 59	**6000-001-020**	2 m Firewire Cable
36	**DCELL200**	DermACELL (ADM) 0.75 - 1.50mm, 4 x 12 cm,
36	**DCELL201**	DermACELL (ADM) 0.75 - 1.50mm, 6 x 12 cm
36	**DCELL202**	DermACELL (ADM) 0.75 - 1.50mm, 4 x 16 cm
36	**DCELL203**	DermACELL (ADM) 0.75 - 1.50mm, 5 x 16 cm
36	**DCELL204**	DermACELL (ADM) 0.75 - 1.50mm, 6 x 16 cm
36	**DCELL205**	DermACELL (ADM) 0.75 - 1.50mm, 8 x 16 cm

Page	Numbers	Description
36	**DCELL206**	DermACELL (ADM) 0.75 - 1.50mm, 8 x 20 cm
36	**DCELL207**	DermACELL (ADM) 0.75 - 1.50mm, 16 x 20 cm
36	**DCELL208**	DermACELL (ADM) 0.75 - 1.50mm, 20 x 20 cm
36	**DCELL214**	DermACELL (ADM) 0.6 - 1.05mm, 6 x 16 cm
36	**DCELL214M**	DermACELL (ADM) 0.6 - 1.05mm, 6 x 16 cm - Microperforated
36	**DCELL215**	DermACELL (ADM) 0.6 - 1.05mm, 8 x 16 cm
36	**DCELL215M**	DermACELL (ADM) 0.6 - 1.05mm, 8 x 16 cm - Microperforated
36	**DCELL216**	DermACELL (ADM) 0.6 - 1.05mm, 8 x 20 cm
36	**DCELL216M**	DermACELL (ADM) 0.6 - 1.05mm, 8 x 20 cm - Microperforated
36	**DCELL217M**	DermACELL (ADM) 0.6 - 1.05mm, 16 x 20 cm - Microperforated
36	**DCELL250**	DermACELL (ADM) 1.25 - 2.00mm, 4 x 12 cm
36	**DCELL251**	DermACELL (ADM) 1.25 - 2.00mm, 6 x 12 cm
36	**DCELL252**	DermACELL (ADM) 1.25 - 2.00mm, 4 x 16 cm
36	**DCELL253**	DermACELL (ADM) 1.25 - 2.00mm, 5 x 16 cm
36	**DCELL254**	DermACELL (ADM) 1.25 - 2.00mm, 6 x 16 cm
36	**DCELL255**	DermACELL (ADM) 1.25 - 2.00mm, 8 x 16 cm
36	**DCELL256**	DermACELL (ADM) 1.25 - 2.00mm, 8 x 20 cm
36	**DCELL257**	DermACELL (ADM) 1.25 - 2.00mm, 16 x 20 cm
36	**DCELL258**	DermACELL (ADM) 1.25 - 2.00mm, 20 x 20 cm
19, 34	**HH1001**	SPY-PHI Articulating Arm, Main Arm
19, 34	**HH1002**	SPY-PHI Articulating Arm, Table Clamp
19, 34	**HH1003**	SPY-PHI Articulating Arm, Imaging Head Holder
19, 35	**HH9006**	SPY-PHI Drug Drape Pack (6 Kits Per)
19, 34	**HH9030**	SPY-PHI handheld imager

Page	Numbers	Description
19, 35	**LC3000**	SPY Elite tower
19, 35	**LC3006**	SPY Elite Drug Drape Pack (6 Kits Per)
19, 35	**LU3006**	LUNA Drug Drape Pack (6 Kits Per)
120	**P10261**	1188 Autoclavable Soaking Cap
17	**P10352**	3.5mm to 2x 2.5mm Y Cable
121	**P10526**	3.5 in LCD with Touch Screen
27, 120	**P12811**	Pink Paper Holder for Stryker Digital Printer SDP1000
27, 120	**P12812**	Blue Paper Holder for Stryker Digital Printer SDP1000
120	**P12814**	Cleaning Ribbon for SDP1000 Printer
120	**P16007**	SDC3 Chassis Cover
120	**P16008**	SDC3 Power Supply
120	**P16009**	Sub-System, SK28-LCD
120	**P16032**	SDC3 DVD Tray Cover
120	**P16386**	Writer Sata - Lite-On IHAS124
59	**P17275**	CrossFlow Pump Competitor Integration Power Cable
14, 16, 17, 120	**P17542**	1488 Soaker Cap
121	**P18917**	x8000 Ballast (Cep301) Mounting Bracket
120	**P18993**	SDC3 DVD Tray Cover Interface
121	**P19114**	X8000 Cable Assy, Ballast to Control Bd.
121	**P19115**	X8000 Cable Assy, Ballast to Control Bd.
121	**P19116**	X8000 Ballast
121	**P19118**	X8000 Cable Assy, Bulb Anode
121	**P23669**	X8000 CEP301CXE Ballast, cables, and Bracket Kit
14, 17, 120	**P24765**	1488/1588 Soaking Lanyard
120	**P25876**	VisionPro Accessory Kit, Cable Cover
120	**P25877**	VisionPro Accessory Kit, Power Supply
16, 17, 120	**P26805**	Precision Soaker Cap Lanyard
13	**P30883**	USB A to A Cable, 6.6 ft.

Page	Numbers	Description
120	**P30313**	1488/1588 Cable O-Ring, bags of 10
120	**P31664**	Plastic Extrusion for Heavy Duty Styrker Vision Mount
120	**P35920**	1188/1288 Cable O-Ring, bags of 10
19, 34	**PC9001**	Video Processor/Illuminator (VPI)
15	**PC9004**	PINPOINT Light Cable
15	**PC9015**	PINPOINT HD-SDI Cable (25')
15	**PC9017**	No-Wrap Reprocessing Tray for two (2) Laparoscopes and one (1) Light Guide Cable
15	**PC9018**	No-Wrap Reprocessing Tray for one (1) Camera Head
15	**PC9019**	PINPOINT Printer Media (Sony)
15	**PC9021**	PINPOINT Light Guide Adaptor, Endoscope End (Output, Storz)
15	**PC9022**	PINPOINT Light Guide Adaptor, VPI End (Input, Olympus)
15	**PC9023**	PINPOINT Scope Adaptor, Endoscope, Storz
15	**PC9024**	PINPOINT Scope Adaptor, Endoscope, Wolf
15	**PC9028**	PINPOINT Camera Head Holder, Premium Cart
15	**PC9050**	PINPOINT Standard Length Disposable Rigid Scope Introducer Pack
15	**PC9074**	High pressure tubing CO2, Bottle connection: DINDevice connection: US, Length: 1.5 m +WOM
15	**PC9075**	High pressure tubing CO2, Bottle connection: ISODevice connection: US, Length: 1.5 m +WOM
15	**PC9076**	High pressure tubing CO2, Bottle connection: PINDevice connection: US, Length: 1.5 m +WOM
15	**PC9077**	SteriTite, Steam/ETO Load Cards (Pack of 1000)
15	**PC9078**	SteriTite, H202/STERRAD Load Cards (Pack of 1000)
15	**PC9079**	High pressure tubing CO2 for ventral gas supply, 5 m, NIST/DIN, WOM

Page	Numbers	Description
15	**PC9082**	Insufflator Accessories, Tubing Set w. filter, Disposable, WOM
15	**PC9083**	Insufflator Accessories, Filter, Disposable, WOM
15	**PC9096**	Novadaq Insufflator Tubing Pack (50L), Branded
19, 34	**PC9098**	SPY-PHI Imaging Head Holder Kit for the Premium Cart
19, 34	**PC9099**	SPY-PHI Imaging Head Holder Installation Tool Kit for the Premium Cart
19, 35	**PP9036**	SPY MIS ICG Pack (6 Kits Per)
15	**SC9002**	PINPOINT Camera Head
15	**SC9104**	10mm, Standard, 0 with Wolf and Storz adaptor
15	**SC9134**	10mm, Standard, 30 with Wolf and Storz adaptor
15	**SC9144**	10mm, Standard, 45 with Wolf and Storz adaptor
15	**SC9504**	5mm, Standard, 0 with Wolf and Storz adaptor
15	**SC9534**	5mm, Standard, 30 with Wolf and Storz adaptor
15	**SC9544**	5mm, Standard, 45 with Wolf and Storz adaptor
19, 35	**SK6000-6**	SPY2000 drug and drape pack (6 Kits Per)

Integrity
We do what's right

Accountability
We do what we say

People
We grow talent

Performance
We deliver

Endoscopy

This document is intended solely for the use of healthcare professionals. A surgeon must always rely on his or her own professional clinical judgment when deciding whether to use a particular product when treating a particular patient. Stryker does not dispense medical advice and recommends that surgeons be trained in the use of any particular product before using it in surgery.

The information presented is intended to demonstrate a Stryker product. A surgeon must always refer to the package insert, product label and/or instructions for use, including the instructions for cleaning and sterilization (if applicable), before using any Stryker product.

Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area.

Stryker Corporation or its affiliates own, use, or have applied for the following trademarks or service marks: 90-S Cruise, Accelerator, AHTO, Conquest, Champion, Crossblade, Crossfire, Crossflow, DermACELL, Dri-Lok, FloSteady, Fluid Safe, Formula, iSuite, Ideal Eyes, Iris, iSWITCH, ParallelPortal, Park Trainer, Passport, PINPOINT, Pneumoclear, Pneumosure, Precision, Precision Ideal Eyes, Procare, Rev360, Safelight, SDC3, SERFAS, SIDNE, Speed-Lock, SPY Elite, SPY-PHI, StrykeFlow, Stryker, SYNK, Tomcat, Tomcat HC, Visum, Wingman, and WiSe.

All other trademarks are trademarks of their respective owners or holders.

Literature Number: 1000-900-313 Rev. YA

2016/12 Copyright © 2018 Stryker

Stryker
Endoscopy
5900 Optical Court
San Jose, CA 95138

stryker.com